

Base Path

► Version History

To deploy a Next.js application under a sub-path of a domain you can use the `basePath` config option.

`basePath` allows you to set a path prefix for the application. For example, to use `/docs` instead of `/` (the default), open `next.config.js` and add the `basePath` config:

```
module.exports = {  
  basePath: '/docs',  
}
```

Note: this value must be set at build time and can not be changed without re-building as the value is inlined in the client-side bundles.

Links

When linking to other pages using `next/link` and `next/router` the `basePath` will be automatically applied.

For example, using `/about` will automatically become `/docs/about` when `basePath` is set to `/docs`.

```
export default function HomePage() {  
  return (  
    <>  
      <Link href="/about">  
        <a>About Page</a>  
      </Link>  
    </>  
  )  
}
```

Output html:

```
<a href="/docs/about">About Page</a>
```

This makes sure that you don't have to change all links in your application when changing the `basePath` value.

Images

When using the `next/image` component, you will need to add the `basePath` in front of `src`.

For example, using `/docs/me.png` will properly serve your image when `basePath` is set to `/docs`.

```
import Image from 'next/image'  
  
function Home() {  
  return (  
    <>
```

```
<h1>My Homepage</h1>
<Image
  src="/docs/me.png"
  alt="Picture of the author"
  width={500}
  height={500}
/>
<p>Welcome to my homepage!</p>
</>
)
}

export default Home
```