

Authenticated Encryption With Associated Data (AEAD) Algorithm Definitions

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\crypto\ (linux-master) (Documentation) (crypto)api-aead.rst, line 4)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: include/crypto/aead.h
   :doc: Authenticated Encryption With Associated Data (AEAD) Cipher API
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\crypto\ (linux-master) (Documentation) (crypto)api-aead.rst, line 7)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: include/crypto/aead.h
   :functions: aead_request aead_alg
```

Authenticated Encryption With Associated Data (AEAD) Cipher API

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\crypto\ (linux-master) (Documentation) (crypto)api-aead.rst, line 13)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: include/crypto/aead.h
   :functions: crypto_alloc_aead crypto_free_aead crypto_aead_ivsize crypto_aead_authsize crypto_aead_blocksize crypto_aead_setkey
```

Asynchronous AEAD Request Handle

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\crypto\ (linux-master) (Documentation) (crypto)api-aead.rst, line 19)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: include/crypto/aead.h
   :doc: Asynchronous AEAD Request Handle
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\crypto\ (linux-master) (Documentation) (crypto)api-aead.rst, line 22)

Unknown directive type "kernel-doc".

```
.. kernel-doc:: include/crypto/aead.h
   :functions: crypto_aead_reqsize aead_request_set_tfm aead_request_alloc aead_request_free aead_request_set_callback aead_request
```