Bulma Changelog

0.9.4

New features

- **Responsive buttons**: the size of a button will change for each breakpoint
- `@mixin between` : takes 2 breakpoint values, outputs a media query for the range between these 2 values
- `$breakpoints` Sass map: a map of named breakpoints and their type (`from` , `until` or both)
- `@mixin breakpoint` : uses the new `$breakpoints` Sass map to output a media query

0.9.3

New features

- New `is-underlined` class for underlined text and links
- New `auto` value for margin and padding helper classes

Improvements

- New `$section-padding-desktop` Sass variable
- New `$hero-body-padding-tablet` Sass variable
- New `$shadow` Sass variable (used for `.box` , `.card` , `.dropdown` and `.panel`)
- Add `is-normal` size modifiers to `.file` and `.content`
- New `%reset` placeholder

Bugfix

- #3362 Fix slash divide

0.9.2

Breaking change

To fix duplicate imports, all Sass placeholders have moved from the `utilities/mixins` file to its own `utilities/extends` file.

The Sass placeholders are:

- `%control`
- `%unselectable`
- `%arrow`
- `%block`
- `%delete`
- `%loader`
- `%overlay`

If you were importing them directly from `utilities/mixins` , you'll need to import `utilities/extends` instead.
If you were importing `utilities/_all` or even `bulma.sass` directly, no change is required.

New features

- Fix #1583 New `is-ghost` button that behaves / looks like a regular link
- New `icon-text` component, to combine an icon with text on its side

Bug fixes

- #3005 Fix `column` offsets in RTL
- Fix #3145 Dropdown content is bounded by a parent card
- Fix #3089 Sub columns of a variable columns have weird gap
- Fix #2937 Add `width: unset` for narrow columns
- #3208 Fix #3163 Do not override is-rounded with button-small
- #3216 Removed duplicate `mixins` imports, created a single `extends` file
- #3216 Removed all references to the `.sass` file extension have been removed, since they're unnecessary when there's no ambiguity between a `.sass` file or a `.scss` file

Improvements

- Fix #3012 Add `$media-*` variables, set to `!default`
- Fix #2797 Import dependencies individually for each component
- Remove list style from pagination list

0.9.1

New features

- #3047 Flexbox helpers
- #3085 Add `is-clickable` helper
- #3086 Allow each component to have its own colors and default to global ones
- New variables `$navbar-colors`, `$button-colors`, `$notification-colors`, `$progress-colors`, `$table-colors`, `$tag-colors`, `$file-colors`, `$textarea-colors`, `$select-colors`, `$form-colors`, `$label-colors` and `$hero-colors`

Improvements

- #2630 Fixes #2598 -> Add `$card-radius` variable
- Add `$card-overflow` variable
- #2540 Fixes #2539 -> Fix indeterminate progress styling in IE11
- #3057 Make the default text color of `$code` listings more accessible
- #3088 Adds not allowed cursor to missing inputs
- #3101 Add `$modal-breakpoint` variable for modal breakpoint
- #3107 Add `optgroup` to `generic.sass`

0.9.0

Deprecation warning

The `base/helpers.sass` file is **deprecated**. It has moved into its own `/helpers` folder. If you were importing `base/helpers.sass` or `base/_all.sass`, please import `sass/helpers/_all.sass` now. If you were simply importing the whole of Bulma with `@import "~/bulma/bulma.sass"` or similar, you won't have to change anything, and everything will work as before.

The `list` component is also **deprecated**: the `components/list.sass` file has been deleted. It was never officially supported as it was too similar to `panel` component. Use that one instead.

RTL support

Bulma now has **RTL support**.

By setting the Sass flag `$rtl` to `true` , you can create an RTL version of Bulma, thanks to 4 new Sass mixins:

- `=ltr`
- `=rtl`
- `=ltr-property($property, $spacing, $right: true)`
- `=ltr-position($spacing, $right: true)`

The Bulma package now also comes with a `bulma-rtl.css` and `bulma-rtl.min.css` file to be used straight away.

Spacing helpers

Bulma now has **spacing helpers**: https://bulma.io/documentation/helpers/spacing-helpers/

Bulma provides **margin** `m*` and **padding** `p*` helpers in all **directions**:

- `*t` for **top**
- `*r` for **right**
- `*b` for **bottom**
- `*l` for **left**
- `*x` horizontally for both **left** and **right**
- `*y` vertically for both **top** and **bottom**

You need to **combine** a margin/padding prefix with a direction suffix. For example:

- for a `margin-top` , use `mt-*`
- for a `padding-bottom` , use `pb-*`
- for both `margin-left` and `margin-right` , use `mx-*`

Each of these `property-direction` **combinations** needs to be appended with one of **6 value suffixes**

This release also includes the following helpers:

- light and dark color helpers
- light and dark background color helpers

Improvements

- #2925 Center table cell content vertically with `is-vcentered`

Bug fixes

- #2955 Fix issue when there's only one `is-toggle` tag

0.8.2

Bug fixes

- Fix #2885 -> Revert `$input-color: $text-strong`

0.8.1

Improvements

- #2709 Add light colors to the `notification` element
- #2740 Fixes #2739 -> Add variables size for layout `hero`
- Fix #2741 -> Create `bulmaRgba()` function to support `inherit` value
- #2756 Add `$button-text-decoration` variable

Bug fixes

- #2664 Fixes #2671 -> Add `$panel-colors` variable

0.8.0

Big update

Larger form controls

Controls and buttons are now `2.5em` high. You can revert this resizing by setting these previous values:

```
$control-height: 2.25em
$control-padding-vertical: calc(0.375em - #{$control-border-width})
$control-padding-horizontal: calc(0.625em - #{$control-border-width})
$button-padding-vertical: calc(0.375em - #{$button-border-width})
$button-padding-horizontal: 0.75em
```

Light and dark colors

Each main color (`"primary"` , `"info"` , `"success"` , `"warning"` , `"danger"`) now has a `*-light` and `*-dark` version. They are calculated using 2 new color functions:

- `findLightColor()` which finds the light version of a color
- `findDarkColor()` which finds the dark version of a color

The light colors are used by the `button` element, while the light and dark colors are used by the `message` component.

Panel colors

The `panel` component is now available in all the different colors.

4-value color map

The `$colors` Sass map now accepts, for each of its values, a map of up to **4** values. For example: the key `"info"` now has the `($info, $info-invert, $info-light, $info-dark)` map.

If you provide a `$custom-colors` map, you can decide to provide a map of 1, 2, 3 or 4 values for each value. If fewer than 4 are provided, Bulma will calculate the remaining ones:

```
$custom-colors: (
  'lime': (
    lime,
  ),
  'tomato': (
    tomato,
```

```
    white,
  ),
  'orange': (
    $orange,
    $orange-invert,
    $orange-light,
  ),
  'lavender': (
    $lavender,
    $lavender-invert,
    $lavender-light,
    $lavender-dark,
  ),
);
```

This is processed by the updated `mergeColorMaps()` Sass function.

Scheme variables

There are 6 new `$scheme` derived variables: `$scheme-main` `$scheme-main-bis` `$scheme-main-ter` `$scheme-invert` `$scheme-invert-bis` `$scheme-invert-ter` They replace the `$white` and `$black` occurrences in the codebase. This makes it easy to create a "Dark mode" simply by swapping the values:

```
$scheme-main: $black
$scheme-invert: $white
// etc.
```

That is also why most of the codebase now references **derived** variables (`$text` , `$background` , `$border` etc.) instead of **initial** ones (`$grey` , `$grey-lighter` , `$grey-darker` etc.): updating the derived variables will affect all elements and components directly.

Initial variables

- `$green: hsl(141, 53%, 53%)`
- `$cyan: hsl(204, 71%, 53%)`
- `$red: hsl(348, 86%, 61%)`

Derived variables

- `$primary-invert: findColorInvert($primary)`

- `$primary-light: findLightColor($primary)`

- `$primary-dark: findDarkColor($primary)`

- `$info-invert: findColorInvert($info)`

- `$info-light: findLightColor($info)`

- `$info-dark: findDarkColor($info)`

- `$success-invert: findColorInvert($success)`

- `$success-light: findLightColor($success)`

- `$success-dark: findDarkColor($success)`

- `$warning-invert: findColorInvert($warning)`

- `$warning-light: findLightColor($warning)`

- `$warning-dark: findDarkColor($warning)`

- `$danger-invert: findColorInvert($danger)`

- `$danger-light: findLightColor($danger)`

- `$danger-dark: findDarkColor($danger)`

- `$light-invert: findColorInvert($light)`

- `$dark-invert: findColorInvert($dark)`

- `$scheme-main: $white`

- `$scheme-main-bis: $white-bis`

- `$scheme-main-ter: $white-ter`

- `$scheme-invert: $black`

- `$scheme-invert-bis: $black-bis`

- `$scheme-invert-ter: $black-ter`

Other variables

- `$control-height: 2.5em`
- `$control-padding-vertical: calc(0.5em - #{$control-border-width})`
- `$control-padding-horizontal: calc(0.75em - #{$control-border-width})`
- `$media-border-color: rgba($border, 0.5)`
- `$notification-code-background-color: $scheme-main`
- `$panel-radius: $radius-large`
- `$panel-shadow: 0 0.5em 1em -0.125em rgba($scheme-invert, 0.1), 0 0px 0 1px rgba($scheme-invert, 0.02)`
- `$textarea-padding: $control-padding-horizontal`
- `$textarea-max-height: 40em`
- `$textarea-min-height: 8em`

Bug fixes

- Fix #2647 -> Missing meta tags in snippet
- Fix #2031, Fix #2483 -> Invalid output when declaring a custom shade map
- Fix #2060 -> `height: auto` on HTML `audio` element breaks height of element
- Fix #706 -> Derive `-invert` variables using `findColorInvert()`
- #1608 Fix #1552 -> `.container.is-fluid` margins

New features

- #2563 `.image` has a new `.is-fullwidth` modifier

0.7.5

Deprecation warning

The `form.sass` file is **deprecated**. It has moved into its own `/form` folder. If you were importing `form.sass`, please import `sass/form/_all.sass` now. If you were simply importing the whole of Bulma with `@import "~/bulma/bulma.sass"` or similar, you won't have to change anything, and everything will work as before.

New features

Support for overriding the `font-family`

You can now specify a different `font-family` for the `.title`, `.subtitle` and `.button` by using the variables `$title-family`, `$subtitle-family` and `$button-family` respectively.

Simply set a value when importing Bulma:

```
$title-family: 'Georgia', serif;
```

- #2375 Add `.is-relative` helper
- #2321 Make `.navbar` focus behave like hover for the navigation
- #2290 Fix #1186 -> Reset the offset on columns
- #2231 Add `.has-text-weight-medium` helper
- #2224 Add customizable border radius to progress bar
- #2480 Add `$footer-color` variable

Improvements

- #2396 Update docs with webpack 4 example
- #2381 Make centered buttons have equal margin
- Fix #2297 -> Remove `.container` fixed width values, use `flex-grow`
- #2478 Move form.sass into its own folder

Bug fixes

- #2420 Fix #2414 -> Fix `align` attribute in `td/th` being ignored
- #2463 Remove duplicate `.has-addons` in `tag.sass`
- #2253 Fix `$gap` variable default value
- #2273 Fix #2258 -> Fix Indeterminate Progress Bar animation in Firefox
- #2175 Proper aligning for `.tabs` within `.content`
- #2476 Fix #2441 -> Correct active pagination link text color on hero

Fix #1979 -> Correct loading spinner color when a button is:

- outlined and hovered/focused
- outlined, inverted and hovered/focused

New variables

Initial variables

- `$block-spacing`

Base

- `$body-font-size`
- `$small-font-size`
- `$pre-font-size`
- `$pre-padding`
- `$pre-code-font-size`

Components

- `$card-header-padding`
- `$card-content-padding`
- `$card-media-margin`
- `$dropdown-menu-min-width`
- `$dropdown-content-padding-bottom`
- `$dropdown-content-padding-top`
- `$level-item-spacing`
- `$menu-list-line-height`
- `$menu-list-link-padding`
- `$menu-nested-list-margin`
- `$menu-nested-list-padding-left`
- `$menu-label-font-size`
- `$menu-label-letter-spacing`
- `$menu-label-spacing`
- `$pagination-item-font-size`
- `$pagination-item-margin`
- `$pagination-item-padding-left`
- `$pagination-item-padding-right`
- `$panel-margin`
- `$panel-tabs-font-size`

Elements

- `$container-offset`

Grid

- `$tile-spacing`

0.7.3

New features

- #2145 Fix #372 -> New indeterminate progress bars
- #2206 Fix #2046 -> New variables `$table-head-background-color`, `$table-body-background-color` and `$table-foot-background-color` for the `.table` element
- #592 -> Give arbitrary elements access to the image/ratio classes
- #1682 Fix #1681 -> Adds disabled styles for `<fieldset disabled>`
- #2201 Fix #1875 -> `.buttons` and `.tags` group sizing (`.are-small`, `.are-medium`, `.are-large`)

Improvements

- #1978 Fix #1696 -> Force `box-sizing: border-box` on `details` element
- #2167 Fix #1878 -> New `$footer-padding` variable

- #2168 -> New `$input-placeholder-color` and `$input-disabled-placeholder-color` variables

Bug fixes

- #2157 Fix #1656 -> Allow border radius if only one `.control` in `.field`
- #2091 Fix #2091 -> Remove CSS rule which causes `.tag.has-addons` to not work correctly
- #2186 Fix #1130 -> Prevent `.dropdown` links underlining in `.message` component
- Fix #2154 -> Move `.hero.is-fullheight-with-navbar` to `navbar.sass` file

Deprecation

- `.control.has-icon` deprecated in favor of `.control.has-icons`

0.7.2

New features

- #1884 New `$navbar-burger-color` variable
- #1679 Add breakpoint based column gaps
- #1905 Fix `modal` for IE11 #1902
- #1919 New `is-arrowless` class for navbar items
- #1949 New `is-fullheight-with-navbar` class for heros
- #1764 New `.is-sr-only` helper
- #2109 Add and use `$navbar-breakpoint` variable
- New variables `$control-height`, `$control-line-height`, `$pagination-min-width`, `$input-height`
- #1720 Add list element feature
- #2123 Add `.content ol` types: `.is-lower-roman`, `.is-upper-roman`, `.is-lower-alpha`, `.is-upper-alpha`, and support for the `type=` HTML attribute

Improvements

- #1964 Allow `.notification` to have a `.dropdown-item`
- #1999 Change `$border` to `$grey-lighter` in mixins
- #2085 `.media-content` will allow scrolling horizontally if the content is too wide
- #1744 Fix #1710 by using `$table-striped-row-even-hover-background-color` only for even rows
- #2074 Allow `<button>` as `.dropdown-item`

Bug fixes

- #1749 Fix icons floating out of input area
- #1993 Fixes #1992 Prevent disabled form elements hover state from overlapping, if control has add-ons elements
- #1909 Fix Modal card in IE11
- #1908 Fix IE11 when textarea doesn't listen to `size=""`
- Fix #1991 The last button in list of full-width buttons has longer width
- #1982 Fix navbar-burger color when color modifier is used
- #1819 Fix #1137 error message for required file
- Fix #1904 and #1969: hide native file input in Chrome
- #2059 Remove unnecessary right margin from last level-item (level.is-mobile)

0.7.1

Improvements

- #1789 Add all shades to `has-background-*` helpers

Bug fixes

- #1796 #1806 Remove navbar `box-shadow` by default

0.7.0

New features

- New variables `$widescreen-enabled` and `$fullhd-enabled` : you can set them to `false` to disable each breakpoint
- New variables `$control-border-width` and `$button-border-width`
- 🎉 #1624 Add some common photography aspect ratios and portrait ratios
- 🎉 #1747 New `$custom-colors` and `$custom-shades` variable for adding your own colors and shades to Bulma's `$colors` and `$shades` maps respectively

Improvements

- #1619 Add `$card-header-background-color` , `$card-content-background-color` and `$card-footer-background-color` to allow different background customization for card elements
- #1669 Add `.is-expanded` modifier to `.buttons.has-addons`
- #1628 Add `.has-background` helpers for block background colors, like `.has-text`
- #1767 Added minified bundle with cleancss

Bug fixes

- #1778 Fix `is-text-right` precedence over `is-text-left-mobile`
- #1571 Fix position of delete button on `.tag`
- #1549 Implementing a simple version of the native sass percentage function
- #1707 Disable table hover in `.content` by default
- #1428 Fix `media-content` overflow

Variable changes

Updated default values

File `sass/utilities/initial-variables.sass`		
Variable	From	To
$gap	32px	64px
$radius	3px	4px
$radius-large	5px	6px

File `sass/base/generic.sass`		
Variable	From	To
$hr-background-color	$border	$background

$hr-height	1px	2px

File `sass/elements/content.sass`

Variable	From	To
$content-heading-weight	$weight-normal	$weight-semibold

File `sass/components/message.sass`

Variable	From	To
$message-header-padding	0.5em 0.75em	0.75em 1em
$message-body-padding	1em 1.25em	1.25em 1.5em

File `sass/components/navbar.sass`

Variable	From	To
$navbar-item-hover-background-color	$background	$white-bis
$navbar-dropdown-border-top	1px solid $border	2px solid $border
$navbar-divider-background-color	$border	$background

File `sass/layout/footer.sass`

Variable	From	To
$footer-background-color	$background	$white-bis

New variables

File `sass/components/breadcrumb.sass`

Name	Value
$breadcrumb-item-padding-vertical	0
$breadcrumb-item-padding-horizontal	0.75em

File `sass/components/message.sass`

Name	Value
$message-body-border-color	$border
$message-body-border-width	0 0 0 4px
$message-header-weight	$weight-bold
$message-header-body-border-width	0

File `sass/components/navbar.sass`

Name	Value
`$navbar-box-shadow-size`	`0 2px 0 0`
`$navbar-box-shadow-color`	`$background`
`$navbar-padding-vertical`	`1rem`
`$navbar-padding-horizontal`	`2rem`
`$navbar-z`	`30`

File `sass/elements/title.sass`	
Name	**Value**
`$title-line-height`	`1.125`
`$subtitle-line-height`	`1.25`
`$subtitle-negative-margin`	`-1.25rem`

Removed variables

File	Removed	Replaced with
`sass/components/message.sass`	`$message-body-border`	`$message-body-border-color` `$message-body-border-width`

0.6.2

New features

- 🎉 Rounded buttons, inputs, pagination and toggle tabs

Improvements

- #1343 Add `sub` and `sup` title sizes
- #1452 New `.is-italic` helper

Bug fixes

- #935 Bug dropdown in `hero` (primary) menu items not visible
- #1456 Fix customize documentation
- #1190 Add `$variable-columns` to disable `--columnGap`
- #1518 Fix spacing of the delete button in notification element
- #1569 Fix missing use of `$pagination-color` variable

0.6.1

New features

- 🎉 [List of buttons](#)
- 🎉 #1235 Support for five column grid: `.is-one-fifth, .is-two-fifths, .is-three-fifths, .is-four-fifths`
- 🎉 #1287 New `.is-invisible` helper

- 🎉 #1255 New `.is-expanded` modifier for `navbar-item`
- 🎉 #1384 New `.is-centered` and `.is-right` modifiers for `tags`
- 🎉 #1383 New `.is-empty` modifier for `file`
- 🎉 #1380 Allow `.is-selected` class on `<td>` and `<th>` tags

Improvements

- #987 Improve `tag > icon` spacing
- Improve `hamburger` alignment

Bug fixes

- #1358 Fix indentation bug for .is-one-fifth
- #1356 SASS 3.5+ variable parsing compatibility allows only #{}
- #1342 Remove black line from progress bar in IE
- #1334 Fix progress bar colors in IE
- #1313 Fix Table `is-selected` and `is-hoverable` styling issue
- #963 Fix Delete Button Bug in iOS Safari

0.6.0

Breaking changes

- The new `$link` color is part of the `$colors` map. As a result, `.button.is-link` is a colored button now. Use `.button.is-text` if you want the underlined button.
- The deprecated `variables.sass` file has been removed.
- The deprecated `nav.sass` file has been removed.

New features

- #1236 `.table` hover effect is opt-in, by using the `.is-hoverable` modifier class
- #1254 `.dropdown` now supports `.is-up` modifier

Improvements

- #1257 Include placeholder mixin in `=input`

The `$link` color is used instead of `$primary` in the following components:

Variable	Old value	New value
$dropdown-item-active-color	$primary-invert	$link-invert
$dropdown-item-active-background-color	$primary	$link
$navbar-tab-hover-border-bottom-color	$primary	$link
$navbar-tab-active-color	$primary	$link
$navbar-tab-active-border-bottom-color	$primary	$link
$navbar-dropdown-item-active-color	$primary	$link
$tabs-link-active-border-bottom-color	$primary	$link
$tabs-link-active-color	$primary	$link

`$tabs-toggle-link-active-background-color`	`$primary`	`$link`
`$tabs-toggle-link-active-border-color`	`$primary`	`$link`
`$tabs-toggle-link-active-color`	`$primary-invert`	`$link-invert`

Issues closed

- #708 Import variables in mixins

0.5.3

New features

- #1101 `.card-header-title` can be centered with `.is-centered`
- #1189 `.input` readonly and `.is-static`
- #1189 `.textarea` readonly

Issues closed

- #1177 Fix `.message .tag` combination
- #1167 Fix `pre code`
- #1207 Fix `.breadcrumb` alignment

0.5.2

New features

- #842 `navbar` color modifiers
- #331 Support for third party icons
- Added `$button-focus-box-shadow-size` and `$button-focus-box-shadow-color` for customization
- Added `$input-focus-box-shadow-size` and `$input-focus-box-shadow-color` for customization
- Navbar tabs

Issues closed

- #1168 Undefined variable: `$navbar-item`
- #930 Remove `vertical-align: top` for icons
- #735 Font awesome custom `font-size`
- #395 Font awesome stacked icons
- #1152 Level-items not centered horizontally on mobile
- #1147 Add `text-size-adjust: 100%` to `html`
- #1106 `pagination` docs
- #1063 `$family-primary` customization

0.5.1

New features

- 🎉 #280 [File upload element](#)
- `$container-offset` variable to determine the `.container` breakpoints
- #1001 Text case helpers

Issues closed

- #1030 Add `!important` to non responsive display helpers
- #1020 Customizing `.navbar-item img` max height
- #998 `.navbar-dropdown` with **right** alignment
- #877 `.pagination` isn't using `$pagination-background`
- #989 `navbar-brand` overflowing on mobile
- #975 Variable `$table-head-color` isn't used
- #964 Tabs sass file throwing error with `!important`
- #949 `.is-size-7` helper is missing

0.5.0

New features

- 🎉 [List of tags](#)
- New **variable naming system**: `component` - `subcomponent` - `state` - `property`
- Improved **customization** thanks to new set of variables
- #934 New `.is-shadowless` helper

Variable name changes (mostly appending `-color`):

From	To
`$card`	`$card-color`
`$card-background`	`$card-background-color`
`$card-header`	`$card-header-color`
`$dropdown-item`	`$dropdown-item-color`
`$dropdown-content-background`	`$dropdown-content-background-color`
`$dropdown-item-hover-background`	`$dropdown-item-hover-background-color`
`$dropdown-item-hover`	`$dropdown-item-hover-color`
`$dropdown-item-active-background`	`$dropdown-item-active-background-color`
`$dropdown-item-active`	`$dropdown-item-active-color`
`$dropdown-divider-background`	`$dropdown-divider-background-color`
`$menu-item`	`$menu-item-color`
`$menu-item-hover`	`$menu-item-hover-color`
`$menu-item-hover-background`	`$menu-item-hover-background-color`
`$menu-item-active`	`$menu-item-active-color`
`$menu-item-active-background`	`$menu-item-active-background-color`
`$menu-label`	`$menu-label-color`
`$message-background`	`$message-background-color`

$message-header-background	$message-header-background-color
$navbar-background	$navbar-background-color
$navbar-item	$navbar-item-color
$navbar-item-hover	$navbar-item-hover-color
$navbar-item-hover-background	$navbar-item-hover-background-color
$navbar-item-active	$navbar-item-active-color
$navbar-item-active-background	$navbar-item-active-background-color
$navbar-tab-hover-background	$navbar-tab-hover-background-color
$navbar-tab-hover-border-bottom	$navbar-tab-hover-border-bottom-color
$navbar-tab-active	$navbar-tab-active-color
$navbar-tab-active-background	$navbar-tab-active-background-color
$navbar-divider-background	$navbar-divider-background-color
$navbar-dropdown-item-hover	$navbar-dropdown-item-hover-color
$navbar-dropdown-item-hover-background	$navbar-dropdown-item-hover-background-color
$navbar-dropdown-item-active	$navbar-dropdown-item-active-color
$navbar-dropdown-item-active-background	$navbar-dropdown-item-active-background-color
$pagination	$pagination-color
$pagination-hover	$pagination-hover-color
$pagination-hover-border	$pagination-hover-border-color
$pagination-focus	$pagination-focus-color
$pagination-focus-border	$pagination-focus-border-color
$pagination-active	$pagination-active-color
$pagination-active-border	$pagination-active-border-color
$pagination-disabled	$pagination-disabled-color
$pagination-disabled-background	$pagination-disabled-background-color
$pagination-disabled-border	$pagination-disabled-border-color
$pagination-current	$pagination-current-color
$pagination-current-background	$pagination-current-background-color
$pagination-current-border	$pagination-current-border-color
$pagination-ellipsis	$pagination-ellipsis-color
$box	$box-color

$box-background	$box-background-color
$button	$button-color
$button-background	$button-background-color
$button-border	$button-border-color
$button-link	$button-link-color
$button-link-hover-background	$button-link-hover-background-color
$button-link-hover	$button-link-hover-color
$button-disabled-background	$button-disabled-background-color
$button-disabled-border	$button-disabled-border-color
$button-static	$button-static-color
$button-static-background	$button-static-background-color
$button-static-border	$button-static-border-color
$input	$input-color
$input-background	$input-background-color
$input-border	$input-border-color
$input-hover	$input-hover-color
$input-hover-border	$input-hover-border-color
$input-focus	$input-focus-color
$input-focus-border	$input-focus-border-color
$input-disabled	$input-disabled-color
$input-disabled-background	$input-disabled-background-color
$input-disabled-border	$input-disabled-border-color
$input-icon	$input-icon-color
$input-icon-active	$input-icon-active-color
$title	$title-color
$subtitle	$subtitle-color
$card-footer-border	$card-footer-border-top
$menu-list-border	$menu-list-border-left
$navbar-tab-hover-border	$navbar-tab-hover-border-bottom-color
$navbar-tab-active-border	$navbar-tab-active-border-bottom
$table-border	$table-cell-border

`$table-row-even-background`	`$table-striped-row-even-background-color`
`$table-row-even-hover-background`	`$table-striped-row-even-hover-background-color`

Improved documentation

- [Starter template](#)
- [Colors page](#)
- [Typography helpers](#)
- **Meta** information for all elements and components
- **Variables** information for most elements and components

Issues closed

- #909 `.dropdown` wrapping
- #938 `.is-fullwidth` removed from docs
- #900 Variable `.navbar-item` for hover+active background/color
- #902 `.navbar-item` color overrides

0.4.4

New features

- New [dropdown button](#)!
- The breakpoints and `.container` **gap** can be customized with the new `$gap` variable
- The `.container` has 2 new modifiers: `.is-widescreen` and `.is-fullhd`

Issues closed

- Fix #26 `.textarea` element will honors `[rows]` attribute
- Fix #887 `body` scrollbar
- Fix #715 `.help` class behavior in horizontal form `is-grouped` field
- Fix #842 Adding modifiers in `navbar`
- Fix #841 `.container` as direct child of `.navbar` moves `.navbar-menu` below `.navbar-brand`
- Fix #861 Box in hero as text and background white
- Fix #852 charset and version number
- Fix #856 JavaScript `.nav-burger` example
- Fix #821 Notification strong color

0.4.3

New features

- New navbar with dropdown support
- Add new feature: Breadcrumb component (#632) @vinialbano
- Add Bloomer to README.md (#787) @AlgusDark
- Add responsive is-*-touch tags for .column sizes (#780) @tom-rb
- Adding 'is-hidden' to helpers in docs (#798) @aheuermann
- Add figure/figcaption as content element (#807) @werthen
- Add ^{and} support to content (#808) @werthen
- Add re-bulma and react-bulma (#809) @kulakowka
- Add is-halfheight to hero (#783) @felipeas
- Added a related project with Golang backend (#784) @Caiyeon

Issues closed

- Fix #827 Breadcrumb and Navbar in docs
- Fix #824 Code examples broken because of `text-align: center`
- Fix #820 Loading spinner resizes with controls
- Fix #819 Remove `height: auto` from media elements
- Fix #790 Documentation typo
- Fix #814 Make use of +fullhd mixin for columns @Saboteur777
- Fix #781 Add min/max height/width to delete class size modifiers @ZackWard
- Fix #391 Section docs update

0.4.2

- Fix #728 selected row on striped table
- Fix #747 remove flex-shrink for is-expanded
- Fix #702 add icons support for select dropdown
- Fix #712 delete button as flexbox item
- Fix #759 static button

0.4.1

- Fix #568 max-width container
- Fix #589 notification delete
- Fix #272 nav-right without nav-menu
- Fix #616 hero and notification buttons
- Fix #607 has-addons z-index
- Feature #586 select color modifiers
- Fix #537 -ms-expand
- Fix #578 better `+center` mixin
- Fix #565 `dl` styles
- Fix #389 `pre` `margin-bottom`
- Fix #484 icon alignment
- Fix #506 bold nav menu
- Fix #581 nav container
- Fix #512 nav grouped buttons
- Fix #605 container example
- Fix #458 select expanded
- Fix #403 separate animations
- Fix #637 customize Bulma
- Fix #584 loading select
- Fix #571 control height
- Fix #634 is-grouped control
- Fix #676 checkbox/radio wrapping
- Feature #479 has-icons placement
- Fix #442 selected table row
- Fix #187 add customize page
- Fix #449 columns negative horizontal margin
- Fix #399 pagination wrapping
- Fix #227 color keys as strings

0.4.0

- **Default font-size is 16px**

- **New `.field` element; `.control` repurposed**

- **New `.pagination` sizes**

- **New `$fullhd` breakpoint (1344px)**

- Remove monospace named fonts

- Remove icon spacing logic

- Split icon container dimensions and icon size

- Fix delete button by using pixels instead of (r)em

- Fix level on mobile

- Add new `.is-spaced` modifier for titles and subtitles

- Fix #487

- Fix #489

- Fix #502

- Fix #514

- Fix #524

- Fix #536

0.3.2
- Fix #478

0.3.1
- Fix #441
- Fix #443

0.3.0
- Use `rem` and `em` (!)

- Fix Font Awesome icons in buttons (!)

- Fix message colors (!)

- Use `{% capture %}` to ensure same display as code snippet (!)

- Move variables to their own file

- Remove small tag

- Add `:focus` state

- Fix table

- Remove table `.is-icon` and `.is-link`

- Add `.content` table

- Fix inputs with icons

- Input icons require the `.icon` container

- Deprecate `.media-number`

- Fix `.level-item` height

- Fix `.menu` spacing

- Deprecate `.menu-nav`

- Add invert outlined buttons

- Fix `.nav`

- Fix `.pagination`

- Fix `.tabs`

- Fix `.panel`

- Fix `.delete`

- Add mixins documentation

- Add functions documentation

0.2.2
- Fix: remove multiple imports

0.2.1
- Fix: container flex
- Fix: nav-item flex
- Fix: media-number flex
- Fix: new brand colors

0.2.0
- Added: new branding
- Added: modularity
- Added: grid folder
- Added: .github folder

0.1.1
- Remove `flex: 1` shorthand

0.1.0
- Fix #227

- Fix #232
- Fix #242
- Fix #243
- Fix #228
- Fix #245
- Fix #246

0.0.28

- BREAKING: `.control.is-grouped` now uses `.control` elements as direct children
- Fix #220
- Fix #214
- Fix #210
- Fix #206
- Fix #122

0.0.27

- Fix: #217
- Fix: #213
- Fix: #209
- Fix: #205
- Fix: #204
- Fix: #81

0.0.26

- Added: `.modal-card`
- Added: display responsive utilities
- Added: `.nav-center`
- Added: `.tabs ul` left center right
- Changed: `.navbar` renamed to `.level`
- Changed: `.header` renamed to `.nav`
- Deprecated: `.header`
- Deprecated: `.navbar`
- Fixed: `.hero` layout

0.0.25

- Added: `utilities/controls.sass` and `elements/form.sass`
- Added: new responsive classes
- Added: white/black and light/dark colors
- Changed: `.tabs` need `.icon` now
- Changed: cdnjs link doesn't include version

0.0.24

Added

- `is-mobile` for the navbar

Removed

- removed border between sections. Use `<hr class="is-marginless">` now

Updated

- restructured files
- added back `inline-flex` for controls and tags

Removed

- test tiles

0.0.23

BREAKING

- `bulma` folder renamed to `sass` to avoid the redundant `bulma/bulma` path
- `variables.sass` moved to `/utilities`
- almost everything is singular now
- **elements** only have one class
- **components** have at least one sub-class
- `.content` moved to elements
- `.table` moved to elements
- `.message` moved to components
- `.table-icon`, `.table-link`, `.table-narrow` are now called `.is-icon`, `.is-link`, `.is-narrow`

Added

- all variables are now `!default` so you can set your custom variables before importing Bulma

0.0.22

Fixed

- links in hero subtitle

0.0.21

Added

- `.column.is-narrow` to make a column `flex: none`

0.0.20

Added

- `.has-icon` support for different `.input` sizes

0.0.19

NEW!!!

- `.tile`

BREAKING

- `.is-third` renamed to `.is-one-third`

- `.is-quarter` renamed to `.is-one-quarter`

Added

- `.is-two-thirds`
- `.is-three-quarters`

Changed

- `.delete` in `.tag` has no red

0.0.18

BREAKING

- `.is-text-*` renamed to `.has-text-*`
- removed `.is-fullwidth` helper

Added

- **small tag**: `.tag.is-small`
- 12th column classes
- `*-full` column classes
- `$family-code`

Fixed

- disabled input with element
- `.table` last row with `th`
- `.card` color in `.hero`
- `.columns.is-gapless`

Removed

- removed `box-shadow` from `.tag`
- custom checkboxes and radio buttons

Updated

- `.tag` uses `display: inline-flex` now

0.0.17

Added

- **pagination**: `.pagination`
- **horizontal forms**: `.control.is-horizontal`
- **help** text for form controls: `.help`
- **progress bars**: `.progress`

Updated

- `.button` uses `display: inline-flex` now
- `.button` needs an `.icon` now
- `.control.is-grouped` renamed to `.control.has-addons`
- `.control.is-inline` renamed to `.control.is-grouped`

Removed

- **helpers** `.is-inline` and `.is-block`