```
import {
 Typography,
 Button,
 Input,
 Select,
 Cascader,
 TreeSelect,
 DatePicker,
 TimePicker,
 InputNumber,
 Radio,
 AutoComplete,
 Mentions,
} from 'antd';
const { Text } = Typography;
const { Option } = Select;
const { RangePicker } = DatePicker;
const narrowStyle = {
 width: 50,
};
const options = [
{
   value: 'zhejiang',
   label: 'Zhejiang',
   children: [
       value: 'hangzhou',
       label: 'Hangzhou',
       children: [
          value: 'xihu',
          label: 'West Lake',
         },
       ],
     },
    ],
  },
   value: 'jiangsu',
    label: 'Jiangsu',
    children: [
       value: 'nanjing',
       label: 'Nanjing',
       children: [
         {
           value: 'zhonghuamen',
           label: 'Zhong Hua Men',
```

```
},
       ],
     },
   ],
 },
];
export default () => (
   <Mentions style={{ width: 100 }} rows={1} />
   <Input.TextArea rows={1} style={{ width: 100 }} />
   <Button type="primary">Button
   <Input style={{ width: 100 }} />
   <Text copyable>Ant Design</Text>
   <Input prefix="1" suffix="2" style={{ width: 100 }} />
   <Input addonBefore="1" addonAfter="2" style={{ width: 100 }} />
   <InputNumber style={{ width: 100 }} />
   <DatePicker style={{ width: 100 }} />
   <TimePicker style={{ width: 100 }} />
   <Select style={{ width: 100 }} defaultValue="jack">
     <Option value="jack">Jack
     <Option value="lucy">Lucy</Option>
     <Option value="disabled" disabled>
       Disabled
     </Option>
     <Option value="Yiminghe">yiminghe
   </select>
   <TreeSelect style={{ width: 100 }} />
   <Cascader defaultValue={['zhejiang', 'hangzhou', 'xihu']} options={options} />
   <RangePicker />
   <DatePicker picker="month" />
   <Radio.Group defaultValue="a">
     <Radio.Button value="a">Hangzhou</Radio.Button>
     <Radio.Button value="b">Shanghai
   </Radio.Group>
   <AutoComplete style={{ width: 100 }} placeholder="input here" />
   <Input prefix="$" addonBefore="Http://" addonAfter=".com" defaultValue="mysite"</pre>
/>
   <Input style={narrowStyle} suffix="Y" />
   <Input style={narrowStyle} />
   <Input style={narrowStyle} defaultValue="1" suffix="Y" />
 </>
);
```