torch.Storage

A :class:`torch_TypedStorage` is a contiguous, one-dimensional array of elements of a particular :class:`torch.dtype`. It can be given any :class:`torch.dtype`, and the internal data will be interpretted appropriately.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 4); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 4); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 4); backlink

Unknown interpreted text role "class".

Every strided :class: 'torch. Tensor' contains a :class: 'torch. TypedStorage', which stores all of the data that the :class: 'torch. Tensor' views.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 8); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 8); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 8); backlink

Unknown interpreted text role "class".

For backward compatibility, there are also <code>:class:`torch.</type>Storage</code>` classes (like <code>:class:`torch.FloatStorage</code>`, <code>:class:`torch.IntStorage</code>`, etc). These classes are not actually instantiated, and calling their constructors creates a <code>:class:`torch._TypedStorage</code>` with the appropriate <code>:class:`torch.dtype</code>'. <code>:class:`torch.</type>Storage</code>` classes have all of the same class methods that <code>:class:`torch.</code> TypedStorage` has.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 11); backlink

Unknown interpreted text role "class".

Unknown interpreted text role "class".

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 11); backlink

Unknown interpreted text role "class".

 $System \, Message: ERROR/3 \, (\texttt{D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\(pytorch-master) \, (docs) \, (source) \, storage.rst, \, line \, 11); \, \textit{backlink} \, (docs) \, (docs)$

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 11); backlink

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 11); backlink

Unknown interpreted text role "class".

Also for backward compatibility, <code>class:`torch.Storage`</code> is an alias for the storage class that corresponds with the default data type (<code>func:`torch.get_default_dtype()</code>). For instance, if the default data type is <code>:attr:`torch.float</code>, <code>:class:`torch.Storage</code>` resolves to <code>:class:`torch.FloatStorage</code>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 18); backlink

Unknown interpreted text role "class".

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 18); backlink

Unknown interpreted text role "attr".

Unknown interpreted text role "class".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 18); backlink

Unknown interpreted text role "class".

 $System\,Message: ERROR/3 \ (\c : \c sample-onboarding-resources \end{cos} \c (pytorch-master) \ (docs) \ (source) \ storage. rst, \ line \ 25)$

Unknown directive type "autoclass".

```
.. autoclass:: torch._TypedStorage
:members:
:undoc-members:
:inherited-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\conboarding-resources}\conboarding-resources\\\conboarding-$

Unknown directive type "autoclass".

```
.. autoclass:: torch.DoubleStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 34)

Unknown directive type "autoclass".

```
.. autoclass:: torch.FloatStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 38)

Unknown directive type "autoclass".

```
.. autoclass:: torch.HalfStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 42)

Unknown directive type "autoclass".

```
.. autoclass:: torch.LongStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 46)

Unknown directive type "autoclass".

```
.. autoclass:: torch.IntStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 50))

Unknown directive type "autoclass".

```
.. autoclass:: torch.ShortStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 54)

Unknown directive type "autoclass".

```
.. autoclass:: torch.CharStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 58)

Unknown directive type "autoclass".

```
.. autoclass:: torch.ByteStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3 \ (\mbox{D:\noboarding-resources}\) sample-onboarding-resources \ (\mbox{pytorch-master}) \ (\mbox{docs}) \ (\mbox{source}\) storage.rst, line \ 62)$

Unknown directive type "autoclass".

```
.. autoclass:: torch.BoolStorage
:members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 66))

Unknown directive type "autoclass".

```
.. autoclass:: torch.BFloat16Storage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 70)

Unknown directive type "autoclass".

```
.. autoclass:: torch.ComplexDoubleStorage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3 \ (\texttt{D:\noboarding-resources\sample-onboarding-resources\space-pytorch-master)} \ (\texttt{docs}\space-pytorch-master}) \ (\texttt{docs}\space-pytorch-master-pytor-pytorch-master-pytorch-master-pytor-py$

Unknown directive type "autoclass".

```
.. autoclass:: torch.ComplexFloatStorage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 78)

Unknown directive type "autoclass".

```
.. autoclass:: torch.QUInt8Storage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3 \ (\mbox{D:\noboarding-resources}\) ample-onboarding-resources \ (\mbox{pytorch-master}) \ (\mbox{docs}) \ (\mbox{source}\) \ (\mbox{potential}) \ (\mb$

Unknown directive type "autoclass".

```
.. autoclass:: torch.QInt8Storage
:members:
:undoc-members:
```

Unknown directive type "autoclass".

```
.. autoclass:: torch.QInt32Storage
:members:
:undoc-members:
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\((pytorch-master)(docs)(source)(storage.rst, line 90))

Unknown directive type "autoclass".

```
.. autoclass:: torch.QUInt4x2Storage
:members:
:undoc-members:
```

 $System\,Message: ERROR/3~(\texttt{D:}\nonboarding-resources}) sample-onboarding-resources \\ pytorch-master)~(docs)~(source)~storage.rst, line~94)$

Unknown directive type "autoclass".

.. autoclass:: torch.QUInt2x4Storage
:members:
:undoc-members: