## **Byte Array Objects**

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 1)

Unknown directive type "highlight".

.. highlight:: c

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 8)

Unknown directive type "index".

.. index:: object: bytearray

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 11)

Unknown directive type "c:type".

.. c:type:: PyByteArrayObject

This subtype of :c:type:`PyObject` represents a Python bytearray object.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 16)

Unknown directive type "c:var".

.. c:var:: PyTypeObject PyByteArray\_Type

This instance of :c:type:`PyTypeObject` represents the Python bytearray type; it is the same object as :class:`bytearray` in the Python layer.

## Type check macros

 $System\,Message: ERROR/3 \, (\texttt{D:\noboarding-resources\sample-onboarding-resources\cpython-main\noc\c-api\cpython-main\c] \, [\texttt{Doc}] \, [\texttt{c-api}] \, by tearray. \, rst, \, line \, 25)$ 

Unknown directive type "c:function".

.. c:function:: int PyByteArray\_Check(PyObject \*o)

Return true if the object \*o\* is a bytearray object or an instance of a subtype of the bytearray type. This function always succeeds.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 31)

Unknown directive type "c:function".

.. c:function:: int PyByteArray\_CheckExact(PyObject \*o)

Return true if the object \*o\* is a bytearray object, but not an instance of a subtype of the bytearray type. This function always succeeds.

## **Direct API functions**

Unknown directive type "c:function".

```
.. c:function:: PyObject* PyByteArray_FromObject(PyObject *o)

Return a new bytearray object from any object, *o*, that implements the
:ref:`buffer protocol <bufferobjects>`.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 46)

Unknown directive type "c:function".

```
.. c:function:: PyObject* PyByteArray_FromStringAndSize(const char *string, Py_ssize_t len)

Create a new bytearray object from *string* and its length, *len*. On failure, ``NULL`` is returned.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 52)

Unknown directive type "c:function".

```
.. c:function:: PyObject* PyByteArray_Concat(PyObject *a, PyObject *b)

Concat bytearrays *a* and *b* and return a new bytearray with the result.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main] [Doc] [c-api]bytearray.rst, line 57)

Unknown directive type "c:function".

```
.. c:function:: Py_ssize_t PyByteArray_Size(PyObject *bytearray)

Return the size of *bytearray* after checking for a ``NULL`` pointer.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 62)

Unknown directive type "c:function".

```
.. c:function:: char* PyByteArray_AsString(PyObject *bytearray)

Return the contents of *bytearray* as a char array after checking for a ``NULL`` pointer. The returned array always has an extra null byte appended.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main] [Doc] [c-api]bytearray.rst, line 69)

Unknown directive type "c:function".

```
.. c:function:: int PyByteArray_Resize(PyObject *bytearray, Py_ssize_t len)

Resize the internal buffer of *bytearray* to *len*.
```

## Macros

These macros trade safety for speed and they don't check pointers.

 $System\,Message:\,ERROR/3\,(\texttt{D:\nonboarding-resources\scample-onboarding-resources\cpython-onboarding-resources\scample-onboarding-resources\cpython-onboarding-resources\scample-onboarding-resources\cpython-onboarding-resources\scample-onboarding-resources\cpython-onboarding-r$ 

```
main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 78)
```

Unknown directive type "c:function".

```
.. c:function:: char* PyByteArray_AS_STRING(PyObject *bytearray)
Macro version of :c:func:`PyByteArray_AsString`.
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\[cpython-main][Doc][c-api]bytearray.rst, line 83)

Unknown directive type "c:function".

```
.. c:function:: Py_ssize_t PyByteArray_GET_SIZE(PyObject *bytearray)
Macro version of :c:func:`PyByteArray_Size`.
```