Basic example

Place one add-on or button on either side of an input. You may also place one on both sides of an input. Remember to place `<label>` s outside the input group.

{{< example >}}

@ Username

Recipient's username @example.com
Your vanity URL

https://example.com/users/

$ .00

Username @ Server

With textarea

{{< /example >}}

Wrapping

Input groups wrap by default via `flex-wrap: wrap` in order to accommodate custom form field validation within an input group. You may disable this with `.flex-nowrap` .

{{< example >}}

@ Username

{{< /example >}}

Sizing

Add the relative form sizing classes to the `.input-group` itself and contents within will automatically resize—no need for repeating the form control size classes on each element.

Sizing on the individual input group elements isn't supported.

{{< example >}}

Small

Default

Large

{{< /example >}}

Checkboxes and radios

Place any checkbox or radio option within an input group's addon instead of text. We recommend adding `.mt-0` to the `.form-check-input` when there's no visible text next to the input.

{{< example >}}

{{< /example >}}

Multiple inputs

While multiple `<input>` s are supported visually, validation styles are only available for input groups with a single `<input>` .

{{< example >}}

First and last name

{{< /example >}}

Multiple addons

Multiple add-ons are supported and can be mixed with checkbox and radio input versions.

{{< example >}}

$ 0.00

$ 0.00

{{< /example >}}

Button addons

{{< example >}}

Button

Recipient's username   Button

Button   Button

Recipient's username   Button   Button

{{< /example >}}

Buttons with dropdowns

{{< example >}}

Dropdown

- Action
- Another action
- Something else here
-
- Separated link

Dropdown

- Action
- Another action
- Something else here
-
- Separated link

Dropdown

- Action before

- [Another action before](#)
- [Something else here](#)
-

- [Separated link](#)

[ ] [Dropdown]

- [Action](#)
- [Another action](#)
- [Something else here](#)
-

- [Separated link](#)

{{< /example >}}

Segmented buttons

{{< example >}}

[Action] [Toggle Dropdown]

- [Action](#)
- [Another action](#)
- [Something else here](#)
-

- [Separated link](#)

[ ]
[ ] [Action] [Toggle Dropdown]

- [Action](#)
- [Another action](#)
- [Something else here](#)
-

- [Separated link](#)

{{< /example >}}

Custom forms

Input groups include support for custom selects and custom file inputs. Browser default versions of these are not supported.

Custom select

{{< example >}}

Options [Choose... ⌄]

[Choose... ⌄] Options

[Button] [Choose... ⌄]

[Choose... ⌄] [Button]

{{< /example >}}

Custom file input

{{< example >}}

Upload Choose File No file chosen

Choose File No file chosen   Upload

Button Choose File No file chosen

Choose File No file chosen   Button

{{< /example >}}

Sass

Variables

{{< scss-docs name="input-group-variables" file="scss/_variables.scss" >}}