

# TTY Internals

- [Kopen](#)
- [Exported Internal Functions](#)
- [Internal Functions](#)

## Kopen

These functions serve for opening a TTY from the kernel space:

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\linux-master) (Documentation) (tty) tty\_internals.rst, line 14)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/tty/tty_io.c
   :identifiers: tty_kopen_exclusive tty_kopen_shared tty_kclose
```

## Exported Internal Functions

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\linux-master) (Documentation) (tty) tty\_internals.rst, line 22)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/tty/tty_io.c
   :identifiers: tty_release_struct tty_dev_name_to_number tty_get_icount
```

## Internal Functions

**System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\tty\linux-master) (Documentation) (tty) tty\_internals.rst, line 30)**

Unknown directive type "kernel-doc".

```
.. kernel-doc:: drivers/tty/tty_io.c
   :internal:
```