

# Security Considerations

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 3)

Unknown directive type "index".

```
.. index:: single: security considerations
```

The following modules have specific security considerations:

- `mod:'base64'`: `ref:'base64 security considerations <base64-security>'` in [RFC 4648](#)

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 10); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 10); [backlink](#)

Unknown interpreted text role "ref".

- `mod:'cgi'`: `ref:'CGI security considerations <cgi-security>'`

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 12); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 12); [backlink](#)

Unknown interpreted text role "ref".

- `mod:'hashlib'`: `ref:'all constructors take a "usedforsecurity" keyword-only argument disabling known insecure and blocked algorithms <hashlib-usedforsecurity>'`

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 13); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 13); [backlink](#)

Unknown interpreted text role "ref".

- `mod:'http.server'` is not suitable for production use, only implementing basic security checks

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc] [library]security\_warnings.rst, line 16); [backlink](#)

Unknown interpreted text role "mod".

- `mod:'logging'`: `ref:'Logging configuration uses eval() <logging-eval-security>'`

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 18); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 18); [backlink](#)

Unknown interpreted text role "ref".

- `:mod:`multiprocessing``: `:ref:`Connection.recv()`` uses pickle <multiprocessing-recv-pickle-security>

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 20); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 20); [backlink](#)

Unknown interpreted text role "ref".

- `:mod:`pickle``: `:ref:`Restricting globals in pickle`` <pickle-restrict>

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 22); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 22); [backlink](#)

Unknown interpreted text role "ref".

- `:mod:`random`` shouldn't be used for security purposes, use `:mod:`secrets`` instead

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 23); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 23); [backlink](#)

Unknown interpreted text role "mod".

- `:mod:`shelve``: `:ref:`shelve`` is based on pickle and thus unsuitable for dealing with untrusted sources <shelve-security>

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 25); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 25); [backlink](#)

Unknown interpreted text role "ref".

- `mod:`ssl``: `ref`SSL/TLS security considerations <ssl-security>``

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 27); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 27); [backlink](#)

Unknown interpreted text role "ref".

- `mod:`subprocess``: `ref`Subprocess security considerations <subprocess-security>``

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 28); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 28); [backlink](#)

Unknown interpreted text role "ref".

- `mod:`tempfile``: `ref`mktemp is deprecated due to vulnerability to race conditions <tempfile-mktemp-deprecated>``

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 30); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 30); [backlink](#)

Unknown interpreted text role "ref".

- `mod:`xml``: `ref`XML vulnerabilities <xml-vulnerabilities>``

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 32); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 32); [backlink](#)

Unknown interpreted text role "ref".

- `mod:`zipfile``: `ref`maliciously prepared .zip files can cause disk volume exhaustion <zipfile-resources-limitations>``

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 33); [backlink](#)

Unknown interpreted text role "mod".

**System Message: ERROR/3** (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\[cpython-main] [Doc]  
[library]security\_warnings.rst, line 33); *backlink*

Unknown interpreted text role "ref".