

```
+++ title = "Reporting API" description = "Grafana Enterprise APIs"
keywords = ["grafana", "enterprise", "api", "reporting"] aliases =
["/docs/grafana/latest/http_api/reporting/"] +++
```

## Reporting API

This API allows you to interact programmatically with the [Reporting]({{< relref "../enterprise/reporting.md" >}}) feature.

Reporting is only available in Grafana Enterprise. Read more about [Grafana Enterprise]({{< relref "../enterprise" >}}).

If you have [Fine-grained access Control]({{< relref "../enterprise/access-control/\_index.md" >}}) enabled, for some endpoints you would need to have relevant permissions. Refer to specific resources to understand what permissions are required.

### Send a report

Only available in Grafana Enterprise v7.0+.

This API endpoint is experimental and may be deprecated in a future release. On deprecation, a migration strategy will be provided and the endpoint will remain functional until the next major release of Grafana.

**POST** /api/reports/email

Generate and send a report. This API waits for the report to be generated before returning. We recommend that you set the client's timeout to at least 60 seconds.

**Required permissions** See note in the [introduction]({{< ref "#reporting-api" >}}) for an explanation.

Action	Scope
reports:send	n/a

### Example request

```
POST /api/reports/email HTTP/1.1
Accept: application/json
Content-Type: application/json
Authorization: Bearer eyJrIjoiT0tTcG1pU1Y2RnVKZTFVaDFsNFZXdE9ZWmNrMkZYbk
```

```
{
```

```

    "id": "3",
    "useEmailsFromReport": true
  }

```

### JSON Body Schema

Field name	Data type	Description
id	string	ID of the report to send. It is the same as in the URL when editing a report, not to be confused with the ID of the dashboard. Required.
emails	string	Comma-separated list of emails to which to send the report to. Overrides the emails from the report. Required if <b>useEmailsFromReport</b> is not present.
useEmailsFromReport	boolean	Should send the report to the emails specified in the report. Required if <b>emails</b> is not present.

### Example response

```

HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 29

```

```

{"message": "Report was sent"}

```

### Status Codes

Code	Description
200	Report was sent.
400	Bad request (invalid json, missing content-type, missing or invalid fields, etc.).
401	Authentication failed, refer to [Authentication API]({{< relref “../http_api/auth.md” >}}).
403	User is authenticated but is not authorized to generate the report.
404	Report not found.
500	Unexpected error or server misconfiguration. Refer to server logs for more details.