# **Gatsby's Peril Settings**

This is the configuration repo for Peril on the GatsbyJS org. There's a <u>settings file</u> and org-wide dangerfiles which are inside the <u>rules folder</u>.

### tl;dr for this repo

Peril is Danger running on a web-server and this repo is the configuration for that. Currently the dangerfiles in <u>rules</u> run on every issue and pull request for all GatsbyJS Repos.

#### How it works

#### **Relevant tools**


Here are links to the relevant tools, docs, and apps we're using:

- Peril
- <u>Danger JS</u>
- Peril for Orgs
- Peril on the GatsbyJS Heroku team

#### How the pieces fit together

There are three parts to enabling automations on the Gatsby GitHub organization (ignoring some of the nitty-gritty details). Those parts are:

- Events (issue comments, new pull requests etc) published from the Gatsby GitHub org to a server
- An instance of Peril which receives and responds to those events
- This settings repo which configures rules for the Peril instance



#### View source for the diagram

The Peril instance can also be configured to run events on a schedule.

#### What is this project?

• EmptyBody: Automatically requests more information from a user who opens a new issue with a blank body.

#### To Develop

```
yarn install code .
```

You will need node and yarn installed beforehand. You can get them both by running brew install yarn.

This will give you auto-completion and types for Danger mainly.

#### **To Deploy**

Changes to <u>tasks/</u> and <u>rules/</u> will automatically be picked up by the Heroku App.

Changes to <a href="mailto:peril.settings.json">peril.settings.json</a> require the Heroku App to be restarted.

Changes to settings.modules in <a href="mailto:peril.settings.json">peril.settings.json</a> require the app to be rebuilt on Heroku. This is to allow Heroku to install any new dependencies. See the repo for more info (TODO: add the repo).

## Debugging

Add the following env var to the Heroku app: DEBUG=octokit:rest\* . This will enable debug output for the GitHub API library used by Peril, allowing you to see the exact API calls that are made to GitHub.

## Acknowledgments

Huge thanks to @SD10 for the initial setup help and for additional guidance along the way.

And thanks to <u>@orta</u> for creating <u>Peril</u>. This makes our lives so much easier.