# **VIDEO SET FORMAT**

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-
master\drivers\staging\media\av7110\((linux-master)(drivers)(staging)(media)
(av7110)video-set-format.rst, line 2)
Unknown directive type "cnamespace".
.. c:namespace:: DTV.video
```

#### Name

VIDEO\_SET\_FORMAT

```
Attention!
```

This ioctl is deprecated.

### **Synopsis**

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\(linux-master)\(drivers\) (staging) (media) (av7110) video-set-format.rst, line 20)
Unknown directive type "cmacro".
.. c:macro:: VIDEO_SET_FORMAT
```

int ioctl(fd, VIDEO SET FORMAT, video format t format)

#### **Arguments**

## **Description**

This ioctl sets the screen format (aspect ratio) of the connected output device (TV) so that the output of the decoder can be adjusted accordingly.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\(linux-master)\(drivers\) (staging) (media) (av7110) video-set-format.rst, line 56)
Unknown directive type "c:type".
.. c:type:: video_format_t
```

#### **Return Value**

On success 0 is returned, on error -1 and the errno variable is set appropriately. The generic error codes are described at the ref. Generic Error Codes <gen-errors>` chapter.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\(linux-master)\(drivers\) (staging) (media) (av7110) video-set-format.rst, line 69); backlink

Unknown interpreted text role 'ref'.
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-
master\drivers\staging\media\av7110\(linux-master\) (drivers) (staging) (media)
(av7110) video-set-format.rst, line 74)

Unknown directive type "flat-table".

.. flat-table::
    :header-rows: 0
    :stub-columns: 0

- .. row 1

- ``EINVAL``

- format is not a valid video format.
```