eslint-plugin-material-ui

Custom eslint rules for MUI.

List of supported rules

- `disallow-active-element-as-key-event-target`
- `docgen-ignore-before-comment`
- `no-hardcoded-labels`
- `rules-of-use-theme-variants`
- ~~`restricted-path-imports`~~

disallow-active-element-as-key-event-target

Prevent `fireEvent.keyDown(document.activeElement)` . The implementation we use already verifies that the passed target can be the target of a `keydown` event. Passing the target explicitly (e.g. `fireEvent.keyDown(getByRole('tab', { selected: true }))`) makes the test more readable.

docgen-ignore-before-comment

Enforce correct usage of `@ignore` in the prop-types block comments.

no-hardcoded-labels

Prevent the usage of hardcoded labels. The docs are translated via crowdin, we prefer to use `t` from the redux store.

rules-of-use-theme-variants

Ensures correct usage of `useThemeVariants` so that all props are passed as well as their resolved default values.

~~restricted-path-imports~~

Removed in favor of [no-restricted-imports](#) using the following configuration:

```
{
  "rules": {
    "no-restricted-imports": [
      "error",
      {
        "patterns": ["@mui/*/*/*", "!@mui/material/test-utils/*"]
      }
    ]
  }
}
```