## zh-CN

用于配置一些固定组合。

## en-US

Using pre & post tabs example.

```
import { Input, Select, Space, Cascader } from 'antd';
import { SettingOutlined } from '@ant-design/icons';
const { Option } = Select;
const selectBefore = (
 <Select defaultValue="http://" className="select-before">
   <Option value="http://">http://</Option>
   <Option value="https://">https://</Option>
 </Select>
);
const selectAfter = (
 <Select defaultValue=".com" className="select-after">
   <Option value=".com">.com</Option>
   <Option value=".jp">.jp</Option>
   <Option value=".cn">.cn</Option>
   <Option value=".org">.org</Option>
 </Select>
);
export default () => (
 <Space direction="vertical">
   <Input addonBefore="http://" addonAfter=".com" defaultValue="mysite" />
   <Input addonBefore={selectBefore} addonAfter={selectAfter} defaultValue="mysite"</pre>
/>
   <Input addonAfter={<SettingOutlined />} defaultValue="mysite" />
   <Input addonBefore="http://" suffix=".com" defaultValue="mysite" />
   <Input
     addonBefore={<Cascader placeholder="cascader" style={{ width: 150 }} />}
     defaultValue="mysite"
 </Space>
);
```

```
.select-before {
  width: 90px;
}

.select-after {
  width: 80px;
}

[data-theme='compact'] .select-before {
```

```
width: 71px;
}

[data-theme='compact'] .select-after {
  width: 65px;
}
```