

新特性

- 综合
 - 新增 `theme-chalk` 主题
 - 增强以下组件的可访问性: Alert、AutoComplete、Breadcrumb、Button、Checkbox、Collapse、Input、InputNumber、Menu、Progress、Radio、Rate、Slider、Switch 和 Upload
 - 新增布局组件 Container、Header、Aside、Main 和 Footer
- Button
 - 新增 `round` 属性, 用于圆角按钮 #6643
- TimeSelect
 - 可以用 `Up`、`Down` 导航, 用 `Enter` 选中时间 #6023
- TimePicker
 - 可以用方向键导航, 用 `Enter` 选中时间 #6050
 - 新增 `start-placeholder` 和 `end-placeholder`, 用于设置范围选择时两个输入框的占位符 #7169
- Tree
 - 子节点在首次被展开之前不进行渲染 #6257
 - 新增 `check-descendants` 属性, 设置 `lazy` 模式下勾选节点时, 是否完全展开整个子树 #6235
- Tag
 - 新增 `size` 属性 #7203
- DatePicker
 - `type` 为 `datetimerange` 时可以使用 `timeFormat` 格式化时间选择器 #6052
 - 新增 `start-placeholder` 和 `end-placeholder`, 用于设置范围选择时两个输入框的占位符 #7169
- MessageBox
 - 新增 `closeOnHashChange` 属性 #6043
 - 新增 `center` 属性, 提供居中布局 #7029
 - 新增 `roundButton` 属性, 使得内部按钮为圆角按钮 #7029
 - 新增 `dangerouslyUseHTMLString` 属性, 使得 `message` 支持传入 HTML 字符串* #6043
- Dialog
 - 新增 `width`、`fullscreen`、`append-to-body` 属性, 支持嵌套使用
 - 新增 `center` 属性, 提供居中布局 #7042
 - 新增 `focus-after-closed`、`focus-after-open` 属性, 支持无障碍访问 #6511
- ColorPicker
 - 增加手动输入色值的支持 #6167
 - 新增 `size` 属性, 用于控制组件的大小 #7026
 - 新增 `disabled` 属性, 用于禁用组件 #7026
- Message
 - 图标部分使用 `icon` 代替图片, 从而支持通过 CSS 修改图标背景色 #6207
 - 新增 `dangerouslyUseHTMLString` 属性, 使得 `message` 属性支持传入 HTML 字符串* #6207
 - 新增 `center` 属性, 提供居中布局 #6875
- Notification
 - 新增 `position` 属性, 用于配置 Notification 出现的位置 #6231
 - 新增 `dangerouslyUseHTMLString` 属性, 使得 `message` 属性支持传入 HTML 字符串* #6231

- 新增 `showClose` 属性，用于隐藏关闭按钮 #6402
- Rate
 - 新增 `show-score` 属性，控制是否在右侧显示当前分数 #6295
- Tabs
 - 新增 `tab-position` 属性，控制选项面板内容显示的上、下、左、右四个方向 #6096
- Radio
 - 增加 `border` 属性和 `size` 属性 #6690
- Checkbox
 - 增加 `border` 属性和 `size` 属性 #6690
- Alert
 - 新增 `center` 属性，提供居中布局 #6876
- Menu
 - 新增 `background-color`、`text-color` 和 `active-text-color` 属性，分别用于设置菜单的背景色、菜单的文字颜色和当前激活菜单的文字颜色 #7064
- Form
 - 新增 `inline-message` 属性，设置后校验信息会以行内样式显示 #7032
 - 新增 `status-icon` 属性，用于在输入框中显示校验结果反馈图标 #7032
- Input
 - 新增 `suffix`、`prefix` 的 slot，以及 `suffixIcon`、`prefixIcon` 属性，用于给输入框内部增加前置和后置内容 #7032
- Breadcrumb
 - 新增 `separator-class` 属性，可使用图标作为分隔符 #7203
- Steps
 - 新增 `simple` 属性，用于开启简洁风格的步骤条 #7274
- Pagination
 - 新增 `prev-text` 和 `next-text` 属性，用于自定义上一页和下一页的文本 #7005

修复

- DatePicker
 - 选择周数时，`v-model` 结果返回该周第二天的问题 #6038
 - 在 `daterange` 类型中，第一次的输入会被清空的问题 #6021
- DateTimePicker
 - 和 `TimePicker` 相互影响的问题 #6090
 - 选择时间小时和秒可超出限制的问题 #6076
- TimePicker
 - 失去焦点时无法正确改变 `v-model` 值的问题 #6023
- Dialog
 - 当含有下拉框时，下拉框的打开和关闭会造成文字虚晃的问题 #6088
- Select
 - 提升性能，修复组件销毁时可能导致 `Vue dev-tool` 卡死的问题 #6151

非兼容性更新

- 综合

- 移除 `theme-default`
- 表单组件的 `change` 事件和 `Pagination` 的 `current-change` 事件现在仅响应用户交互
- `Button` 和表单组件的 `size` 属性不再接受 `large` 值, 可接受 `medium`、`small` 和 `mini`
- 为了方便使用第三方图标, `Button` 的 `icon` 属性、`Input` 的 `prefix-icon` 和 `suffix-icon` 属性、`Steps` 的 `icon` 属性现在需要传入完整的图标类名
- `Dialog`
 - 移除 `size` 属性。现在 `Dialog` 的尺寸由 `width` 和 `fullscreen` 控制
 - 移除通过 `v-model` 控制 `Dialog` 显示和隐藏的功能
- `Rate`
 - `text-template` 属性更名为 `score-template`
- `Dropdown`
 - `menu-align` 属性变更为 `placement`, 增加更多方位属性
- `Transfer`
 - `footer-format` 属性更名为 `format`
- `Switch`
 - `on-text` 和 `off-text` 属性不再有默认值
- `Tag`
 - `type` 属性现在支持 `success`、`info`、`warning` 和 `danger` 四个值
- `Menu`
 - 移除 `theme` 属性。现在通过 `background-color`、`text-color` 和 `active-text-color` 属性进行颜色的自定义
- `Input`
 - 移除 `icon` 属性。现在通过 `suffix-icon` 属性或者 `suffix` 具名 slot 来加入尾部图标
 - 移除 `on-icon-click` 属性和 `click` 事件。现在如果需要为输入框中的图标添加点击事件, 请以具名 slot 的方式添加图标
- `Autocomplete`
 - 移除 `custom-item` 属性。现在通过 `scoped slot` 自定义输入建议列表项的内容
- `Table`
 - 移除通过 `inline-template` 自定义列模板的功能
- `Steps`
 - 移除 `center` 属性
 - 现在步骤条将默认充满父容器

* 在网站上动态渲染任意 HTML 是非常危险的, 因为容易导致 [XSS 攻击](#)。因此请在 `dangerouslyUseHTMLString` 打开的情况下, 确保 `message` 的内容是可信的, **永远不要**将用户提交的内容赋值给 `message` 属性。

New features

- General
 - A new theme: `theme-chalk`
 - Accessibility of the following components are improved: `Alert`, `AutoComplete`, `Breadcrumb`, `Button`, `Checkbox`, `Collapse`, `Input`, `InputNumber`, `Menu`, `Progress`, `Radio`, `Rate`, `Slider`, `Switch`, `Upload`
 - Layout components: `Container`, `Header`, `Aside`, `Main`, `Footer`

- Button
 - Added `round` attribute. It's used for round-cornered Buttons #6643
- TimeSelect
 - Now can be navigated by `Up` and `Down` , and hitting `Enter` selects the time #6023
- TimePicker
 - Now can be navigated by arrow keys, and hitting `Enter` selects the time #6050
 - Added `start-placeholder` and `end-placeholder` . They're placeholders for the two input boxes in range mode #7169
- Tree
 - Now child nodes don't render before the first expand #6257
 - Added `check-descendants` attribute. It determines if child nodes are checked when checking their parent node in `lazy` mode #6235
- Tag
 - Added `size` attribute #7203
- DatePicker
 - Now `timeFormat` can format the TimePicker when type is set to `datetimerange` #6052
 - Added `start-placeholder` and `end-placeholder` . They're placeholders for the two input boxes in range mode #7169
- MessageBox
 - Added `closeOnHashChange` attribute #6043
 - Added `center` attribute so that the content can be centered #7029
 - Added `roundButton` attribute to display round Buttons #7029
 - Added `dangerouslyUseHTMLString` attribute. When set to `true` , `message` will be parsed as HTML string* #6043
- Dialog
 - Added `width` , `fullscreen` , `append-to-body` attributes. Now Dialog can be nested
 - Added `center` attribute so that the content can be centered #7042
 - Added `focus-after-closed` , `focus-after-open` to improve accessibility #6511
- ColorPicker
 - Now you can type colors in the input box #6167
 - Added `size` and `disabled` attributes #7026
- Message
 - Now color of the icons can be overridden by CSS #6207
 - Added `dangerouslyUseHTMLString` attribute. When set to `true` , `message` will be parsed as HTML string* #6207
 - Added `center` attribute so that the content can be centered #6875
- Notification
 - Added `position` attribute to configure where Notification pops up #6231
 - Added `dangerouslyUseHTMLString` attribute. When set to `true` , `message` will be parsed as HTML string* #6231
 - Added `showClose` attribute to hide the close button #6402
- Rate
 - Added `show-score` attribute to determine if current score is displayed #6295
- Tabs

- Added `tab-position` attribute #6096
- Radio
 - Improved accessibility #6101
 - Added `border` and `size` attributes #6690
- Checkbox
 - Added `border` and `size` attributes #6690
- Alert
 - Added `center` attribute so that the content can be centered #6876
- Menu
 - Added `background-color`, `text-color` and `active-text-color` attributes #7064
- Form
 - Added `inline-message` attribute to determine if the validation message is displayed in inline style #7032
 - Added `status-icon` attribute to display a feedback icon when validated #7032
- Input
 - Added `suffix` and `prefix` named slots, `suffixIcon` and `prefixIcon` attributes to add contents inside the input box #7032
- Breadcrumb
 - Added `separator-class` attribute to support icons as item separators #7203
- Steps
 - Added `simple` attribute to activate simple-styled Steps #7274
- Pagination
 - Added `prev-text` and `next-text` attributes to customize texts of previous page and next page #7005

Bug fixes

- DatePicker
 - Fixed `v-model` returning the second day of the selected week in week mode #6038
 - Fixed the first input being cleared in `daterange` type #6021
- DateTimePicker
 - Fixed DateTimePicker and TimePicker affecting each other when picked #6090
 - Fixed hour and second can be beyond limit when selecting time #6076
- TimePicker
 - Fixed `v-model` not update correctly when blurred #6023
- Dialog
 - Fixed texts having blurry edges when opening and closing nesting dropdowns #6088
- Select
 - Improved performance. Now Vue dev-tool won't crash when a large number of Selects are destroyed #6151

Breaking changes

- General
 - Removed `theme-default`

- `change` event of form components and `current-change` event of Pagination now only trigger on user interaction
- `size` attribute of Button and form components can no longer be set to `large`. Now they accept `medium`, `small` and `mini`
- To facilitate the use of third-party icons, `icon` attribute of Button and Steps, `prefix-icon` and `suffix-icon` attributes of Input now require a full class name
- Dialog
 - Removed `size` attribute. Now the size of Dialog can be configured by `width` and `fullscreen`
 - Now the visibility of Dialog cannot be controlled by `v-model`
- Rate
 - `text-template` is renamed to `score-template`
- Dropdown
 - `menu-align` is renamed to `placement`. Now it supports more positions
- Transfer
 - `footer-format` is renamed to `format`
- Switch
 - `on-text` and `off-text` attributes now don't have default values
- Tag
 - `type` attribute now accepts `success`, `info`, `warning` and `danger`
- Menu
 - Removed `theme` attribute. The color of Menu can be configured using `background-color`, `text-color` and `active-text-color`
- Input
 - Removed `icon` attribute. Now the suffix icon can be configured using `suffix-icon` attribute or `suffix` named slot
 - Removed `on-icon-click` attribute and `click` event. Now to add click handler on icons, please use named slots
- Autocomplete
 - Removed `custom-item` attribute. Now the template of input suggestions can be customized using `scoped slot`
- Table
 - Removed support for customizing column template using `inline-template`
- Steps
 - Removed `center` attribute
 - Now the Steps will fill its parent container by default

* Dynamically rendering arbitrary HTML on your website can be very dangerous because it can easily lead to [XSS attacks](#). So when `dangerouslyUseHTMLString` is on, please make sure the content of `message` is trusted, and **never** assign `message` to user-provided content.