

Named Tensors operator coverage

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 1)

Unknown directive type "currentmodule".

```
.. currentmodule:: torch
```

Please read [ref:'named_tensors-doc'](#) first for an introduction to named tensors.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 8); [backlink](#)

Unknown interpreted text role "ref".

This document is a reference for *name inference*, a process that defines how named tensors:

1. use names to provide additional automatic runtime correctness checks
2. propagate names from input tensors to output tensors

Below is a list of all operations that are supported with named tensors and their associated name inference rules.

If you don't see an operation listed here, but it would help your use case, please [search if an issue has already been filed](#) and if not, [file one](#).

Warning

The named tensor API is experimental and subject to change.

Supported Operations

API	Name inference rule
<code>meth:'Tensor.abs'</code> , <code>:func:'torch.abs'</code> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p><p>Unknown interpreted text role "meth".</p></div> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p><p>Unknown interpreted text role "func".</p></div>	<code>ref:'keeps_input_names-doc'</code> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p><p>Unknown interpreted text role "ref".</p></div>
<code>meth:'Tensor.abs_'</code>	<code>ref:'keeps_input_names-doc'</code> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p><p>Unknown interpreted text role "meth".</p></div> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p><p>Unknown interpreted text role "ref".</p></div>

API	Name inference rule
<p><code>.meth:'Tensor.acos', .func:'torch.acos'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.acos_'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.add', .func:'torch.add'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:'unifies_names_from_inputs-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.add_'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:'unifies_names_from_inputs-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.addmm`, :func:`torch.addmm`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:contracts_away_dims-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.addmm_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:contracts_away_dims-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.addmv`, :func:`torch.addmv`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:contracts_away_dims-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.addmv_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:contracts_away_dims-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.align_as`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	See documentation
<p><code>.meth:Tensor.align_to`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	See documentation
<p><code>.meth:Tensor.all`, :func:torch.all`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	None
<p><code>.meth:Tensor.any`, :func:torch.any`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	None

API	Name inference rule
<p><code>.meth:Tensor.asin`, :func:torch.asin`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.asin_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.atan`, :func:torch.atan`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.atan2` , :func:`torch.atan2`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:unifies_names_from_inputs-doc`</code></p> <div data-bbox="858 313 1382 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.atan2_`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:unifies_names_from_inputs-doc`</code></p> <div data-bbox="858 808 1382 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.atan_`</code></p> <div data-bbox="213 1155 738 1417"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="858 1155 1382 1417"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.bernoulli` , :func:`torch.bernoulli`</code></p> <div data-bbox="213 1503 738 1765"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1794 738 2056"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="858 1653 1382 1915"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.bernoulli_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.bfloat16`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.bitwise_not`, .func:torch.bitwise_not`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.bitwise_not_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None

API	Name inference rule
<p><code>.meth:Tensor.bmm`, .func:torch.bmm`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:contracts_away_dims-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.bool`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.byte`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.func:torch.cat`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.cauchy_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.ceil` , .func:`torch.ceil`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.ceil_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.char`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.chunk` , .func:`torch.chunk`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>meth:'Tensor.clamp', :func:'torch.clamp'</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc'</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>meth:'Tensor.clamp_'</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>meth:'Tensor.copy_'</code></p> <div data-bbox="213 1162 738 1424"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:'out_function_semantics-doc'</code></p> <div data-bbox="855 1162 1380 1424"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>meth:'Tensor.cos', :func:'torch.cos'</code></p> <div data-bbox="213 1516 738 1778"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1807 738 2069"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc'</code></p> <div data-bbox="855 1659 1380 1921"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.cos_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.cosh`, .func:torch.cosh`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.cosh_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.acosh`, .func:torch.acosh`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.acosh`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.cpu`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.cuda`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.cumprod`, .func:torch.cumprod`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.cumsum`, :func:`torch.cumsum`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`keeps_input_names-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.data_ptr`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.deg2rad`, :func:`torch.deg2rad`</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1451 738 1713"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`keeps_input_names-doc`</code></p> <div data-bbox="855 1303 1380 1565"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.deg2rad_`</code></p> <div data-bbox="213 1798 738 2060"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.detach`, .func:torch.detach`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.detach_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.attr:Tensor.device`, .func:torch.device`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.digamma`, :func:`torch.digamma`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`keeps_input_names-doc`</code></p> <div data-bbox="857 313 1382 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.digamma_`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.dim`</code></p> <div data-bbox="213 1167 738 1429"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.div`, :func:`torch.div`</code></p> <div data-bbox="213 1514 738 1776"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1805 738 2067"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`unifies_names_from_inputs-doc`</code></p> <div data-bbox="857 1659 1382 1921"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.div_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.dot`, .func:torch.dot`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.double`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.element_size`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.func:torch.empty`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.func: 'torch.empty_like'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: 'factory-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: 'Tensor.eq', .func: 'torch.eq'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: 'unifies_names_from_inputs-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: 'Tensor.erf', .func: 'torch.erf'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: 'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: 'Tensor.erf_'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.ercf` , :func:`torch.ercf`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.ercf_`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.erfinv` , :func:`torch.erfinv`</code></p> <div data-bbox="213 1158 738 1420"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1449 738 1711"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc`</code></p> <div data-bbox="855 1301 1380 1563"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.erfinv_`</code></p> <div data-bbox="213 1796 738 2058"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:'Tensor.exp', :func:'torch.exp'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.exp_'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:'Tensor.expand'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.expml', :func:'torch.expml'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.expml_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.exponential_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.fill_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.flatten`, :func:`torch.flatten`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	See documentation
<p><code>.meth:Tensor.float`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref: keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.floor`, .func:torch.floor`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.floor_`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.frac`, .func:torch.frac`</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1451 738 1713"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="855 1303 1380 1565"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.frac_`</code></p> <div data-bbox="213 1798 738 2060"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:'Tensor.ge', .func:'torch.ge'</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:'unifies_names_from_inputs-doc'</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.get_device', .func:'torch.get_device'</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1099 738 1361"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>None</p>
<p><code>.attr:'Tensor.grad'</code></p> <div data-bbox="213 1447 738 1709"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.gt`, .func:torch.gt`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.half`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.has_names`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>See documentation</p>
<p><code>.meth:Tensor.index_fill`, .func:torch.index_fill`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.index_fill_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.int`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref: keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.is_contiguous`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.attr:Tensor.is_cuda`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	None
<p><code>.meth:Tensor.is_floating_point`, :func:torch.is_floating_point`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	None

API	Name inference rule
<p><code>attr:Tensor.is_leaf</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	None
<p><code>meth:Tensor.is_pinned</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>meth:Tensor.is_shared</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>meth:Tensor.is_signed</code>, <code>func:torch.is_signed</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	None
<p><code>attr:Tensor.is_sparse</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	None

API	Name inference rule
<code>:attr:`Tensor.is_sparse_csr`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink Unknown interpreted text role "attr". </div>	None
<code>:func:`torch.is_tensor`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink Unknown interpreted text role "func". </div>	None
<code>:meth:`Tensor.item`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink Unknown interpreted text role "meth". </div>	None
<code>:meth:`Tensor.kthvalue`, :func:`torch.kthvalue`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink Unknown interpreted text role "meth". </div> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink Unknown interpreted text role "func". </div>	<code>:ref:`removes_dimensions-doc`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink Unknown interpreted text role "ref". </div>

API	Name inference rule
<p><code>.meth: 'Tensor.le', .func: 'torch.le'</code></p> <div data-bbox="212 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="212 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref: 'unifies_names_from_inputs-doc'</code></p> <div data-bbox="855 318 1382 580"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: 'Tensor.log', .func: 'torch.log'</code></p> <div data-bbox="212 817 738 1079"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="212 1108 738 1370"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref: 'keeps_input_names-doc'</code></p> <div data-bbox="855 963 1382 1225"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: 'Tensor.log10', .func: 'torch.log10'</code></p> <div data-bbox="212 1460 738 1722"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="212 1751 738 2013"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref: 'keeps_input_names-doc'</code></p> <div data-bbox="855 1617 1382 1879"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>meth:Tensor.log10`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>meth:Tensor.log1p`, :func:torch.log1p`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>meth:Tensor.log1p_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>meth:Tensor.log2`, :func:torch.log2`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.log2_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.log_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.log_normal_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.logical_not`</code>; <code>.func:torch.logical_not`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.logical_not_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None

API	Name inference rule
<p><code>.meth:Tensor.logsumexp`, .func:`torch.logsumexp`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`removes_dimensions-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.long`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.lt`, .func:`torch.lt`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.func:`torch.manual_seed`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.masked_fill`, :func:`torch.masked_fill`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.masked_fill_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.masked_select`, :func:`torch.masked_select`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>Aligns mask up to input and then unifies_names_from_input_tensors</p>

API	Name inference rule
<p><code>.meth:Tensor.matmul`, :func:`torch.matmul`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:contracts_away_dims-doc`</code></p> <div data-bbox="858 315 1382 577"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.mean`, :func:`torch.mean`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1099 738 1361"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:removes_dimensions-doc`</code></p> <div data-bbox="858 963 1382 1225"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.median`, :func:`torch.median`</code></p> <div data-bbox="213 1469 738 1731"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1760 738 2022"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:removes_dimensions-doc`</code></p> <div data-bbox="858 1612 1382 1874"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.nanmedian`, :func:`torch.nanmedian`</code></p> <div data-bbox="213 168 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 459 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:removes_dimensions-doc`</code></p> <div data-bbox="858 313 1380 577"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.mm`, :func:`torch.mm`</code></p> <div data-bbox="213 806 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1097 738 1361"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:contracts_away_dims-doc`</code></p> <div data-bbox="858 952 1380 1216"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.mode`, :func:`torch.mode`</code></p> <div data-bbox="213 1444 738 1709"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1736 738 2000"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:removes_dimensions-doc`</code></p> <div data-bbox="858 1590 1380 1854"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.mul`, :func:`torch.mul`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.mul_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref:`unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.mv`, :func:`torch.mv`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:`contracts_away_dims-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.attr:Tensor.names`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	<p>See documentation</p>

API	Name inference rule
<p><code>.meth: 'Tensor.narrow', :func: 'torch.narrow'</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: 'keeps_input_names-doc'</code></p> <div data-bbox="857 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>attr: 'Tensor.ndim'</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	<p>None</p>
<p><code>.meth: 'Tensor.ndimension'</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth: 'Tensor.ne', :func: 'torch.ne'</code></p> <div data-bbox="213 1514 738 1776"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1805 738 2067"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: 'unifies_names_from_inputs-doc'</code></p> <div data-bbox="857 1653 1380 1915"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.neg` , :func:`torch.neg`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.neg_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>:func:`torch.normal`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.normal_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.numel`, .func:torch.numel`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	None
<p><code>.func:torch.ones`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.pow`, .func:torch.pow`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.pow_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None

API	Name inference rule
<p><code>.meth:Tensor.prod` , :func:`torch.prod`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:removes_dimensions-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.rad2deg` , :func:`torch.rad2deg`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.rad2deg`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>:func:`torch.rand`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.func: torch.rand`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.func: torch.randn`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.func: torch.randn`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: Tensor.random_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>meth:Tensor.reciprocal</code>, <code>.func:torch.reciprocal</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>meth:Tensor.reciprocal_</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>meth:Tensor.refine_names</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>See documentation</p>
<p><code>meth:Tensor.register_hook</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>meth:Tensor.rename</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>See documentation</p>

API	Name inference rule
<p><code>.meth:Tensor.rename_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	See documentation
<p><code>.attr:Tensor.requires_grad`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "attr".</p> </div>	None
<p><code>.meth:Tensor.requires_grad_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	None
<p><code>.meth:Tensor.resize_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	Only allow resizes that do not change shape
<p><code>.meth:Tensor.resize_as_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	Only allow resizes that do not change shape

API	Name inference rule
<p><code>.meth:Tensor.round` , .func:torch.round`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.round_`</code></p> <div data-bbox="213 810 738 1072"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.rsqrt` , .func:torch.rsqrt`</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1451 738 1713"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="855 1303 1380 1565"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.rsqrt_`</code></p> <div data-bbox="213 1800 738 2063"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.select`, .func:`torch.select`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref`removes_dimensions-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.short`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>.ref`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sigmoid`, .func:`torch.sigmoid`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref`keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sigmoid_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.sign`, :func:torch.sign`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sign_`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.sgn`, :func:torch.sgn`</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1451 738 1713"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div data-bbox="855 1308 1380 1570"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sgn_`</code></p> <div data-bbox="213 1814 738 2076"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.sin` , :func:`torch.sin`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sin_`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.sinh` , :func:`torch.sinh`</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1451 738 1713"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc`</code></p> <div data-bbox="855 1303 1380 1565"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sinh_`</code></p> <div data-bbox="213 1798 738 2060"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.asinh`, .func:torch.asinh`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div data-bbox="855 318 1380 580"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.asinh`</code></p> <div data-bbox="213 817 738 1079"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.size`</code></p> <div data-bbox="213 1167 738 1429"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.split`, .func:torch.split`</code></p> <div data-bbox="213 1516 738 1778"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1807 738 2069"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div data-bbox="855 1666 1380 1928"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.sqrt`, .func:torch.sqrt`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div data-bbox="857 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sqrt_`</code></p> <div data-bbox="213 810 738 1072"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.squeeze`, .func:torch.squeeze`</code></p> <div data-bbox="213 1160 738 1422"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1451 738 1713"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:removes_dimensions-doc`</code></p> <div data-bbox="857 1299 1380 1561"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.std`, :func:`torch.std`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref` removes_dimensions-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>:func:`torch.std_mean`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref` removes_dimensions-doc`</code></p> <div data-bbox="855 808 1380 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.stride`</code></p> <div data-bbox="213 1158 738 1420"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.sub`, :func:`torch.sub`</code></p> <div data-bbox="213 1536 738 1798"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1827 738 2089"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref` unifies_names_from_inputs-doc`</code></p> <div data-bbox="855 1680 1380 1942"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:Tensor.sub_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:unifies_names_from_inputs-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.sum`, :func:torch.sum`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:removes_dimensions-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.tan`, :func:torch.tan`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.tan_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.meth:Tensor.tanh`, .func:torch.tanh`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.tanh_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:Tensor.atanh`, .func:torch.atanh`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>.ref:keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:Tensor.atanh_`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>

API	Name inference rule
<p><code>.func: torch.tensor`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: factory-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: Tensor.to`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref: keeps_input_names-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: Tensor.topk`, .func: torch.topk`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: removes_dimensions-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: Tensor.transpose`, .func: torch.transpose`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: permutes_dimensions-doc`</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth:'Tensor.trunc', .func:'torch.trunc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth:'Tensor.trunc_'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:'Tensor.type'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth:'Tensor.type_as'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p><code>ref:'keeps_input_names-doc'</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs][source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<p><code>.meth: Tensor.unbind`, .func: torch.unbind`</code></p> <div data-bbox="213 170 738 432"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 461 738 723"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: removes_dimensions-doc`</code></p> <div data-bbox="855 313 1380 575"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>
<p><code>.meth: Tensor.unflatten`</code></p> <div data-bbox="213 808 738 1070"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>See documentation</p>
<p><code>.meth: Tensor.uniform_`</code></p> <div data-bbox="213 1162 738 1424"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div>	<p>None</p>
<p><code>.meth: Tensor.var`, .func: torch.var`</code></p> <div data-bbox="213 1516 738 1778"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "meth".</p> </div> <div data-bbox="213 1807 738 2069"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p><code>ref: removes_dimensions-doc`</code></p> <div data-bbox="855 1653 1380 1915"> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 29); backlink</p> <p>Unknown interpreted text role "ref".</p> </div>

API	Name inference rule
<code>.func: torch.var_mean`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink Unknown interpreted text role "func". </div>	<code>ref: removes_dimensions-doc`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink Unknown interpreted text role "ref". </div>
<code>.meth: Tensor.zero_`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink Unknown interpreted text role "meth". </div>	None
<code>.func: torch.zeros`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink Unknown interpreted text role "func". </div>	<code>ref: factory-doc`</code> <div> System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 29); backlink Unknown interpreted text role "ref". </div>

Keeps input names

All pointwise unary functions follow this rule as well as some other unary functions.

- Check names: None
- Propagate names: input tensor's names are propagated to the output.

```
>>> x = torch.randn(3, 3, names=('N', 'C'))
>>> x.abs().names
('N', 'C')
```

Removes dimensions

All reduction ops like `.meth: ~Tensor.sum`` remove dimensions by reducing over the desired dimensions. Other operations like `.meth: ~Tensor.select`` and `.meth: ~Tensor.squeeze`` remove dimensions.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 265); [backlink](#)

Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 265); [backlink](#)

Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 265); [backlink](#)

Unknown interpreted text role "meth".

Wherever one can pass an integer dimension index to an operator, one can also pass a dimension name. Functions that take lists of dimension indices can also take in a list of dimension names.

- Check names: If `:attr:'dim'` or `:attr:'dims'` is passed in as a list of names, check that those names exist in `:attr:'self'`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs] [source]name_inference.rst, line 273); [backlink](#)

Unknown interpreted text role "attr".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs] [source]name_inference.rst, line 273); [backlink](#)

Unknown interpreted text role "attr".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs] [source]name_inference.rst, line 273); [backlink](#)

Unknown interpreted text role "attr".

- Propagate names: If the dimensions of the input tensor specified by `:attr:'dim'` or `:attr:'dims'` are not present in the output tensor, then the corresponding names of those dimensions do not appear in `output.names`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs] [source]name_inference.rst, line 275); [backlink](#)

Unknown interpreted text role "attr".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs] [source]name_inference.rst, line 275); [backlink](#)

Unknown interpreted text role "attr".

```
>>> x = torch.randn(1, 3, 3, 3, names=('N', 'C', 'H', 'W'))
>>> x.squeeze('N').names
('C', 'H', 'W')

>>> x = torch.randn(3, 3, 3, 3, names=('N', 'C', 'H', 'W'))
>>> x.sum(['N', 'C']).names
('H', 'W')

# Reduction ops with keepdim=True don't actually remove dimensions.
>>> x = torch.randn(3, 3, 3, 3, names=('N', 'C', 'H', 'W'))
>>> x.sum(['N', 'C'], keepdim=True).names
('N', 'C', 'H', 'W')
```

Unifies names from inputs

All binary arithmetic ops follow this rule. Operations that broadcast still broadcast positionally from the right to preserve compatibility with unnamed tensors. To perform explicit broadcasting by names, use `meth:'Tensor.align_as'`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs] [source]name_inference.rst, line 300); [backlink](#)

Unknown interpreted text role "meth".

- Check names: All names must match positionally from the right. i.e., in `tensor + other`, `match(tensor.names[i], other.names[i])` must be true for all `i` in `(-min(tensor.dim(), other.dim()) + 1, -1]`.
- Check names: Furthermore, all named dimensions must be aligned from the right. During matching, if we match a named dimension `A` with an unnamed dimension `None`, then `A` must not appear in the tensor with the unnamed dimension.
- Propagate names: unify pairs of names from the right from both tensors to produce output names.

For example,

```
# tensor: Tensor[  N, None]
# other:  Tensor[None,  C]
>>> tensor = torch.randn(3, 3, names=('N', None))
>>> other = torch.randn(3, 3, names=(None, 'C'))
>>> (tensor + other).names
('N', 'C')
```

Check names:

- `match(tensor.names[-1], other.names[-1])` is True
- `match(tensor.names[-2], tensor.names[-2])` is True
- Because we matched `None` in `attr:'tensor'` with `'C'`, check to make sure `'C'` doesn't exist in `attr:'tensor'` (it does not).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs]
[source]name_inference.rst, line 328); [backlink](#)

Unknown interpreted text role "attr".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs]
[source]name_inference.rst, line 328); [backlink](#)

Unknown interpreted text role "attr".

- Check to make sure `'N'` doesn't exist in `attr:'other'` (it does not).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs]
[source]name_inference.rst, line 330); [backlink](#)

Unknown interpreted text role "attr".

Finally, the output names are computed with `[unify('N', None), unify(None, 'C')] = ['N', 'C']`

More examples:

```
# Dimensions don't match from the right:
# tensor: Tensor[N, C]
# other:  Tensor[  N]
>>> tensor = torch.randn(3, 3, names=('N', 'C'))
>>> other = torch.randn(3, names=('N',))
>>> (tensor + other).names
RuntimeError: Error when attempting to broadcast dims ['N', 'C'] and dims
['N']: dim 'C' and dim 'N' are at the same position from the right but do
not match.

# Dimensions aren't aligned when matching tensor.names[-1] and other.names[-1]:
# tensor: Tensor[N, None]
# other:  Tensor[      N]
>>> tensor = torch.randn(3, 3, names=('N', None))
>>> other = torch.randn(3, names=('N',))
>>> (tensor + other).names
RuntimeError: Misaligned dims when attempting to broadcast dims ['N'] and
dims ['N', None]: dim 'N' appears in a different position from the right
across both lists.
```

Note

In both of the last examples, it is possible to align the tensors by names and then perform the addition. Use `meth:'Tensor.align_as'` to align tensors by name or `meth:'Tensor.align_to'` to align tensors to a custom dimension ordering.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs]
[source]name_inference.rst, line 359); [backlink](#)

Unknown interpreted text role "meth".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\pytorch-master [docs]

[source]name_inference.rst, line 359); [backlink](#)

Unknown interpreted text role "meth".

Permutes dimensions

Some operations, like `meth:Tensor.t()`, permute the order of dimensions. Dimension names are attached to individual dimensions so they get permuted as well.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 369); [backlink](#)

Unknown interpreted text role "meth".

If the operator takes in positional index `attr:dim`, it is also able to take a dimension name as `attr:dim`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 372); [backlink](#)

Unknown interpreted text role "attr".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 372); [backlink](#)

Unknown interpreted text role "attr".

- Check names: If `attr:dim` is passed as a name, check that it exists in the tensor.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 375); [backlink](#)

Unknown interpreted text role "attr".

- Propagate names: Permute dimension names in the same way as the dimensions that are being permuted.

```
>>> x = torch.randn(3, 3, names=('N', 'C'))
>>> x.transpose('N', 'C').names
('C', 'N')
```

Contracts away dims

Matrix multiply functions follow some variant of this. Let's go through `func:torch.mm` first and then generalize the rule for batch matrix multiplication.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master][docs][source]name_inference.rst, line 390); [backlink](#)

Unknown interpreted text role "func".

For `torch.mm(tensor, other)`:

- Check names: None
- Propagate names: result names are `(tensor.names[-2], other.names[-1])`.

```
>>> x = torch.randn(3, 3, names=('N', 'D'))
>>> y = torch.randn(3, 3, names=('in', 'out'))
>>> x.mm(y).names
('N', 'out')
```

Inherently, a matrix multiplication performs a dot product over two dimensions, collapsing them. When two tensors are matrix-multiplied, the contracted dimensions disappear and do not show up in the output tensor.

`func:torch.nv`, `func:torch.dot` work in a similar way: name inference does not check input names and removes the dimensions that are involved in the dot product:

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 409); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 409); [backlink](#)

Unknown interpreted text role "func".

```
>>> x = torch.randn(3, 3, names=('N', 'D'))
>>> y = torch.randn(3, names=('something',))
>>> x.mv(y).names
('N',)
```

Now, let's take a look at `torch.matmul(tensor, other)`. Assume that `tensor.dim() >= 2` and `other.dim() >= 2`.

- Check names: Check that the batch dimensions of the inputs are aligned and broadcastable. See [ref:'unifies_names_from_inputs-doc'](#) for what it means for the inputs to be aligned.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 422); [backlink](#)

Unknown interpreted text role "ref".

- Propagate names: result names are obtained by unifying the batch dimensions and removing the contracted dimensions:
`unify(tensor.names[:-2], other.names[:-2]) + (tensor.names[-2], other.names[-1]).`

Examples:

```
# Batch matrix multiply of matrices Tensor['C', 'D'] and Tensor['E', 'F'].
# 'A', 'B' are batch dimensions.
>>> x = torch.randn(3, 3, 3, 3, names=('A', 'B', 'C', 'D'))
>>> y = torch.randn(3, 3, 3, names=('B', 'E', 'F'))
>>> torch.matmul(x, y).names
('A', 'B', 'C', 'F')
```

Finally, there are fused `add` versions of many `matmul` functions. i.e., `func:'addmm'` and `func:'addmv'`. These are treated as composing name inference for i.e. `func:'mm'` and name inference for `func:'add'`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 438); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 438); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 438); [backlink](#)

Unknown interpreted text role "func".

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 438); [backlink](#)

Unknown interpreted text role "func".

Factory functions

Factory functions now take a new `attr:'names'` argument that associates a name with each dimension.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\pytorch-master\docs\source\[pytorch-master] [docs] [source]name_inference.rst, line 448); [backlink](#)

Unknown interpreted text role "attr".

```
>>> torch.zeros(2, 3, names=('N', 'C'))
tensor([[0., 0., 0.],
        [0., 0., 0.]], names=('N', 'C'))
```

out function and in-place variants

A tensor specified as an `out=` tensor has the following behavior:

- If it has no named dimensions, then the names computed from the operation get propagated to it.
- If it has any named dimensions, then the names computed from the operation must be exactly equal to the existing names. Otherwise, the operation errors.

All in-place methods modify inputs to have names equal to the computed names from name inference. For example:

```
>>> x = torch.randn(3, 3)
>>> y = torch.randn(3, 3, names=('N', 'C'))
>>> x.names
(None, None)

>>> x += y
>>> x.names
('N', 'C')
```