

High-level API Index

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 1)

Unknown directive type "currentmodule".

```
.. currentmodule:: asyncio
```

This page lists all high-level async/await enabled asyncio APIs.

Tasks

Utilities to run asyncio programs, create Tasks, and await on multiple things with timeouts.

<div><code>:func:`run`</code></div> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 21); backlink</p><p>Unknown interpreted text role "func".</p></div>	Create event loop, run a coroutine, close the loop.
<div><code>:func:`create_task`</code></div> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 24); backlink</p><p>Unknown interpreted text role "func".</p></div>	Start an asyncio Task.
<div><code>await :func:`sleep`</code></div> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 27); backlink</p><p>Unknown interpreted text role "func".</p></div>	Sleep for a number of seconds.
<div><code>await :func:`gather`</code></div> <div><p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 30); backlink</p><p>Unknown interpreted text role "func".</p></div>	Schedule and wait for things concurrently.

<p>await <code>:func:wait_for</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 33); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Run with a timeout.
<p>await <code>:func:shield</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 36); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Shield from cancellation.
<p>await <code>:func:wait</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 39); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Monitor for completion.
<p><code>:func:current_task</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 42); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Return the current Task.
<p><code>:func:all_tasks</code></p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 45); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Return all tasks for an event loop.

<pre>.class:`Task`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 48); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	Task object.
<pre>.func:`to_thread`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 51); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Asynchronously run a function in a separate OS thread.
<pre>.func:`run_coroutine_threadsafe`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 54); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Schedule a coroutine from another OS thread.
<pre>for in .func:`as_completed`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 57); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	Monitor for completion with a <code>for</code> loop.

Examples

- `ref`Using asyncio.gather() to run things in parallel <asyncio_example_gather>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 63); [backlink](#)

Unknown interpreted text role "ref".

- `ref`Using asyncio.wait_for() to enforce a timeout <asyncio_example_waitfor>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 66); [backlink](#)

Unknown interpreted text role "ref".

- `ref`Cancellation <asyncio_example_task_cancel>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-

resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 69); [backlink](#)

Unknown interpreted text role "ref".

- `ref`Using asyncio.sleep() <asyncio_example_sleep>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 71); [backlink](#)

Unknown interpreted text role "ref".

- See also the main `ref`Tasks documentation page <coroutine>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 73); [backlink](#)

Unknown interpreted text role "ref".

Queues

Queues should be used to distribute work amongst multiple asyncio Tasks, implement connection pools, and pub/sub patterns.

<code>:class:`Queue`</code>	<div>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 87); backlink</div> <p>Unknown interpreted text role "class".</p>	A FIFO queue.
<code>:class:`PriorityQueue`</code>	<div>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 90); backlink</div> <p>Unknown interpreted text role "class".</p>	A priority queue.
<code>:class:`LifoQueue`</code>	<div>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 93); backlink</div> <p>Unknown interpreted text role "class".</p>	A LIFO queue.

Examples

- `ref`Using asyncio.Queue to distribute workload between several Tasks <asyncio_example_queue_dist>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 99); [backlink](#)

Unknown interpreted text role "ref".

- See also the [ref: Queues documentation page <asyncio-queues>](#).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 102); [backlink](#)

Unknown interpreted text role "ref".

Subprocesses

Utilities to spawn subprocesses and run shell commands.

await `:func: create_subprocess_exec`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 114); [backlink](#)

Unknown interpreted text role "func".

Create a subprocess.

await `:func: create_subprocess_shell`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 117); [backlink](#)

Unknown interpreted text role "func".

Run a shell command.

Examples

- [ref: Executing a shell command <asyncio_example_subprocess_shell>](#).

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 123); [backlink](#)

Unknown interpreted text role "ref".

- See also the [ref: subprocess APIs <asyncio-subprocess>](#) documentation.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 125); [backlink](#)

Unknown interpreted text role "ref".

Streams

High-level APIs to work with network IO.

<p>await :func:`open_connection`</p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 138); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>Establish a TCP connection.</p>
<p>await :func:`open_unix_connection`</p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 141); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>Establish a Unix socket connection.</p>
<p>await :func:`start_server`</p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 144); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>Start a TCP server.</p>
<p>await :func:`start_unix_server`</p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 147); backlink</p> <p>Unknown interpreted text role "func".</p> </div>	<p>Start a Unix socket server.</p>
<p>:class:`StreamReader`</p> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 150); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	<p>High-level async/await object to receive network data.</p>

<pre><code>.class: StreamWriter</code></pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 153); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	<p>High-level async/await object to send network data.</p>
---	--

Examples

- `.ref: Example TCP client <asyncio_example_stream>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 159); [backlink](#)

Unknown interpreted text role "ref".

- See also the `.ref: streams APIs <asyncio-streams>` documentation.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 161); [backlink](#)

Unknown interpreted text role "ref".

Synchronization

Threading-like synchronization primitives that can be used in Tasks.

<pre><code>.class: Lock</code></pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 174); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	<p>A mutex lock.</p>
<pre><code>.class: Event</code></pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 177); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	<p>An event object.</p>

<pre>:class:`Condition`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\cpython-main) (Doc) (library) asyncio-api-index.rst, line 180); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	A condition object.
<pre>:class:`Semaphore`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\cpython-main) (Doc) (library) asyncio-api-index.rst, line 183); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	A semaphore.
<pre>:class:`BoundedSemaphore`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\cpython-main) (Doc) (library) asyncio-api-index.rst, line 186); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	A bounded semaphore.
<pre>:class:`Barrier`</pre> <div> <p>System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\cpython-main) (Doc) (library) asyncio-api-index.rst, line 189); backlink</p> <p>Unknown interpreted text role "class".</p> </div>	A barrier object.

Examples

- `:ref:`Using asyncio.Event <asyncio_example_sync_event>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\cpython-main) (Doc) (library) asyncio-api-index.rst, line 195); [backlink](#)

Unknown interpreted text role "ref".

- `:ref:`Using asyncio.Barrier <asyncio_example_barrier>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\cpython-main) (Doc) (library) asyncio-api-index.rst, line 197); [backlink](#)

Unknown interpreted text role "ref".

- See also the documentation of asyncio `:ref:`synchronization primitives <asyncio-sync>`.`

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-

resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 199); [backlink](#)

Unknown interpreted text role "ref".

Exceptions

`exc: asyncio.CancelledError`

Raised when a Task is cancelled. See also `meth: Task.cancel`.

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 211); [backlink](#)

Unknown interpreted text role "exc".

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 212); [backlink](#)

Unknown interpreted text role "meth".

`exc: asyncio.BrokenBarrierError`

Raised when a Barrier is broken. See also `meth: Barrier.wait`.

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 214); [backlink](#)

Unknown interpreted text role "exc".

System Message: ERROR/3

(D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 215); [backlink](#)

Unknown interpreted text role "meth".

Examples

- `ref: Handling CancelledError to run code on cancellation request <asyncio_example_task_cancel>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 220); [backlink](#)

Unknown interpreted text role "ref".

- See also the full list of `ref: asyncio-specific exceptions <asyncio-exceptions>`.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\library\ (cpython-main) (Doc) (library) asyncio-api-index.rst, line 223); [backlink](#)

Unknown interpreted text role "ref".