This wiki is automatically published from ohmyzsh/wiki, To edit this page, go to ohmyzsh/wiki, make your changes and submit a Pull Request.

Oh My Zsh comes bundled with plugins, which allow you to take advantage of functionality of many sorts to your shell just by enabling them. They are each documented in the README file in their respective plugins/ folder.

Enable a plugin by adding its name to the <code>plugins</code> array in your <code>.zshrc</code> file (found in the <code>\$HOME</code> directory). For example, this enables the <code>rails</code> , <code>git</code> and <code>ruby</code> plugins, in that order:

```
plugins=(rails git ruby)
```

NOTE: elements in zsh arrays are separated by whitespace (spaces, tabs, newlines...). DO NOT use commas.

Plugins

- <u>1password</u>
- <u>adb</u>
- <u>ag</u>
- aliases
- alias-finder
- ansible
- ant
- apache2-macports
- arcanist
- <u>archlinux</u>
- asdf
- <u>autoenv</u>
- <u>autojump</u>
- autopep8
- aws
- <u>battery</u>
- bazel
- <u>bbedit</u>
- <u>bedtools</u>
- <u>bgnotify</u>
- <u>boot2docker</u>
- bower
- branch
- brew
- <u>bundler</u>
- <u>cabal</u>
- cake
- <u>cakephp3</u>
- capistrano
- cask
- catimg
- celery
- chruby
- chucknorris
- <u>cloudfoundry</u>

- <u>codeclimate</u>
- <u>coffee</u>
- <u>colemak</u>
- <u>colored-man-pages</u>
- <u>colorize</u>
- command-not-found
- common-aliases
- <u>compleat</u>
- <u>composer</u>
- <u>copybuffer</u>
- <u>copydir</u>
- <u>copyfile</u>
- <u>cp</u>
- <u>cpanm</u>
- <u>dash</u>
- <u>debian</u>
- <u>deno</u>
- dircycle
- <u>direnv</u>
- <u>dirhistory</u>
- <u>dirpersist</u>
- <u>dnf</u>
- <u>dnote</u>
- <u>docker</u>
- <u>docker-compose</u>
- docker-machine
- <u>doctl</u>
- <u>dotenv</u>
- dotnet
- <u>droplr</u>
- <u>drush</u>
- <u>eecms</u>
- <u>emacs</u>
- <u>ember-cli</u>
- <u>emoji</u>
- <u>emoji-clock</u>
- <u>emotty</u>
- encode64
- extract
- <u>fabric</u>
- <u>fancy-ctrl-z</u>
- <u>fasd</u>
- <u>fastfile</u>
- <u>fbterm</u>
- <u>fd</u>
- <u>fig</u>
- <u>firewalld</u>
- <u>flutter</u>
- <u>fnm</u>
- forklift

- <u>fossil</u>
- <u>frontend-search</u>
- <u>fzf</u>
- gas
- gatsby
- <u>gb</u>
- gcloud
- <u>geeknote</u>
- <u>gem</u>
- <u>genpass</u>
- <u>gh</u>
- <u>git</u>
- git-auto-fetch
- <u>git-escape-magic</u>
- <u>git-extras</u>
- <u>gitfast</u>
- git-flow
- git-flow-avh
- github
- git-hubflow
- <u>gitignore</u>
- git-lfs
- <u>git-prompt</u>
- <u>glassfish</u>
- <u>globalias</u>
- gnu-utils
- golang
- <u>gpg-agent</u>
- gradle
- grails
- <u>grc</u>
- grunt
- gulp
- <u>hanami</u>
- <u>helm</u>
- <u>heroku</u>
- <u>history</u>
- <u>history-substring-search</u>
- <u>hitchhiker</u>
- <u>hitokoto</u>
- <u>homestead</u>
- <u>httpie</u>
- <u>invoke</u>
- <u>ionic</u>
- <u>ipfs</u>
- <u>isodate</u>
- <u>istioctl</u>
- <u>iterm2</u>
- <u>jake-node</u>
- <u>jenv</u>

- <u>jfrog</u>
- j<u>hbuild</u>
- j<u>ira</u>
- <u>jruby</u>
- <u>jsontools</u>
- <u>juju</u>
- j<u>ump</u>
- <u>kate</u>
- <u>keychain</u>
- <u>kitchen</u>
- <u>kn</u>
- knife
- knife ssh
- <u>kops</u>
- <u>kubectl</u>
- <u>kubectx</u>
- <u>kube-ps1</u>
- <u>lando</u>
- <u>laravel</u>
- <u>laravel4</u>
- <u>laravel5</u>
- <u>last-working-dir</u>
- <u>lein</u>
- <u>lighthouse</u>
- lol
- <u>lpass</u>
- <u>lxd</u>
- <u>macos</u>
- <u>macports</u>
- <u>magic-enter</u>
- <u>man</u>
- marked2
- mercurial
- <u>meteor</u>
- microk8s
- <u>minikube</u>
- <u>mix</u>
- mix-fast
- <u>mongocli</u>
- mosh
- <u>mvn</u>
- <u>mysql-macports</u>
- <u>n98-magerun</u>
- <u>nanoc</u>
- <u>ng</u>
- <u>nmap</u>
- <u>node</u>
- <u>nomad</u>
- <u>npm</u>
- <u>nvm</u>

- <u>oc</u>
- <u>octozen</u>
- <u>operator-sdk</u>
- <u>otp</u>
- <u>pass</u>
- <u>paver</u>
- <u>pep8</u>
- <u>percol</u>
- per-directory-history
- perl
- <u>perms</u>
- <u>phing</u>
- <u>pip</u>
- <u>pipenv</u>
- <u>pj</u>
- please
- pm2
- <u>pod</u>
- <u>poetry</u>
- <u>postgres</u>
- pow
- powder
- <u>powify</u>
- <u>profiles</u>
- <u>pyenv</u>
- <u>pylint</u>
- <u>python</u>
- rails
- <u>rake</u>
- <u>rake-fast</u>
- <u>rand-quote</u>
- <u>rbenv</u>
- <u>rbfu</u>
- <u>rbw</u>
- <u>react-native</u>
- <u>rebar</u>
- <u>redis-cli</u>
- <u>repo</u>
- <u>ripgrep</u>
- ros
- <u>rsync</u>
- <u>ruby</u>
- <u>rust</u>
- <u>rvm</u>
- <u>safe-paste</u>
- <u>salt</u>
- <u>samtools</u>
- <u>sbt</u>
- <u>scala</u>
- scd

- <u>screen</u>
- <u>scw</u>
- <u>sdk</u>
- <u>sfdx</u>
- <u>sfffe</u>
- <u>shell-proxy</u>
- shrink-path
- <u>singlechar</u>
- <u>spring</u>
- <u>sprunge</u>
- <u>ssh-agent</u>
- stack
- <u>sublime</u>
- <u>sublime-merge</u>
- <u>sudo</u>
- <u>supervisor</u>
- <u>suse</u>
- <u>svcat</u>
- svn
- svn-fast-info
- <u>swiftpm</u>
- <u>symfony</u>
- <u>symfony2</u>
- <u>systemadmin</u>
- <u>systemd</u>
- <u>taskwarrior</u>
- <u>terminitor</u>
- term_tab
- <u>terraform</u>
- <u>textastic</u>
- <u>textmate</u>
- thefuck
- <u>themes</u>
- thor
- <u>tig</u>
- <u>timer</u>
- <u>tmux</u>
- <u>tmux-cssh</u>
- tmuxinator
- torrent
- <u>transfer</u>
- <u>tugboat</u>
- <u>ubuntu</u>
- <u>ufw</u>
- <u>universalarchive</u>
- <u>urltools</u>
- <u>vagrant</u>
- <u>vagrant-prompt</u>
- <u>vault</u>
- <u>vim-interaction</u>

- <u>vi-mode</u>
- <u>virtualenv</u>
- <u>virtualenvwrapper</u>
- <u>volta</u>
- <u>vscode</u>
- <u>vundle</u>
- wakeonlan
- wd
- web-search
- wp-cli
- <u>xcode</u>
- <u>yarn</u>
- <u>yii</u>
- <u>yii2</u>
- <u>yum</u>
- <u>Z</u>
- zbell
- zeus
- <u>zoxide</u>
- zsh-interactive-cd
- zsh-navigation-tools

Deprecated

- <u>cargo</u>: moved to the rust plugin.
- <u>npx</u>: new npm versions (>=7.0.0) do not provide the same functionality.
- \bullet osx: renamed to macos .
- <u>rustup</u>: moved to the rust plugin.

Removed

- cloudapp: removed due to deprecated API.
- django: removed because Zsh provides a better completion for Django.
- fedora: use dnf instead.
- git-remote-branch: not actively maintained.
- go: use golang instead.
- nyan: the service that the plugin relied on is no longer available.
- \bullet zsh_reload : functionality baked into the CLI with $\,$ omz $\,$ reload $\,$.