Concrete Objects Layer

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 1)

Unknown directive type "highlight".

.. highlight:: c
```

The functions in this chapter are specific to certain Python object types. Passing them an object of the wrong type is not a good idea; if you receive an object from a Python program and you are not sure that it has the right type, you must perform a type check first; for example, to check that an object is a dictionary, use :c:func:`PyDict_Check`. The chapter is structured like the "family tree" of Python object types.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 10); backlink

Unknown interpreted text role "c:func".
```

Warning

While the functions described in this chapter carefully check the type of the objects which are passed in, many of them do not check for NULL being passed instead of a valid object. Allowing NULL to be passed in can cause memory access violations and immediate termination of the interpreter.

Fundamental Objects

This section describes Python type objects and the singleton object None.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 32)

Unknown directive type "toctree".

.. toctree::

type.rst
none.rst
```

Numeric Objects

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 43)

Unknown directive type "index".

.. index:: object: numeric
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 45)
Unknown directive type "toctree".
```

```
.. toctree::
    long.rst
    bool.rst
    float.rst
    complex.rst
```

Sequence Objects

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 58)

Unknown directive type "index".

.. index:: object: sequence
```

Generic operations on sequence objects were discussed in the previous chapter; this section deals with the specific kinds of sequence objects that are intrinsic to the Python language.

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-
main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 66)
Unknown directive type "toctree".

.. toctree::
   bytes.rst
   bytearray.rst
   unicode.rst
   tuple.rst
   list.rst
```

Container Objects

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 80)

Unknown directive type "index".

.. index:: object: mapping
```

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\((cpython-main)\) (Doc) (c-api) concrete.rst, line 82)

Unknown directive type "toctree".

.. toctree::
dict.rst
set.rst
```

Function Objects

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\cpython-main\Doc\c-api\(cpython-main\) (Doc) (c-api) concrete.rst, line 93)

Unknown directive type "toctree".

... toctree::
function.rst
method.rst
cell.rst
code.rst
```

Other Objects

 $System\,Message: ERROR/3~(\mbox{D:\nonloarding-resources}\xspaces) ample-onboarding-resources\xspaces$

Unknown directive type "toctree".

.. toctree::

file.rst
module.rst
iterator.rst
descriptor.rst
slice.rst
memoryview.rst
weakref.rst
capsule.rst
frame.rst
gen.rst
coro.rst
contextvars.rst
datetime.rst
typehints.rst