## zh-CN

使用了 PageHeader 提供的所有能力。

## en-US

Show all props provided by PageHeader.

```
import { PageHeader, Menu, Dropdown, Button, Tag, Typography, Row } from 'antd';
import { MoreOutlined } from '@ant-design/icons';
const { Paragraph } = Typography;
const menu = (
 <Menu>
     <a target=" blank" rel="noopener noreferrer" href="http://www.alipay.com/">
       1st menu item
     </a>
   </Menu.Item>
    <Menu.Item>
     <a target="_blank" rel="noopener noreferrer" href="http://www.taobao.com/">
       2nd menu item
     </a>
    </Menu.Item>
   <Menu.Item>
     <a target=" blank" rel="noopener noreferrer" href="http://www.tmall.com/">
       3rd menu item
     </a>
   </Menu.Item>
  </Menu>
);
const DropdownMenu = () => (
 <Dropdown key="more" overlay={menu} placement="bottomRight">
   <Button type="text" icon={<MoreOutlined style={{ fontSize: 20 }} />} />
 </Dropdown>
);
const routes = [
 {
   path: 'index',
   breadcrumbName: 'First-level Menu',
 },
   path: 'first',
   breadcrumbName: 'Second-level Menu',
 },
   path: 'second',
   breadcrumbName: 'Third-level Menu',
```

```
},
];
const IconLink = ({ src, text }) => (
 <a className="example-link">
   <img className="example-link-icon" src={src} alt={text} />
 </a>
);
const content = (
 <>
   <Paragraph>
     Ant Design interprets the color system into two levels: a system-level color
system and a
     product-level color system.
   </Paragraph>
   <Paragraph>
     Ant Design's design team preferred to design with the HSB color model,
which makes it
     easier for designers to have a clear psychological expectation of color when
adjusting colors,
     as well as facilitate communication in teams.
   </Paragraph>
    <div>
     <IconLink
       src="https://gw.alipayobjects.com/zos/rmsportal/MjEImQtenlyueSmVEfUD.svg"
       text="Quick Start"
     />
      <IconLink
        src="https://gw.alipayobjects.com/zos/rmsportal/NbuDUAuBlIApFuDvWiND.svg"
       text=" Product Info"
      />
     <IconLink
       src="https://gw.alipayobjects.com/zos/rmsportal/ohOEPSYdDTNnyMbGuyLb.svg"
       text="Product Doc"
     />
   </div>
  </>
);
const Content = ({ children, extraContent }) => (
 <Row>
   <div style={{ flex: 1 }}>{children}</div>
   <div className="image">{extraContent}</div>
 </Row>
);
export default () => (
 <PageHeader
   title="Title"
   className="site-page-header"
```

```
subTitle="This is a subtitle"
    tags={<Tag color="blue">Running</Tag>}
   extra={[
     <Button key="3">Operation</Button>,
     <Button key="2">Operation</Button>,
     <Button key="1" type="primary">
       Primary
     </Button>,
     <DropdownMenu key="more" />,
   1 }
   avatar={{ src: 'https://avatars1.githubusercontent.com/u/8186664?s=460&v=4' }}
   breadcrumb={{ routes }}
    <Content
     extraContent={
src="https://gw.alipayobjects.com/zos/antfincdn/K%24NnlsB%26hz/pageHeader.svg"
         alt="content"
         width="100%"
        />
     }
      {content}
   </Content>
 </PageHeader>
);
```

```
#components-page-header-demo-content .image {
 display: flex;
 align-items: center;
 margin: 0 0 0 60px;
#components-page-header-demo-content .ant-page-header-rtl .image {
 margin: 0 60px 0 0;
}
#components-page-header-demo-content .example-link {
 margin-right: 16px;
 line-height: 24px;
[data-theme='compact'] #components-page-header-demo-content .example-link {
 line-height: 20px;
#components-page-header-demo-content .example-link-icon {
 margin-right: 8px;
[data-theme='compact'] #components-page-header-demo-content .example-link-icon {
 width: 20px;
```

```
height: 20px;
}

#components-page-header-demo-content .ant-page-header-rtl .example-link {
  float: right;
  margin-right: 0;
  margin-left: 16px;
}

#components-page-header-demo-content .ant-page-header-rtl .example-link-icon {
  margin-right: 0;
  margin-left: 8px;
}

@media (max-width: 768px) {
  #components-page-header-demo-content .image {
    flex: 100%;
    margin: 24px 0 0;
  }
}
```