# Q A S W A

ENTERPRISE RESOURCE PLANNING

*The complete operating platform for finance, procurement, people, projects, service delivery and intelligent automation.*

# Product & Feature Compendium

*A complete, plain-language guide to everything QASWA ERP does for your business*

| Document details | |
|---|---|
| **Edition** | Release 2.0 — Compendium of features and business capability |
| **Prepared for** | The management team and prospective investing partners |
| **Prepared by** | QASWA Product Office |
| **Date of issue** | October 2026 |
| **Scope** | All 58 business modules, the finance close suite, the procurement lifecycle, the people and payroll suite, group consolidation and the QASWA Intelligence layer |
| **Reading time** | Approximately 60 minutes; each chapter stands alone |
| **Classification** | Commercial in confidence — issued for evaluation purposes |

*This document deliberately avoids technical jargon. Every chapter describes what a person in your organisation can actually do, what the system does automatically, and what that means for cost, control and speed.*

# Contents

*Right-click anywhere in this list once the document is open in Microsoft Word and choose "Update Field" to refresh the page numbers.*

How to read this document ..... 4
1. Executive Summary ..... 4
2. The Platform at a Glance ..... 6
3. Why Organisations Choose QASWA ERP ..... 7
4. The Everyday Working Experience ..... 9
5. Finance I — Core Accounting and the General Ledger ..... 11
6. Finance II — Banking, Cash and Reconciliation ..... 13
7. Finance III — Accounts Receivable and Customer Billing ..... 14
8. Finance IV — Accounts Payable and the Vendor Ledger ..... 15
9. Finance V — Expenses and Employee Claims ..... 17
10. Finance VI — Budget Control, Versions and Variance ..... 18
11. Finance VII — Tax Management ..... 19
12. Procurement I — Requisition and Approval ..... 20
13. Procurement II — Sourcing, Quotation and Award ..... 22
14. Procurement III — Orders, Receipts, Matching and Returns ..... 23
15. Vendor and Supplier Management ..... 24
16. Inventory and Warehouse Control ..... 25
17. Fixed Assets, Licences and Infrastructure ..... 27
18. Payroll and Workforce Cost ..... 28
19. Human Resources I — People, Attendance and Leave ..... 30
20. Human Resources II — Contractors, Onboarding and the People Directory ..... 32
21. Customer Relationship Management ..... 33
22. Sales Billing, Collections and Customer Credit ..... 36
23. Projects, Tasks and Time ..... 37
24. Service Desk, SLAs and Knowledge ..... 39
25. Multi-Company, Intercompany and Group Consolidation ..... 41
26. Period Close and Year-End Closing ..... 43
27. QASWA Intelligence I — Assistant, Copilot and Voice ..... 45
28. QASWA Intelligence II — Documents, Knowledge, Automation and Agents ..... 46
29. AI Governance, Safety and Cost Control ..... 49
30. Reporting, Analytics and Executive Intelligence ..... 50

31. Document Design, Print and Distribution ..... 52
32. Security, Access Control and Compliance Evidence ..... 53
33. Configuration, Master Data and Local Control ..... 55
34. Data Protection, Backup and Business Continuity ..... 57
35. Implementation, Training and Ongoing Support ..... 58
36. The Business Return ..... 60
37. Release Roadmap ..... 61
38. Conclusion and Recommended Next Steps ..... 63
Appendix A — Complete Module Index ..... 64
Appendix B — Report and Statement Catalogue ..... 67
Appendix C — Controlled Documents and Numbering ..... 68
Appendix D — Access Model Reference ..... 69
Appendix E — Reference Data and Configuration Register ..... 70
Appendix F — Business Glossary ..... 71
Appendix G — Evaluation Checklist ..... 72
Appendix H — Declaration ..... 73

# How to read this document

*Every chapter answers three questions in plain business language: what can a person do, what does the system do on its own, and what does that change for the business. Nothing in these pages requires technical knowledge to follow.*

| Element | What it tells you |
|---|---|
| **Capability tables** | A named feature, exactly how it behaves in day-to-day use, and the value it delivers. |
| **Business benefit panels** | The commercial consequence — time saved, risk removed, cash recovered, audit avoided. |
| **At-a-glance counters** | Verified scale of the platform: modules, reports, permissions, documents. |
| **Chapter on its own page** | Each of the 38 chapters begins on a fresh page so you can extract and circulate it. |
| **Appendices** | The complete index of modules, reports, documents, configuration lists and a glossary. |
| **Release roadmap** | What arrives in the next phase, stated openly so commitments are never over-claimed. |

**BUSINESS BENEFIT · One platform, one version of the truth**

QASWA ERP was built as a single connected product rather than a collection of purchased modules stitched together. A purchase requisition, a goods receipt, a supplier bill, a journal entry, a budget line and a consolidated group balance sheet all sit in the same database, under the same approval rules, and carry the same audit trail. That is why the system can tell you — today, not next quarter — what a decision will cost.

# 1. Executive Summary

*QASWA ERP is a complete enterprise operating platform for a mid-sized to large organisation that wants finance, procurement, people, projects, customer-facing operations and an artificial-intelligence layer running on one system, under one set of controls, with one audit trail.*

Most organisations buy four or five separate products to cover this ground — an accounting package, a procurement tool, an HR system, a helpdesk and, increasingly, a separate AI assistant — and then pay consultants for years to keep the interfaces between them alive. QASWA ERP removes that architecture. Everything described in this document runs natively inside the same application, on the same permission model, against the same master data, and is visible on the same dashboards.

| 58 | 469 | 100+ | 300+ |
|---|---|---|---|
| BUSINESS MODULES | DATA DOMAINS | REPORTS & STATEMENTS | PERMISSION POINTS |

| 107 | 12 |
|---|---|
| AI SERVICES | DOCUMENT SEQUENCES |

## What the platform delivers

- **Accounting that closes itself.** Every operational document — an invoice, a supplier bill, an expense claim, a depreciation run, a payroll posting, a stock movement, an intercompany transfer — generates its own double-entry journal through a single controlled posting gateway. Nobody re-keys figures, and nothing reaches the ledger without passing the same validation.
- **Procurement you can defend.** The full requisition-to-payment chain is enforced rather than advised: requisitions, approval matrices, requests for quotation, weighted bid comparison, purchase orders, goods receipt with inspection, three-way matching with tolerances, and payment allocation. Over-ordering, over-receipt and over-billing are blocked by the system.
- **People operations without spreadsheets.** Personnel records with document-expiry surveillance, attendance registers, leave entitlements and balances, contractor engagement and rate history, timesheets, and the workforce cost posted into finance.
- **Group-level financial control.** Multi-company trading with per-company financial years, an intercompany engine that books the mirror entry in the partner company automatically, matching and reconciliation, and a consolidation workspace that produces group statements with eliminations and currency translation.
- **A disciplined month-end and year-end.** A template-driven closing checklist, a validation gate that refuses to close a period until the numbers actually reconcile, controlled reopening with a mandatory written reason, and a year-end close that carries balances forward exactly once.
- **AI that is permitted, not unleashed.** One hundred and seven AI services sit behind a central policy engine: risk tiers, mandatory human confirmation for writes, budget estimation before execution, roughly forty individual kill switches and six one-command emergency shutdowns.

## Who it is for

| If you are… | The platform gives you… |
|---|---|
| **A group CFO or financial controller** | Locked periods, immutable posted vouchers, an integrity checker that reconciles subledgers to the general ledger, and consolidation that validates before it is allowed to post. |
| **A head of procurement or operations** | Savings measured against the requisition estimate, auditable award decisions with override reasons, and a supplier performance picture built from actual quote-and-win behaviour. |
| **An HR leader** | One directory of every person your organisation deals with, expiring-visa and contract alerts, live leave balances, and workforce cost that lands in the ledger without manual effort. |
| **A service or project manager** | Drag-and-drop task boards, milestones, logged hours, a ticket queue with live SLA breach detection, and a knowledge base your customers and staff can both search. |
| **A business owner or investor** | An executive dashboard with year-to-date revenue, margin, headcount, overdue invoices, open critical tickets and the twelve-month trend — all from live data, refreshed on every screen visit. |

| If you are… | The platform gives you… |
|---|---|
| **An IT or compliance lead** | Role-based access on every button, an audit trail carrying user, action, module, IP address and timestamp, hardened hosting rules, and checksummed, test-restored backups. |

THE PROPOSITION · **Bottom line**

QASWA ERP replaces the accounting package, the purchasing spreadsheet, the HR file cabinet, the helpdesk inbox and the standalone AI assistant with one licensed, one-team-operated platform — and it does that without giving up the financial controls an auditor expects.

# 2. The Platform at a Glance

*A single page you can keep on your desk. Every figure below describes capability that is present in the product today.*

| Area | What is included | Scale |
|---|---|---|
| Finance and accounting | Chart of accounts, vouchers and journals, general ledger, opening balances, banking, cash, petty cash, transfers, reconciliation, accounts receivable, accounts payable, expenses, budgets, tax, fixed assets, period and year-end close, consolidation | 52 finance work areas |
| Procurement and supply chain | Requisitions, approval matrix, RFQ, vendor quotations, weighted comparison, purchase orders with formal revisioning, goods and service receipts with inspection, vendor bills with three-way match, payments, debit notes | 10-stage lifecycle |
| Inventory and assets | Item master, immutable stock ledger, multi-warehouse balances, reservations, adjustments, transfers, physical count, valuation and cost audit; asset register, capitalisation, depreciation, assignment, return, maintenance, licences | 5 costing methods |
| People and payroll | Employee master, departments, designations, attendance, leave types and balances, holidays, timesheets, contractors and contracts, unified people directory, payroll posting, payment batches, reconciliation | 11 workforce modules |
| Customers and service | Leads with seven sources, six-stage pipeline board, a customer master of unusual depth, contacts, locations, credit control, invoices, receipts, credit notes, statements, ageing, tickets, SLA policies, knowledge base | ~98-field customer record |
| Projects | Project register, milestones, tasks with sub-task checklists, tags, multi-assignee ownership, drag-and-drop board, discussion, activity trail, timesheet capture, project-billed invoices | 6 statuses, 4 priorities |
| QASWA Intelligence (AI) | Assistant chat, universal copilot, natural-language navigation, voice, document intelligence with OCR, retrieval-augmented knowledge, correspondence drafting, analytics and forecasting, process intelligence, agents, workflow studio, automations, workspaces, insights and monitors | 107 services, 30+ screens |
| Reporting | Report centre, an export centre producing eleven statement sets in three formats, template designer, saved reports, scheduled delivery, analytics dashboards, executive dashboard, financial ratios | 100+ named reports |

| Area | What is included | Scale |
|---|---|---|
| Control and administration | Roles and granular permissions, company master with ownership hierarchy, configuration console, currency and FX maintenance, document numbering, editable lookup lists, audit and activity logs, menu and widget administration | 300+ permission points |

## Coverage by business function

| Function | Covered end to end | Partially covered |
|---|---|---|
| Accounting and ledger | Yes — setup to year-end close | — |
| Statutory reporting | Trial balance, P&L, balance sheet, cash flow, GL | Consolidated statements |
| Purchasing | Requisition to payment with matching | Supplier scorecards |
| Stock control | Ledger, valuation, transfers, counting | Bar-code scanning |
| Sales order processing | Invoicing and receipts | Quotation and order books (see roadmap) |
| Payroll calculation | Posting, payable, batch, reconciliation | Salary-board computation (see roadmap) |
| Human resources | Records, attendance, leave, onboarding | Recruitment, appraisal, exit |
| Customer relationship | Leads, pipeline, master, service | Campaign management |
| Service desk | Tickets, SLA, knowledge base | Customer self-service portal |
| Project delivery | Tasks, milestones, time | Budget and profitability |
| Intelligent automation | Documents, knowledge, agents, governance | — |

> **NOTE · Read this honestly**
>
> Where a function is marked “partially covered”, the surrounding business process still works today — the note identifies the specific convenience layer that arrives in the next release. Chapter 37 sets these out precisely so that nothing in this document surprises you later.

# 3. Why Organisations Choose QASWA ERP

*Six differentiators that change day-to-day outcomes rather than merely appearing on a feature list.*

## 3.1 One posting gateway for every document

There is exactly one route into the general ledger. Whether the source is an approved invoice, a reimbursed expense claim, a depreciation run, an asset disposal, a bank transfer, a tax adjustment, a payroll posting, a closing journal or an intercompany counterpart, the entry passes the same checks: it must have lines, debits must equal credits, the accounts must exist and be active, the date must fall

inside the company's own financial year, the period must not be locked, and the company must be identified. Reports never write balances; dashboards never create entries. That is why the numbers on the executive dashboard and the numbers in the trial balance always agree.

## 3.2 Controls that are enforced, not recommended

- A posted voucher cannot be edited or deleted. It is corrected by a reversal that creates the mirror entry, swaps debits and credits, links the two documents and stamps the original as reversed.
- A requester can never approve their own requisition, however the approval matrix is configured.
- A goods receipt must be completed before the matching bill can post, and billed quantities and values cannot exceed what the order and receipt actually allow.
- A closed period refuses journals, invoices, bills, receipts, payments, expenses, payroll, depreciation, tax postings — and even the reversal that would land inside it.
- Reopening a period or a financial year requires a written reason and records the person, timestamp and IP address. Silent reopening is impossible.
- A year closes once. The operation is repeat-safe, so opening balances can never be duplicated by an accidental second run.
- A claim cannot be reimbursed twice, and a concurrent second approval is rejected with a message that the record changed under the user.

## 3.3 Depth where it matters: master data

Most systems store a name and a phone number for a customer and a code for an account. QASWA ERP carries a customer record of nearly a hundred attributes — identity and grouping, contacts and channel preferences, structured addressing, commercial terms, credit limit, rating and hold, delivery and Incoterms, banking, tax registration and exemption detail, industry and size bands, assigned account, sales and support representatives, and consent flags. The company master is equally deep, carrying entity type, parent and subsidiary links with ownership percentages, consolidation method, accounting framework, statutory registrations, e-invoicing regime, fiscal year start and default ledger accounts. This depth is what lets the system behave correctly without being told repeatedly.

## 3.4 Intelligence that cannot go rogue

The AI layer was designed with the assumption that it will eventually be asked to do something wrong. Every AI operation passes a central policy engine. Risk is tiered low, medium, high and critical; high-risk work is diverted into a human review queue; writes always require confirmation and pending actions expire; approvals are cryptographically bound to the exact parameters, so changing one number in a proposed action voids the approval. The AI is never given credentials, cannot run arbitrary database queries, cannot execute files, and cannot reach routes that have not been registered for it. Roughly forty individual kill switches and six one-click emergency shutdowns are operated by a named administrator and audited. Chapter 29 is dedicated to this.

## 3.5 A closing process a controller can sign

Period and year-end close are treated as controlled events rather than a month's worth of spreadsheets. The checklist is instantiated per period from a template, each item can be marked pending, in progress, completed or exception with comments and supporting attachments, and a validation gate runs a battery of tests before the close is allowed to proceed. When a test fails, the system names the problem, the module and the required action. A period is never left half closed.

### 3.6 Delivered as a working product, not a toolkit

Nothing in this document requires a development project before it can be used. Modules are already built, screens already exist, reports already run. Configuration — chart of accounts, tax regimes, approval rules, document formats, currencies, lookup lists and permission sets — is done in application screens by your own administrators. The implementation chapter in this document sets out a realistic sequence for a live deployment.

> **WHY IT MATTERS · The commercial consequence**
>
> Fewer interfaces means fewer licences, fewer reconciliation breaks, fewer consultant hours and far fewer questions that end with "that is in a different system". Controls being enforced rather than documented means audit findings move from recurring exceptions to evidence trails.

# 4. The Everyday Working Experience

*Before any module, the shell: what a person sees when they sign in, and the interface conventions that stay identical everywhere in the product.*

### 4.1 Sign-in and identity

Users sign in with an email address and password on a clean branded screen. The session is issued fresh at each sign-in, and every page the user opens re-checks that the account is still live. If an administrator deletes, suspends or deactivates an account while the person is working, the open session ends immediately with an explanation rather than continuing quietly. Signing out destroys the session and records the event.

### 4.2 The home dashboard

- **Personal layout.** Each user arranges their own dashboard. A Customize mode exposes a widget catalogue, lets the person drag widgets into order, add or remove them, resize them, and save; a restore-default action is always available.
- **Separate layouts.** Home, Executive, Helpdesk, Finance, Leave, Analytics and Assets each hold their own arrangement, so switching context does not scramble the previous one.
- **Permission-aware widgets.** Individual tiles carry their own permission, so an executive KPI can be withheld from a broader audience without hiding the whole dashboard.
- **Remembered position.** Finance list screens remember where the user had scrolled and restore it when they return from a detail page.

### 4.3 Navigation

| Element | Behaviour |
|---|---|
| **Sidebar** | Grouped sections that auto-expand around the page you are on and mark the active link; collapses on desktop and becomes a slide-over with a backdrop on phones. |
| **Permission gating** | Every link, tab, button, export and card is individually gated. Users do not see what they cannot use, and direct attempts to reach a forbidden screen return an access-denied explanation. |

| Element | Behaviour |
|---|---|
| **Breadcrumbs** | Generated automatically from where the page sits, so a person can always step back a level. |
| **Company picker** | Appears in the top bar as soon as two or more companies exist; each switch is re-validated against the user's access. |
| **Currency picker** | Lists every active currency; displayed amounts convert using the latest effective rate. |
| **Theme toggle** | One click to IBM-style light or dark, available on every screen including sign-in. |
| **Menu management** | Administrators can add, reorder, indent, rename, icon-set, route and enable or disable sidebar sections and items, each tied to a permission. |

## 4.4 The list-screen pattern

Every register in the product follows the same shape, which is why people learn it once. Above the table sit count tiles that summarise the current filter. A search box matches across the obvious fields. Column filters cover status, department, owner, date range and category. Column headings sort ascending and descending. Pagination states “showing x to y of n” and preserves every active filter in its links. Status and priority are shown as colour-coded chips rather than words alone. A clear-filters action resets the view, and empty states explain what to do next rather than simply being blank. Row actions are view, edit and — where the permission allows — delete, and deletions go through a confirmation panel that closes with Escape.

## 4.5 Forms and data safety

- Required fields, formats and ranges are checked as the person types, with the message appearing beside the field.
- If a save fails validation, the data entered is preserved and the error list is restored — nobody retypes a long form.
- Document numbers are offered as a preview while the user types, and only consumed when the record is actually saved.
- Money fields recalculate on the server; totals shown in the browser are never trusted as the posted figure.
- Attachments accept the file types each screen defines, record size and uploader, and are served through a controlled download rather than a public path.
- Duplicate protection is built in at the places that matter: employee and vendor codes, account codes, bank account numbers, invoice numbers per vendor, asset serials, financial year names, budget names and lines, expense category names and voucher prefixes.

## 4.6 Appearance

The interface follows the IBM Carbon design language: IBM Plex typography, flat blue accents, square geometry, restrained motion. Two themes ship — a light working theme and a full dark theme in which tables, badges, tabs and charts all restyle rather than merely inverting. The choice is remembered in the browser, in the session and against the user record, so it survives sign-out and follows the person between tabs. Reduced-motion preferences are honoured. Layouts reflow at three breakpoints, and wide tables become scrollable rather than crushing on a phone.

### 4.7 Print and reading

Statements, registers, invoices, asset reports and closing documents can be produced as dedicated print views that strip navigation, keep the company identity and header block, and carry totals rows. The export centre additionally renders landscape A4 documents for eleven statement sets.

> **BUSINESS BENEFIT · Why the shell matters**
> A platform only gets used if people can find things and the screens behave predictably. Because the pattern repeats across fifty-eight modules, training time collapses: a person who learns the vendor register already knows the stock ledger, the ticket queue and the asset list.

## 5. Finance I — Core Accounting and the General Ledger

*The foundation everything else posts into: the chart of accounts, voucher design, journal entry, the ledger itself, and the rules that protect it.*

### 5.1 Financial years and accounting periods

- Create, edit, activate and archive financial years per company, each with its own name, start and end dates and display format; duplicate year names within a company are refused.
- One action generates the full monthly period calendar for a year, so period-level control exists from day one rather than being retrofitted mid-year.
- Periods progress Open → Closing → Closed → Archived, and the status is visible wherever a date could be entered.
- The finance dashboard header states the active year and its date range so nobody posts into the wrong period by accident.

### 5.2 Chart of accounts

Accounts are maintained with a code, name, account group, account type, nature (asset, liability, equity, income or expense), a parent-group hierarchy presented as a tree, an opening balance with its debit or credit direction, a display order, an active flag, and a switch that decides whether manual journals may touch the account at all. Code uniqueness is enforced with a configurable prefix, and a live search plus filters make an established chart easy to navigate. Account groups and account types are themselves maintainable, with their own parent relationships, statement nature and normal direction — which is what allows new accounts to be created safely without breaking reporting.

### 5.3 Voucher design

| Attribute | What it controls |
|---|---|
| **Voucher type name** | The human label used on journals, reports and printed documents. |
| **Prefix** | The leading characters of the automatically assigned document number. |
| **Auto-numbering switch** | Turn automatic numbering on or off per voucher type; more than thirty voucher books are configured in a typical installation. |
| **Status** | Retire a voucher type without deleting history or orphaning posted journals. |

| Attribute | What it controls |
|---|---|
| **Company scope** | Each company maintains its own voucher books and numbering, with no borrowing from another entity. |

## 5.4 Journal entry

A journal is captured with a voucher date, voucher type, description and reference, and an unlimited line grid. Lines are added and removed freely, and the screen shows running debit and credit totals with a balanced indicator, so the person preparing the entry always knows whether it can post. Entries are saved as drafts, reviewed, and then posted. Drafts remain editable; posted vouchers do not.

## 5.5 The posting rules

No entry reaches the ledger unless it satisfies the same controlled checks. Each is stated here because together they are the reason the ledger can be trusted.

- The entry must be a draft at the moment of posting, and must be the current version of that draft.
- There must be at least one line, and total debits must exactly equal total credits.
- Every account referenced must exist, be active, and be permitted to receive manual entries.
- The voucher date must fall inside the financial year of the company on the journal.
- The accounting period containing the date must not be closed or locked.
- The journal must carry a company; the engine will not default to another entity's year or fall back to a hard-coded company.

## 5.6 Reversal instead of editing

Correcting a posted entry raises a reversal. The system creates a mirror journal with the debits and credits swapped, numbers it with a reversal suffix, stamps the original as reversed and links the two. The history stays intact, which is what an auditor and a tax authority expect, and the correction is traceable from either end.

## 5.7 The ledger

Every posting writes to the general ledger with a running balance per account. The ledger can be browsed by account and date range; opening balances are held per financial year and can be verified against the prior year's closing. From the ledger the user can step directly to the journal voucher behind any line, and from an account ledger step back to the journal — the drill path is two clicks in either direction.

> **BUSINESS BENEFIT · What this prevents**
>
> Unbalanced ledgers, silent edits to posted history, accounts that quietly stop reporting correctly because the wrong nature was chosen, and the classic audit finding of a transaction changed after the fact. In their place: an immutable record, linked corrections, and a chart that stays structurally sound as it grows.

# 6. Finance II — Banking, Cash and Reconciliation

*Money movement outside the sales and purchase cycle: bank and cash accounts, transfers, petty cash, and the reconciliation discipline that makes month-end provable.*

## 6.1 Account maintenance

Bank accounts and cash accounts are maintained with their identifiers, opening balances and the ledger account they control. Duplicate account numbers are refused, so two screens can never end up reconciling different versions of the same bank.

## 6.2 Deposits, withdrawals and transfers

- Bank transactions are recorded as deposits or withdrawals with a method, reference, offset account and amount; the system posts the journal automatically.
- Cash transactions behave the same way for physical cash holdings, with the same offset-account control — an offset into the same account is blocked.
- Money transfers move funds between any bank or cash pairing and generate their own voucher, so a transfer is never a manual pair of journals that might not balance.

## 6.3 Petty cash

Floats are maintained with a custodian and running balance. Issue, top-up and expense are each recorded with a category and offset account, producing a fund position and an activity log. Because each movement posts through the same gateway, the float balance on screen and the balance in the ledger are the same number.

## 6.4 Bank reconciliation

| Step | What happens |
|---|---|
| **Start** | Enter the statement date and the statement closing balance. The system pulls the book balance from the ledger. |
| **See the gap** | The difference is displayed and highlighted in red until it reaches nil, so the size of the problem is always visible. |
| **Match** | Each unreconciled ledger line is ticked against the statement. Running matched and unmatched totals update as the user works. |
| **Note** | Remarks can be recorded against the reconciliation for the reviewer who comes after. |
| **Complete** | Completing writes the reconciliation state; reconciliations already completed or cancelled are protected from being silently altered. |
| **Escalate** | The finance dashboard shows in-progress reconciliations as an alert with a jump link, so an open reconciliation cannot be forgotten. |

## 6.5 Cash visibility

The finance home shows total bank balance, total cash balance, today's deposits and withdrawals, today's posted journals with debit and credit totals, and pending drafts. A treasurer therefore sees the day's position without opening a single report.

**BUSINESS BENEFIT · Business benefit**

Reconciliation stops being an end-of-month scramble. Because the difference is displayed on screen and an incomplete reconciliation raises an alert, the average time to detect a bank discrepancy falls from weeks to the same day — and closing cannot proceed until it is resolved.

# 7. Finance III — Accounts Receivable and Customer Billing

*From the invoice you raise to the cash you collect, including credit notes, statements, ageing and the customer's own view of their account.*

## 7.1 The receivable dashboard

- Total receivables, invoices raised this month, payments received and an ageing summary at the top of the screen.
- Average collection days and the top outstanding customers, so attention goes where the money is.
- An invoice trend that separates one-off spikes from a genuine deterioration.
- Every tile links through to the filtered list behind it.

## 7.2 Raising an invoice

| Part of the invoice | What the system does |
|---|---|
| **Number** | Assigned from the company's invoice sequence; prefix, padding and counter are administrator-editable and the next number is previewable without consuming it. |
| **Customer and defaults** | Trading currency, tax-inclusive behaviour, price list, payment terms, delivery channel, invoice email and copy list flow from the customer master. |
| **Due date** | Derived from payment terms written as “Net N days”, defaulting to thirty days when nothing is specified. |
| **Lines** | Add or remove freely: item, description, quantity, unit, price, line discount percentage, and per-line tax treatment with taxable, zero-rated, exempt or out-of-scope status and an exemption reference. |
| **Totals** | Subtotal, header discount by percentage or amount, tax, grand total, paid and outstanding — recalculated on the server, never trusted from the browser. |
| **Project** | An optional project link, so invoicing can be traced to delivery work. |
| **Notes and terms** | Free-text notes and standing terms and conditions appear on the printed document. |

## 7.3 The invoice lifecycle

Draft → approved → sent → partially paid → paid, with overdue and cancelled states. Approval posts the double entry automatically: receivable debited, revenue credited, output tax credited. A status-change history records the previous state, the new state, who made the change and the note they added. An invoice can be duplicated into a new draft — useful for recurring billing — and the duplication is itself audited.

### 7.4 Printing and presenting to the customer

A dedicated print view produces a customer-facing invoice showing the customer's own VAT or GST number, the company identity from the company master, and the document header. Rendering passes through the template designer, so the layout is yours rather than a vendor default.

### 7.5 Receipts and allocation

A customer receipt carries a system receipt number, date, customer, payment method, reference or cheque number, and the bank or cash account that received it — the account fields appear only for the methods that need them. The receipt can then be allocated across open invoices on a dedicated allocation screen; over-allocation is blocked, invoice balances and paid status update immediately, and the receipt's unallocated balance remains on account for later application. Each payment leg generates its own journal.

### 7.6 Credit notes

A credit note is raised against an invoice, typed as price correction, return, discount adjustment or cancellation, with reason, tax treatment and totals. It moves draft → issued → applied → cancelled and posts the reversing revenue, tax and receivable entries with the journal linked. Numbering follows the CN plus year-month plus sequence pattern.

### 7.7 Statements and ageing

- **Customer statement.** Any from-and-to period, with the opening balance computed from pre-period activity, then invoices, receipts and credit notes interleaved with a running balance and period totals. One-click print produces a clean statement with navigation removed.
- **Ageing.** Current, 1–30, 31–60, 61–90 and over-90-day buckets as at a chosen date, colour-coded, with the individual overdue invoices listed inside each bucket and days overdue shown per invoice.
- **Collection focus.** Overdue balances render in red wherever they appear, including the customer master and the 360 view.

> BUSINESS BENEFIT · **Business benefit**
>
> Receivables stop being a monthly surprise. With ageing visible per customer and per invoice, average collection days reported on the dashboard, and credit limits and hold states carried on the customer record, collections becomes a daily routine rather than a quarterly conversation.

## 8. Finance IV — Accounts Payable and the Vendor Ledger

*Everything that leaves the organisation: bills, matching, approval, payment, debit notes and the vendor's own account view.*

### 8.1 Payable dashboard

Outstanding payables, bills raised this month, payments made this month and ageing sit on the same screen as unbilled receipts and open matching exceptions. The dashboard is therefore a work list: it shows what is owed, what has been received but not yet billed, and what the matching engine has refused to accept.

## 8.2 Vendor bills

| Control | Behaviour |
|---|---|
| **Identity** | Vendor, bill date, due date, currency and the vendor's own invoice number. |
| **Links** | Optional purchase order and goods receipt links; a bill can reference a service receipt as well as a goods receipt. |
| **Duplicate watch** | The vendor's own invoice number is checked for uniqueness per vendor and company, and can be switched on or off where a vendor legitimately reuses references. |
| **Lines** | Per-line tax type, rate, group and status — taxable, exempt, zero-rated or out of scope — with exemption reference, and a ledger expense account on every line. |
| **Matching** | Billed quantity and value cannot exceed the remaining unbilled order or receipt value unless an authorised override is recorded. |
| **States** | Draft, pending approval, matched, exception, approved, posted, rejected, cancelled. |
| **Posting** | Approval creates the purchase voucher: expense debited by account, input tax debited, total credited to accounts payable, tax-return data recorded, and the bill marked posted with the journal linked. |
| **Order effect** | The purchase order automatically moves to partially or fully billed and remaining billable quantities are recomputed. |

## 8.3 Payments

Vendor payments carry an automatic payment number, date, method, the bank or cash account funding them, a reference and the amount. Open bills load on the screen so the payment can be allocated across them; bills move to partially paid or paid with a status-history line, and the payment journal is generated by the system.

## 8.4 Debit notes

Debit notes reduce payable balances and reverse expense and input tax. They are typed as return, price correction, discount adjustment or cancellation, carry a reason and tax treatment, and move draft → issued → applied → cancelled with an automatic reversing journal.

## 8.5 Vendor statements and days payable

- Vendor statements for any period, in the same running-balance format used for customers.
- Accounts payable ageing with overdue bills identified individually and days-payable-outstanding computed rather than eyeballed.
- The vendor 360 view shows total billed, paid, outstanding and overdue, purchase order count, recent bills, recent payments and recent orders on one page.

> **BUSINESS BENEFIT · Business benefit**
>
> Duplicate payment and billing above the order are the two most common causes of leaked margin in purchasing. Both are blocked by the engine rather than by policy, and every override requires a permission and a written reason that is stored in the audit log.

# 9. Finance V — Expenses and Employee Claims

*Two distinct expense flows — money the company spends directly, and money an employee spends and claims back — each with its own approval path.*

## 9.1 The expense dashboard

Today's spend, items pending approval, claims awaiting reimbursement, budget against spend and the expense trend are on one screen, split between company expenses and employee claims so a finance officer can see both queues without filtering.

## 9.2 Categories and account mapping

Expense categories are maintained with their ledger account mapping and a case-insensitive guard against duplicate names. Mapping at the category level is what allows an approved expense to post itself without an accountant deciding where it belongs.

## 9.3 Company expenses

| Stage | What happens |
|---|---|
| **Capture** | Expense number, date, category, department, project and vendor allocation, amount, tax fields, payment method and funding account, description and receipt. |
| **Submit** | Draft becomes pending approval. |
| **Decide** | Approve, reject with a captured reason, or cancel. |
| **Post** | Approval raises the payable in the ledger. |
| **Pay** | Marking as paid clears the payable through the chosen bank or cash account and creates the payment journal. |
| **Review** | Consolidated expense approvals screen presents every pending item across expense types in one worklist. |

## 9.4 Employee claims — two-level approval

A claim is captured with an automatic claim number, employee, date, category, project, description, amount, tax and total, and supports multiple receipt attachments in PDF and image formats. It then follows a genuine two-stage route: the employee submits, the manager approves the business case, and finance approval posts the payable to the ledger and returns the voucher number. Reimbursement pays the employee from a chosen bank or cash account with a reference and its own journal. Rejection captures a reason, cancellation is a distinct state, and an approval history records the level, action, comment, person and timestamp for every stage.

- Concurrent approval is detected: a second approver is told the record has already been approved or changed.
- A claim cannot be reimbursed twice.
- The system will not allow a claim to skip finance approval on the way to payment.

### 9.5 Reporting

Expense reporting slices spend by category, department, project, employee and month, and the monthly and yearly reports carry the same filters. Top-category analysis sits on the dashboard so concentration is obvious.

> **BUSINESS BENEFIT · Business benefit**
>
> Two-level approval with a stored history is the control auditors ask for first on travel and entertainment spend. Because approval itself posts the payable and payment clears it, the expense subledger reconciles to the general ledger by construction rather than by month-end effort.

## 10. Finance VI — Budget Control, Versions and Variance

*Budgets in QASWA ERP are live objects with a lifecycle, not a spreadsheet column that is compared to actuals by hand each month.*

### 10.1 Building a budget

| Choice | Options and controls |
|---|---|
| **Period basis** | Annual, quarterly or monthly budgets. |
| **Construction basis** | By department, by project or by account — or any combination of the three on one budget. |
| **Line grid** | Each line carries department, project, account, period and amount. A duplicate line for the same department, project, account and month is detected and refused. |
| **Monthly allocation matrix** | A dedicated grid screen spreads an amount across the twelve months, so seasonality is entered as a shape rather than twelve separate records. |
| **Naming** | Budget names must be unique within their year. |
| **Lifecycle** | Create → submit → approve → activate → close, with deletion permitted only on drafts. |

### 10.2 Versions, revisions and transfers

- **Versions.** Several scenarios can exist against the same year — a base plan, a stretch case, a constrained case — with exactly one activated at a time, so reporting always knows which plan is real.
- **Revisions.** An approved budget can be increased, decreased or adjusted against specific lines. Each revision records what changed and produces a version history, so the movement from original plan to current plan is a documented trail rather than a new file.
- **Transfers.** Funds move from one budget line to another with a stated reason and an approve or reject decision. Transfers cannot create money: the source line reduces by exactly what the destination line gains.

### 10.3 Monitoring and variance

Budget monitoring compares each budget line to the actual spend recorded in the general ledger. The comparison can be refreshed on demand and snapshotted so a controller can show what the position

looked like on a particular date. Variance analysis is available by account, by department and by project, showing the variance amount and utilisation percentage, and the budget dashboard summarises total budget, actual spent, utilisation and alert count.

### 10.4 Budget reports

- Budget summary across the whole plan.
- Budget by department, showing allocation against actual.
- Budget by account, for cost-line control.
- Utilisation report, ranking the lines closest to or past their limit.
- Budget versus actual, and variance analysis, both available through the finance report hub and exportable.

Because budgets are checked against real ledger postings, a department cannot spend itself over approval limits unnoticed — the utilisation figure moves the moment the expense posts.

> **BUSINESS BENEFIT · Business benefit**
>
> Budget overrun becomes a same-day conversation instead of a quarter-end discovery. Versioning means a revised plan can be produced in an afternoon without losing the original number that the board approved.

## 11. Finance VII — Tax Management

*A configurable indirect-tax engine: regimes, rates, groups, registrations, exemptions, periods, the register itself, adjustments and reporting.*

### 11.1 Regimes and rates

Tax regimes for VAT, GST, sales tax and withholding are defined as named tax types with an output or input direction, a default flag and effective dates. Rates carry their own effective date ranges, so a change in the statutory rate is a dated record rather than a backdated edit that silently changes historical documents.

### 11.2 Tax groups

Several rates can be stacked onto a single transaction line through a tax group in priority order — for example output VAT at five percent together with withholding at three percent. Groups are reusable across sales and purchase documents and are selected per line.

### 11.3 Registrations and exemptions

- Tax registrations are maintained per jurisdiction and country, which is what allows a multi-entity group to file correctly in each territory.
- Exemptions are recorded with a code, a reason, an amount and a validity period, and an exemption reference can be cited on an individual invoice or bill line.
- Customer and company records carry withholding rates, tax category (regular, composition, unregistered, special economic zone, export, deemed export, overseas), exemption references and VAT return frequency.

### 11.4 Tax periods and the register

| Function | Behaviour |
|---|---|
| **Period lifecycle** | Create → submit → close. Periods can be created manually or, when automatic creation is enabled, opened on the first posting of a new month. |
| **Locking** | Closing a period locks the tax register: ordinary transactions for that month are refused with a message directing the user to raise an adjustment or a reversal. |
| **Register** | One searchable list of output, input and adjustment postings, filterable by date, type, direction and status, with a detail view on each line. |
| **Export** | The register exports to CSV for submission to an accountant or portal. |
| **Adjustments** | An adjustment is raised, approved or rejected with a full audit trail; an approved adjustment posts its own voucher. |
| **Settings** | Default type, rate and group; tax-inclusive or tax-exclusive pricing; rounding rule from five methods; decimal precision; tax invoice and tax credit note prefixes; automatic period switch; and the output-tax, input-tax and clearing account mappings. |
| **Dashboard** | Open filing periods, output against input tax across six months, register breakdown, recent tax transactions, and an explicit warning when a ledger mapping is missing. |

### 11.5 Tax reporting

Five tax reports are provided — summary, output tax, input tax, period and adjustments — alongside the register export. Because every tax posting originates from an approved source document, the return figures can be drilled back to the invoice or bill that produced them.

> COMPLIANCE · **Business benefit**
>
> Indirect-tax exposure is visible continuously rather than at filing. Rate changes take effect on a date instead of corrupting history, closed periods refuse edits, and adjustments are the only route into a locked month — with an approval and a reason attached.

## 12. Procurement I — Requisition and Approval

*The purchasing chain begins with a controlled internal request, not an email to a buyer.*

### 12.1 The purchase requisition

| Section | What is captured |
|---|---|
| **Header** | Number from the yearly requisition sequence with an editable prefix; company, department, branch, project and cost centre; requester, request date and need-by date; purpose statement; currency; priority from Low to Urgent. |
| **Lines** | Each line is typed Stock, Non-stock, Service, Asset or Expense, and carries quantity, unit, estimated price, discount, tax percentage, its own need-by date, a preferred vendor, and its own department, project and cost centre. |
| **Totals** | Recalculated by the server on every change; browser-side arithmetic is never used as the authoritative figure. |

| Section | What is captured |
|---|---|
| **Attachments** | Supporting documents can be attached to the requisition. |

## 12.2 States and editability

Draft, submitted, pending approval, approved, rejected, cancelled and closed. Only drafts and rejected requisitions can be edited, which prevents a document being quietly changed while it is sitting in someone's approval queue. A rejected requisition can be corrected and resubmitted rather than restarted.

## 12.3 The approval matrix

Approval rules are configured by administrators and matched on company, department, priority and a maximum amount. Matching rules run in sequence and every matching rule must approve before the document is approved; each rule points at an approver role rather than an individual, so a change of post-holder does not require a rule change. Rules can be enabled or disabled without deleting them, and if no rule matches, any holder of the approval right may act.

- A requester can never approve their own requisition — enforced by the engine, not by the rule set.
- Rejection and cancellation both require a written reason, which is retained with the document.
- Every approval action writes to a per-document approval history showing the actor, the comment, the previous state and the new state, plus a procurement audit entry carrying the IP address and timestamp.

## 12.4 Visibility before commitment

The procurement command centre shows requisition value trend, status mix, spend by department, the open pipeline, outstanding requisitions by priority, current approval queues and the most requested items. A buyer therefore sees total demand — and can consolidate it — before committing anything.

## 12.5 Requisition reporting

- Requisition register with full filtering.
- Pending approval, for chasing approvers.
- Approved and ready to source.
- Rejected with reasons, to identify recurring blockages.
- Committed value by department, project and cost centre.

> **BUSINESS BENEFIT · Business benefit**
>
> Unauthorised purchasing is closed off at the start of the chain. Because a requisition line carries its own project and cost centre, spend is attributed correctly from the moment it is requested — which is the data a project or department margin report depends on.

# 13. Procurement II — Sourcing, Quotation and Award

*The competitive part of purchasing: inviting suppliers, capturing bids, comparing them on a weighted basis and awarding with a documented reason.*

## 13.1 Creating the request for quotation

Only an approved requisition can become a request for quotation, and its lines carry across automatically — nothing is retyped. The RFQ carries a number from its own sequence and moves through draft, open, sent, partially responded, fully responded, evaluation, awarded, cancelled and closed. Invitations can only be issued to active vendors; an inactive vendor is skipped with a stated reason. Each send writes a per-vendor communication record: method, recipient, status, sender and date.

## 13.2 Deadline discipline

- A response deadline and a quote-validity date are tracked per invitation.
- Stale invitations expire automatically rather than lingering on a buyer's screen.
- RFQs more than thirty days overdue close themselves, so the pipeline reflects reality.

## 13.3 Capturing vendor quotations

Each supplier submits its own quotation document with a number of its own. The system supports partial quoting against the RFQ, alternative or substitute lines, other charges such as freight and handling, Incoterms, warranty terms, the vendor's reference, lead time, validity date, per-line delivery days and warranty months. Quotations move draft → received → under evaluation → shortlisted → rejected, selected or expired.

## 13.4 Comparison and weighted evaluation

| Mechanism | How it works |
|---|---|
| **Line-by-line grid** | Every vendor is compared against the same RFQ line, with a grand-total row across the quotation. |
| **Evaluation criteria** | Named criteria with weights that must sum to exactly one hundred percent, scored nought to ten. |
| **Automatic ranking** | Weighted score is calculated by the system; ties break on the lower price. |
| **Savings measurement** | Saving against the requisition estimate is computed per RFQ and summed, so sourcing value is measured rather than claimed. |
| **Award** | Award the whole RFQ to one supplier, or split the award line by line across suppliers. |
| **Override control** | Selecting a vendor that did not rank first forces an override reason, and an award reason is always mandatory. |

## 13.5 Quote dashboard

Open RFQs, responses pending, quotations received, evaluations in progress, awards awaiting selection, expired items, estimated value and measured savings are presented as count tiles, each linking into the

filtered list. Vendor quote-versus-win performance is reported on the same screen and on the procurement command centre, which is the beginning of supplier performance management.

> **BUSINESS BENEFIT · Business benefit**
>
> The two failure modes in sourcing — awarding to a friend and losing the rationale for an award — are both closed. The weighted grid makes the cheapest compliant answer obvious, the mandatory reason and override note make the decision defensible, and the savings calculation turns procurement into a function that can show a number.

# 14. Procurement III — Orders, Receipts, Matching and Returns

*Commitment, delivery and settlement: purchase orders with formal amendment, receipts with inspection, three-way matching, and the debit note that corrects it.*

## 14.1 Purchase orders

A purchase order is created from the award and retains the complete requisition → RFQ → quotation → award → order chain on every line, which is what makes the document self-explaining years later. The header carries buyer, requester, payment and delivery terms, delivery location, Incoterms, warranty terms, shipping method, special instructions, separate vendor-facing and internal notes, and its own other charges. States run draft, pending approval, approved, rejected, sent, acknowledged, partially received, fully received, partially billed, fully billed, closed and cancelled.

- **Over-order guard.** Ordered quantity cannot exceed the awarded quantity.
- **Formal revisioning.** An amendment requires a reason, receives a revision number, snapshots the previous lines and produces an automatic before-and-after change list; the document returns to draft for re-approval.
- **Acknowledgement.** Sending the order and the vendor's acknowledgement — their reference, confirmed date and comments — are both logged.
- **Commitment tracking.** Reports show committed, cancelled and remaining value so exposure is measurable before goods arrive.

## 14.2 Goods and service receipt

| Feature | Detail |
|---|---|
| **Receipt basis** | Receiving is allowed only against an order that is approved, sent, acknowledged or partially received. |
| **Per-line arithmetic** | Ordered, previously received, remaining, received, accepted, rejected, damaged, short and backorder quantities are all tracked. |
| **Integrity rule** | Accepted, rejected and damaged quantities can never exceed the quantity actually received. |
| **Tolerance** | An over-receipt tolerance percentage is configurable, so a genuine delivery variance does not stall the warehouse. |
| **Line detail** | Batch number, serial number, expiry and manufacturing date, warehouse, bin location, and rejection or damage reason and type. |

| Feature | Detail |
|---|---|
| **Inspection** | A workflow of pending, passed, partially passed, failed or not required, recording the inspector, quantities, comments and supporting documents. |
| **Automatic effects** | Finalising updates the order's received quantities, moves the order to partially or fully received, maintains a per-line receiving summary with remaining, outstanding and last-receipt dates, and posts accepted stock lines into the inventory ledger — repeat-proof, so a double save cannot double the stock. |
| **Liability position** | A receipt records a physical event only. It never creates a supplier liability; that happens on the bill. |
| **Returns** | Rejections and returns are recorded on their own screen with reason, inspection result and evidence. |

### 14.3 Three-way matching

The match engine compares the order, the receipt and the bill line by line using quantity tolerance, price percentage tolerance and total-value tolerance — a five percent default that can be edited per bill. The output states matched or exception, gives the variance amount and percentage, and reports the quantity and price status per line. Exceptions are itemised by type: quantity mismatch, price mismatch, missing receipt, or overall variance, each with the required action. An exception can be overridden by someone holding the permission, with a reason, or rejected; every outcome is stored.

### 14.4 Returns, debit notes and the closing of the loop

Where goods are returned or the supplier has overcharged, a debit note is raised against the bill and the payable and input tax are reversed with their own journal. Payment allocation then settles what genuinely remains owed, and the vendor statement reflects the corrected position.

### 14.5 Procurement reporting

- Order register with total, approved, pending and open-value tiles.
- Receipt reports by date, status and order showing received against accepted, rejected and damaged.
- Unbilled receipts — the classic source of understated liabilities.
- Matching exceptions, presented as a work queue.
- Supplier bill register, statements and accounts-payable ageing.
- Outstanding procurement value across orders and receipts.

> BUSINESS BENEFIT · **Business benefit**
>
> Three-way matching is where purchasing leakage is normally found and normally tolerated. Making it automatic converts it into an exception queue with named owners: the only bills that reach the ledger are the ones that reconcile to what was ordered and what actually arrived.

## 15. Vendor and Supplier Management

*The supplier record is the control point for the whole purchasing chain.*

### 15.1 The vendor master

| Attribute group | Included |
|---|---|
| **Identity** | Unique vendor code, legal name, contact person, email, phone, address, website, notes, active or inactive. |
| **Commercial** | Payment terms, trading currency, default expense account and default payable account. |
| **Tax** | VAT or tax number with length validation, and tax category carried on the record. |
| **Position** | Total billed, total paid, outstanding and overdue value, order count, recent bills, recent payments and recent orders. |

### 15.2 Search, filters and summary tiles

The register searches across name, code, email and contact person, filters by status, pages the result, and shows tiles for total vendors, active vendors and outstanding value. The vendor profile is the 360 view described above.

### 15.3 Enforcement through the chain

- An inactive vendor cannot be nominated on a requisition.
- An inactive vendor cannot be invited to a quotation request.
- An inactive vendor cannot be issued a purchase order.
- An inactive vendor cannot receive a goods receipt or raise a bill.
- Quote-versus-win performance is reported from real bid data rather than an opinion.

### 15.4 Interaction history

Every RFQ invitation with its method, recipient and status, and every purchase order transmission with the vendor's acknowledgement, sits against the supplier relationship. That record is the evidence base when a commercial conversation goes badly.

> **ROADMAP · Coming next**
>
> Formal supplier scorecards, vendor categories and segments, bank-account detail capture, a blacklist flag and supplier self-onboarding are scheduled for the next release — see chapter 37. Everything listed above is available now.

## 16. Inventory and Warehouse Control

*A single, controlled stock engine. Every quantity change in the organisation passes through it, which is what makes the stock figure trustworthy.*

### 16.1 The item master

Items carry a code, name, category, default warehouse and location, unit of measure, costing method (FIFO, LIFO, weighted average, standard or moving average), reorder point, minimum quantity, unit price, default vendor, flags for batch-controlled and serial-controlled items, and an active status.

## 16.2 The stock ledger

Stock movement is written as immutable ledger rows: purchase receipt, sales issue, adjustment in and out, transfer in and out, opening stock and reversal. Each row carries company, item, warehouse, bin, batch, serial, quantity in and out, unit cost, value, before-and-after cost and value, the source document reference and a status. Negative stock is blocked unless deliberately switched on. Moving average cost recalculates on every receipt, and when inventory, cost of goods sold and adjustment accounts are configured, movements post to the general ledger automatically.

## 16.3 Balances, reservations and movements

| Capability | What it does for you |
|---|---|
| **Multi-warehouse balances** | On-hand, reserved, available, average cost and stock value per item, warehouse and bin. |
| **Opening stock** | Captured once at go-live and dated, so the ledger starts from a provable position. |
| **Adjustments** | System quantity against counted quantity with variance and value, a mandatory reason, attachments and an optional approval gate before posting. |
| **Transfers** | Warehouse to warehouse as a single atomic movement that posts the out and the in together, with its own approval switch. |
| **Reservations** | Stock reserved against a document, then released, cancelled, or consumed — consumption converts the reservation into an issue. |
| **Physical count** | Load ledger balances, enter counted quantities, see the discrepancy quantity and value automatically, and let completion generate the gain and loss adjustments. |
| **Numbering** | Stock movements, adjustments and transfers each draw from their own document sequence. |
| **Settings** | Allow negative stock, default costing method, default warehouse and location, movement prefix, require adjustment approval, require transfer approval. |

## 16.4 The inventory command centre

- Stock value, active items, and on-hand, reserved and available totals.
- Pending approvals, so a stalled adjustment does not quietly misstate stock.
- Six-month movement value trend and a ninety-day movement mix.
- Stock value by warehouse and a workflow status funnel.
- Top items by value and recent movements.
- A low and out-of-stock watchlist of items at or below their minimum — the working list for replenishment.

## 16.5 Inventory reporting

Current stock, the full movement ledger with seven filters, adjustment history, transfer history, a valuation report with a grand total, and a cost audit that shows the valuation history behind every movement. Fast lookups return stock and location figures as the user types.

**BUSINESS BENEFIT · Business benefit**

Because the ledger is immutable and repeat-proof, stock accuracy becomes a counting problem rather than a record-keeping problem. The cost audit answers the question finance always asks at valuation: not what the stock is worth now, but how it came to be worth that.

# 17. Fixed Assets, Licences and Infrastructure

*Two layers on one asset record: the operational register that tells you who has what and what condition it is in, and the accounting layer that depreciates, impairs and disposes of it.*

## 17.1 The operational register

| Detail | Captured |
|---|---|
| **Identification** | Automatically unique asset code, name, category, unique serial number with duplicate rejection, brand and model. |
| **Acquisition** | Purchase date, cost, purchasing vendor, warranty expiry with a counter for warranties expiring within thirty days. |
| **Condition** | New, good, fair or damaged. |
| **Status** | Available, assigned, in maintenance, damaged, lost or retired. |
| **Notes** | Free text with a full change history. |

## 17.2 Custody, movement and upkeep

- **Assignment.** Issue an asset to an employee with an assigned date, expected return date and notes; the complete assignment history stays on the asset.
- **Return.** Process returns with a return date, condition on arrival and damage notes.
- **Transfer.** Move assets between departments, projects, locations and companies with financial history preserved.
- **Maintenance.** Log repairs, upgrades, cleaning, replacements and inspections with date, vendor, cost, description, status and next due date, and see month-to-date and total maintenance cost as key figures.
- **Licences.** Software records hold the key, seat count, purchase and expiry dates, vendor, expired and expiring-soon alerts, and assignment to individuals.

## 17.3 The financial layer

Asset categories are configured through a setup that defines the depreciation method, useful life, default residual value and the three ledger accounts the category needs: cost, accumulated depreciation and depreciation expense. Capitalisation records acquisition cost, capitalised cost, capitalisation and in-service dates, useful life in months, residual value and method; a second capitalisation of the same asset is refused.

### 17.4 Depreciation

Straight-line, declining balance and double-declining balance are supported. The system generates the month-by-month schedule, skips periods that have already been posted, lets the user preview the charge before running it, and posts the depreciation journal in the same action. Net book value is available on demand, and the asset's complete financial history is held in one place.

### 17.5 Impairment and disposal

- Impairment is recorded by comparing carrying value to recoverable value; the impairment loss journal is produced automatically.
- Disposal is handled as sale, scrap or donation, with gain or loss computed automatically and full derecognition journals written.
- Both appear on the asset's history, so a reviewer can reconstruct the whole financial life of the item without leaving the record.

### 17.6 The asset dashboard

Asset cost, accumulated depreciation and net book value at the top; monthly depreciation trend; cost by category; the count of assets ready for depreciation; ledger account mappings; totals by status and category; warranty position; licence expiry; recent assignments; and low-stock alerts on the operational side. A pending-schedule queue on the module home tells the accountant exactly which assets still need this month's charge.

### 17.7 Asset reporting

Nine reports cover the register, category summary, depreciation schedule, monthly depreciation summary, net book value, asset movement, additions, disposals, gain and loss and impairment. Several are print-ready and the register and depreciation schedules also export as CSV.

> **BUSINESS BENEFIT · Business benefit**
>
> The two chronic asset problems are unrecorded disposals and depreciation that is done from a spreadsheet. Here depreciation runs from the category's own method and life, posts itself, cannot double-post a month, and computes the gain or loss on disposal — which also means the fixed-asset subledger reconciles to the control account without a manual schedule.

## 18. Payroll and Workforce Cost

*QASWA ERP carries workforce cost from an approved pay run into the ledger, tracks what is owed to staff, manages salary payment batches and reconciles payroll against finance against the bank.*

### 18.1 The payroll record

Each run carries a run code, period start and end, pay date, basic salary, allowances, overtime, employer contributions, employee deductions, gross and net pay, and moves through draft, approved, posted and

paid with the approver's name and timestamp recorded. The finance view of payroll starts where an approved run becomes eligible for posting.

## 18.2 Component-to-account mapping

Every payroll component name is mapped to a chart-of-accounts line and classified as an expense, a liability or an asset. Mappings are added, edited, viewed and processed from a single screen and can be set active or inactive and searched. This mapping is what allows a salary posting to hit the right accounts without an accountant interpreting the pay structure each month.

## 18.3 Posting a payroll run

- The system builds the journal automatically: salary expense debited, salary payable credited.
- Gross, deductions and net are recorded against the posting.
- The run is stamped posted and the reconciliation position updates.
- Posting goes through the same gateway and the same period-lock checks as every other document, so a run cannot be posted into a closed month.

## 18.4 Salary payment batches

| Stage | Behaviour |
|---|---|
| **Create** | A batch is raised against the unpaid balance of a posted run, with a name, the funding bank account, a date, a method — bank transfer, cheque or cash — and a reference. |
| **Check** | A partial-payment warning appears if the batch does not cover the balance. |
| **Post** | The system writes the debit to salary payable and the credit to the bank account. |
| **Track** | Batches move pending → approved → paid, with a failed state for exceptions, and the run advances toward paid. |
| **Reconcile** | A dedicated screen compares payroll total, posted total and bank-paid total with a difference column and a status of reconciled, unreconciled or investigation. |

## 18.5 Payables and deductions

Separate screens hold salary payables and deduction payables, so the money owed to staff and the money withheld on their behalf — taxes, contributions, deductions — are tracked as distinct liabilities rather than one net figure. Employer contributions are reported alongside.

## 18.6 Payroll reporting

- Payroll cost and salary expense.
- Department payroll and monthly summary.
- Yearly summary and employee payable.
- Deduction report and employer contribution report.
- Payment status report and payroll reconciliation.
- The payroll report hub in finance adds summary, cost, detail, monthly and liability views with date-range and department filters and print styling.

**HONEST SCOPE · Being precise about scope**

The posting, payable, disbursement, reconciliation and reporting side of payroll is fully implemented and audited inside the product. The salary-board computation screen — gross-to-net arithmetic from an employee salary structure, payslip PDFs and a bank disbursement file — is delivered in the next release (chapter 37). Today, approved run totals enter the system and everything downstream of them happens inside QASWA ERP.

# 19. Human Resources I — People, Attendance and Leave

*The personnel file, the daily attendance register, the leave engine and the calendar — with expiry surveillance built in.*

## 19.1 The employee record

| Group | Fields and behaviour |
|---|---|
| **Personal** | Name, gender, date of birth, marital status, phone, email, address and photograph. |
| **Employment** | Department, designation, joining date, employment type (full time, part time, contract, intern), reporting manager, work location and status (active, inactive, terminated, resigned). |
| **Identity and immigration** | Nationality, passport number and expiry, visa type from nine options, visa number and expiry, Emirates ID number and expiry, contract number with start and end dates. |
| **Code** | The next employee code is allocated automatically in an EMP-plus-year-plus-sequence format, with gaps retried and duplicate email addresses blocked. |
| **Search** | A number typed with or without dashes finds the same record, so a partially entered Emirates ID still matches. |

## 19.2 Document vault and expiry watch

Fixed document slots hold the passport copy, visa copy, Emirates ID copy and employment contract copy, plus named additional documents in PDF and image or Word formats. Each file records who uploaded it and when, and offers view and download. Scans are colour-coded by expiry: amber within sixty days, red once expired. Compliance status is therefore visible on the record rather than being discovered at an audit or a visa renewal deadline.

## 19.3 Departments and designations

- Departments hold a name, a unique code, a description and an active flag, show a live count of active employees on each row, and refuse deletion while staff are attached.
- Designations are tied to a department and show their own employee counts.
- Reporting lines are held on each employee record, giving a practical management chain for approvals and escalation.

## 19.4 Attendance

| Capability | Detail |
|---|---|
| **Daily marking** | Check-in and check-out times, status, late minutes and remarks, per employee per day. |
| **Status set** | Present, absent, half day, leave, holiday and weekend, each shown as a colour chip. |
| **Guards** | A second record for the same employee and date is refused with a clear message; a check-out earlier than the check-in is prevented by the form. |
| **Correction** | Any record can be amended later, with the change audited — the practical regularisation route when a mark is wrong. |
| **Monthly register** | Filtered by employee, month, year and status, with day-count tiles for present, absent and half day, a late-minutes column and pagination. |
| **Dashboard** | Today's present, absent and on-leave counts feed the HR home page. |

## 19.5 Leave types and entitlement

Leave types are defined with a unique code, annual days entitlement, a carry-forward switch and an active flag. Annual balances are allocated to every employee for every leave type from a single pre-filled grid, so a year's entitlement is issued in one action rather than one record at a time.

## 19.6 Applying and approving leave

- A request is raised by leave type and date range; the number of days is computed automatically and a half day can be taken as 0.5.
- Before submission the screen shows allocated, used, pending and remaining days, and states whether the request is fully covered, partly loss of pay with the number of loss-of-pay days, or wholly loss of pay.
- Requests move pending → approved or rejected, with the approver's identity and remarks recorded.
- On approval, days are deducted from the current year's balance, and a balance record is created automatically from the type default if none exists.
- Loss-of-pay approvals are recorded without deducting from an earned balance.
- The approve and reject actions are available inline on the list with confirmation, and the register filters by employee, department, status and date.

## 19.7 Holiday calendar

Holidays are maintained year by year with a name, date, type — national, festival or optional — and a description. An upcoming-holidays strip and colour-coded type badges keep the calendar readable, and the same data feeds the HR dashboard.

## 19.8 Time tracking

Timesheets log hours per employee against a project and an optional task, with the work date and a description. The register filters by employee, project, month and year and totals the month and the current week, feeding the hours figures on the project and HR dashboards.

### 19.9 HR dashboards and reports

- **HRMS home.** Tiles for employees, contractors, departments, designations, attendance and leave; today's present, absent and on-leave; pending and approved leave; upcoming holidays; new hires this month; and six charts covering employees by department, attendance today, leave by type, monthly hires, gender split and employment type. Permission-aware quick actions offer new employee, mark attendance, request leave and new department.
- **Leave dashboard.** Active headcount, pending approvals with a review-now prompt, approvals this month, remaining balance per employee and an allocated-versus-used chart.
- **Leave reports.** By employee, by department, by leave type and a detailed leave log, all filtered by date range, employee, department, type and status, printable and downloadable.
- **Report centre.** Employee summary, an attendance report showing present, absent, late and attendance percentage, and a leave summary — each exportable to CSV, PDF or print, saveable as a named report and schedulable.
- **Audit.** Marking attendance, uploading a document, approving or rejecting leave, posting payroll and exporting a report each write an audit entry with the user, module, IP address and timestamp.

> BUSINESS BENEFIT · **Business benefit**
>
> HR administration stops living in folders. Immigration document expiry is surfaced by colour before it becomes a legal problem, leave balances are calculated rather than remembered, and attendance and leave figures are available on the same screen as headcount — which is what makes workforce planning discussions possible at all.

## 20. Human Resources II — Contractors, Onboarding and the People Directory

*A contractor is not an employee, and a person may be both a customer contact and a supplier contact. QASWA ERP models this properly instead of forcing everyone into one table.*

### 20.1 The unified people directory

One directory covers every person your organisation deals with, across three record categories: employee, customer and contractor. Each entry shows the categories that person exists in, which steps of their setup remain unfinished, and links to the underlying records. Search runs across the directory, with category and status filters and category chips so a single page answers the question “do we already have this person?”.

### 20.2 Structured onboarding

| Onboarding step | Behaviour |
|---|---|
| **Checklist** | One checklist per person covering each category they should exist in, with an overall progress bar. |
| **Complete details** | Create the missing record directly from the checklist. |
| **Link existing** | Attach a record that already exists; duplicate prevention runs on email address. |

| Onboarding step | Behaviour |
|---|---|
| **Decline** | Mark a category as not applicable, with the option to reopen the step later. |
| **Login and role** | Grant, link or detach a system login and role directly from the person's profile. |
| **Consistency** | Maintenance actions re-synchronise the directory and prune entries that no longer have a record behind any category; deleting one category forfeits or reopens the affected steps rather than orphaning the person. |

### 20.3 Why this matters operationally

Without a directory, the same individual appears as an employee, a vendor contact and a customer representative, and nobody knows the real headcount of relationships. With it, identity is reconciled: one person, one person code, and every role they play visible on one page. The platform ships an identity audit that enforces exactly this rule across fifteen checks.

### 20.4 Contractor management

- Registration with engagement type, source and status.
- A compliance panel holding Emirates ID, visa type, visa number and expiry, work permit number and expiry.
- Slot documents with a valid-until date, displayed as expiry chips: expired, expires in N days, or all documents valid.
- A formal contract lifecycle — draft, approve, activate, extend up to a configured limit, complete or terminate — with a designated current contract and deletion permitted only on drafts, so an approved or activated engagement can never be quietly removed.
- A dated rate schedule recording basis, amount and the reason for each change, with a monthly-equivalent calculation and a not-to-exceed ceiling.
- A sortable, filterable register with key-figure tiles and pagination.

### 20.5 Access to the system for people and partners

Staff, contractors and client contacts receive ordinary logins and see only the modules their role permits. Because permission checks run on every screen, tab, button and export, external access can be granted narrowly — a supplier's project manager can see the task board without seeing your margin.

> **BUSINESS BENEFIT · Business benefit**
>
> Contractor spend is usually the least visible part of the workforce budget. Rate history, engagement ceilings, contract lifecycle states and document compliance for contractors sit in the same place as employees, which means a single report can answer a question that normally takes three spreadsheets.

## 21. Customer Relationship Management

*Leads, a visual pipeline, and one of the most complete customer masters available in this class of software.*

## 21.1 Lead capture

| What is recorded | Detail |
|---|---|
| **Identity** | Automatic lead code, company name, contact person, email, phone and country. |
| **Value** | Expected deal value, so pipeline is measured from the first contact. |
| **Ownership and urgency** | Owning salesperson and a priority of low, medium, high or critical. |
| **Source** | Website, referral, social media, trade show, cold call, advertisement or other — the basis of channel analysis. |
| **Notes** | Free-text narrative captured at the moment of contact. |
| **Status ladder** | New → contacted → qualified → proposal sent → negotiation → won or lost, each with its own colour. |

The lead register carries four count tiles — total, new, qualified and won — searches on company, contact or email, filters by status, priority and owner, and pages fifteen at a time. Live validation prevents an incomplete or malformed record from being saved in the first place.

## 21.2 Follow-ups

A follow-up register holds the date, the type of contact — call, email, meeting, messaging or demo — notes, the next follow-up date and a status of completed, pending or cancelled. The CRM home page surfaces the next six pending follow-ups with a type-specific icon, which turns the day's sales rhythm into a visible queue rather than a memory test.

## 21.3 The deal pipeline

- Deals carry a six-stage pipeline: inquiry, qualified, proposal, negotiation, closed won, closed lost.
- Each deal holds a value, a win probability percentage (validated to a number capped at one hundred), an expected closing date, the originating lead, the customer, an owner and notes.
- The pipeline is presented as a board: one column per stage, each headed with a count bubble and colour-coded, ordered by expected close date.
- A totals strip above the board shows total pipeline value, won value and win rate.
- The deal detail sheet repeats the stage badge, value, probability, expected close and creation date.

## 21.4 The customer master

The customer record is deliberately deeper than a contact card, because customer data drives invoicing, credit, delivery, tax and reporting. Its roughly ninety-eight attributes are organised as follows.

| Group | Examples |
|---|---|
| **Identity and grouping** | Customer code, legal and trade name, customer type across company, individual, partnership, sole proprietorship, government and trust, account group, segment, parent-company link for group structures, one-time-customer flag, customer-since date, lead source. |
| **Contact and preference** | Email, phone, alternate phone, messaging number, website, professional network profile, preferred language, time zone and preferred contact method. |
| **Address** | Structured line one and two, city, state, postal code and country, plus multiple labelled locations. |

| Group | Examples |
|---|---|
| **Commercial terms** | Trading currency, payment terms text and derived day count, payment method, price list, tax-inclusive flag, credit limit, credit rating, credit hold as none, manual or automatic, collection priority, interest rate, cash discount percentage and discount days, default discount, commission rate, billing cycle from per-transaction to annual, consolidated billing and a partial-payment switch. |
| **Delivery** | Shipping condition, Incoterms and location, delivery lead time, invoice delivery channel of email, print, portal or courier, invoice email and copy list. |
| **Banking** | Bank, account name, account number, branch and bank identifier. |
| **Tax and registration** | GST or VAT number, primary and secondary tax identifiers, tax category, jurisdiction, state code, registration date, exemption reference and expiry, withholding rate and import-export code. |
| **Organisation** | Industry, registration number, company size from micro to enterprise, employee count, annual revenue and year established. |
| **Relationships** | Assigned account manager, sales representative and support representative, sales region, distribution channel, contract start and end dates. |
| **Compliance** | Status across active, inactive, prospect, blocked and archived; a know-your-customer workflow of not started, verified or rejected with verifier and date; risk level; marketing-consent and data-processing-consent switches; internal notes. |

Typeahead on segment, industry across fifteen sectors, country across eighteen markets and credit rating is drawn from values already saved, which keeps the data clean without anyone having to maintain a separate reference list.

## 21.5 Contacts, locations, notes and files

- Multiple named contacts per customer with designation, email, phone and a primary flag.
- Multiple labelled locations typed bill-to, ship-to, remittance or other, with a default marker.
- Timestamped notes with the author recorded.
- Uploaded documents classified by type with uploader and file size.

## 21.6 The customer 360 view

One page answers the four questions a relationship owner actually asks. Credit: limit, rating, available credit and a utilisation bar. Money: invoice count, outstanding, overdue, and a twelve-month chart of billed versus collected. Activity: recent invoices, open deals and open support tickets. Action: a new-invoice shortcut. Seeing support load next to revenue is what turns a renewal conversation from a guess into a judgement.

## 21.7 The customer register

Filters cover customer type, status, credit-hold state and segment. Column headings sort, twenty-five rows show per page, and tiles report total, active, prospect and on-credit-hold counts. Deletion is protected: the system lists the related records that block removal, and removal is a recoverable hide rather than an erasure, so historical documents stay readable.

### 21.8 CRM dashboards and reports

- Six key figures: total leads with new-this-month, active customers, active deals with created-this-month, pipeline value, won value and lead conversion rate.
- Four charts: leads by status, deals by stage, leads by source across the top eight, and a six-month deal trend.
- A pipeline summary panel with per-stage value bars in stage colours, a top active deals table, a recent leads feed and an upcoming follow-ups feed.
- Four quick actions: new lead, new customer, new deal, new follow-up.
- Standard reports: leads conversion, sales pipeline, client growth and revenue summary — each exportable to CSV or PDF, saveable with its filters, printable standalone and schedulable for delivery.

> **BUSINESS BENEFIT · Business benefit**
>
> Revenue forecasting depends on data hygiene more than on methodology. A customer record that already holds currency, terms, tax registration, credit behaviour and contacts means the sales team types less, the invoice is right first time, and the pipeline figure can actually be trusted.

## 22. Sales Billing, Collections and Customer Credit

*Billing is available in two forms: a fast billing desk for high-volume invoicing, and the full finance receivable suite described in chapter 7. Both sit on the same customer master and the same ledger.*

### 22.1 The billing desk

The lighter billing screen raises an invoice with the same line mechanics as the finance suite — dynamic line grid, per-line discount and tax, header discount, subtotal, tax and grand total — and tracks paid and balance on the face of the document. It is designed for a commercial team that needs to invoice quickly without wanting the whole accounting workspace.

### 22.2 Payment capture

| Element | Behaviour |
|---|---|
| **Methods** | Cash, bank transfer, instant payment, card, online wallet, cheque or online payment. |
| **Reference** | A reference or cheque number with character and uniqueness checks. |
| **Effect** | A part payment automatically moves the invoice to partially paid; full settlement moves it to paid. |
| **Receiver** | Who received the money is recorded on the payment. |
| **Ledger** | Each receipt posts through the same controlled gateway, with the bank or cash account credited or debited as appropriate. |

### 22.3 Credit control

- Credit limit, credit rating and a credit-utilisation bar are held on the customer and shown on the 360 view.

- A credit-hold state of none, manual or automatic travels with the record and is filterable on the register, so a blocked customer is obvious before an order is accepted.
- Collection priority and interest rate support a differentiated approach to slow payers.
- Ageing buckets and overdue flags identify who to call today.

### 22.4 Multi-currency billing

Currencies, symbols, decimal precision and dated exchange rates are maintained against the company's base currency. Both the customer and the invoice carry a currency, and displayed amounts across the application convert to the viewer's chosen currency using the latest effective rate — where no rate exists, the stored figure is shown rather than a wrong conversion.

### 22.5 Document numbering as a control

Invoice, credit-note and receipt numbers come from per-company sequences in the configuration console, where the prefix, padding, counter and format template can be changed. Number allocation is conflict-proof when two users save at the same moment, and moving a counter backwards raises a visible warning and writes an audit entry — the gap an auditor asks about is therefore a documented, authorised decision.

### 22.6 Receivable dashboards and reports

- Billing register tiles for total, outstanding and overdue with colour-coded status chips and filters on status, customer, dates and search.
- Payment register tiles for total received, this month and pending balance, with method-coloured badges and search by invoice or reference.
- Standard reports: revenue summary, invoice ageing, profit overview and expense summary.
- Finance receivable dashboard: total receivables, overdue amount, average collection days, ageing chart and top outstanding customers.
- The executive home page rolls collected revenue this month against last month, the twelve-month revenue trend, top customers by revenue, and pending and overdue invoice counts.

> **ROADMAP · Coming next**
>
> Sales-side documents — quotations, proposals and sales orders ahead of the invoice — automated overdue-status runs, dunning letters and reminder cycles, and a customer payment portal are scheduled in the next release (chapter 37). Invoicing, receipts, credit notes, statements, ageing and credit data are all live today.

## 23. Projects, Tasks and Time

*Delivery work: a project register, milestones, a genuinely interactive task board, shared ownership, and the hours that make it all measurable.*

### 23.1 The project register

| Field or behaviour | Detail |
|---|---|

| Field or behaviour | Detail |
|---|---|
| **Core record** | Unique project code, name, client, description, start and end dates, estimated hours, project manager, status and priority. |
| **Validation** | An end date earlier than the start date is refused. |
| **Status** | Planning, active, on hold, completed or cancelled, each with its own colour chip. |
| **Priority** | Low through critical. |
| **Progress** | A progress bar computed from completed tasks divided by total tasks — it moves on its own as work is finished. |
| **On the list** | Member count and task count per project, tiles for total, active, planning and completed, search and status filter, fifteen per page. |

## 23.2 Milestones

Each project holds milestones with a name, description, due date and a status of pending, in progress, completed or cancelled, ordered by due date so the critical path is readable at a glance.

## 23.3 Tasks

- Task records carry title, description, start and due dates, estimated hours, one of six statuses — to do, in progress, review, testing, completed, blocked — one of four priorities, and a manual progress percentage.
- Multiple people can be assigned to one task, each added or removed individually, alongside a single primary owner.
- Colour-labelled tags are applied inline, with duplicate tag names blocked and a colour chosen per label.
- A sub-task checklist sits under each task with a completed-versus-total counter, an auto-computed bar that turns green when everything is done, ordered positions and a reordering interface.
- Discussion comments record author and timestamp; an activity trail shows who changed which field from what to what.
- Cross-project views filter by project, assignee and priority with free-text search.

## 23.4 Two working views

A tab switches between the table and the board. The board is a real drag-and-drop interface: dropping a card into another column saves the new status immediately without a page reload, with ghost highlighting while dragging. Overdue tasks are counted inside each column so a slippage pattern is visible per status. In the table view, rows are click-through, filters apply on change and pressing Enter in the search box runs the filter.

## 23.5 Time and billing linkage

Hours are logged per employee against a project and an optional task, feeding project totals, the dashboard and the timesheet summary report. Both invoice engines can stamp a project on an invoice, so billed revenue can be traced back to delivery work and the effort behind it.

### 23.6 Project dashboards and reports

- Tiles for total and active projects, total and in-progress tasks, hours logged in total and this month, and overdue projects.
- Charts for projects by status, tasks by status, tasks by priority and hours by project for the current month.
- Panels for upcoming milestones and overdue tasks, with quick actions to create a project, a task or a time entry.
- Standard reports: project progress, task completion and timesheet summary, all exportable and schedulable.

> **ROADMAP · Coming next**
>
> Project budget, cost and profitability tracking, task dependencies and a Gantt view, project templates, billable rates and timesheet approval are on the release roadmap (chapter 37). Planning, execution, board management and time capture are live today.

## 24. Service Desk, SLAs and Knowledge

*Support intake, agent workflow, live breach management and a knowledge base — the four things a service organisation is measured on.*

### 24.1 Raising a ticket

| Element | Behaviour |
|---|---|
| **Core fields** | Automatic ticket number, customer, requesting employee, category, SLA policy, subject, description, priority, source channel, assignee and due date. |
| **Channels** | Web, email, phone or internal, recorded on the ticket for channel analysis. |
| **Smart defaults** | Selecting a category pre-sets its default priority; selecting an SLA policy automatically computes the due date from that policy's resolution hours. |
| **Status** | Open, in progress, waiting on client, resolved, closed or reopened — with reopening a distinct state rather than a re-open of the same status. |
| **Priority** | Low, medium, high and critical, colour-coded throughout. |

### 24.2 Agent workflow

The first public reply on an open ticket automatically moves it to in progress and stamps the first response time; resolution and closure timestamps are held on the record. Public replies and internal notes are kept separate so a customer never sees the deliberation. Internal notes support mentioning colleagues by name, stored as a mention list and displayed inline. Attachments can be uploaded in bulk onto a reply — images, PDF, archives, text, CSV and generic files up to ten megabytes each — with size and type recorded, and served through a controlled download screen.

## 24.3 Ownership trail

Every reassignment records the agent it moved from, the agent it moved to, who reassigned it and a written reason, and appears as an assignment history on the ticket. This is the record that settles “nobody was ever responsible for this”.

## 24.4 SLA policy definition

- Policies hold a name, a first-response target in hours, a resolution target in hours, the priority they apply to, a description and an active flag.
- A policy cannot be deleted while tickets reference it, which protects historical reporting.
- The policy selected at intake determines the ticket's due date automatically.

## 24.5 Live breach management

Breach status is not a nightly job. The ticket list recomputes breach flags for open tickets past their SLA due date every time it loads, and clears them again if the ticket recovers. A breached row is painted red with a warning icon; the ticket sheet shows the remaining SLA hours and whether the target has been blown; and the queue panel highlights tickets that have consumed eighty percent of their target, with hours elapsed against target listed, so an agent can act before the breach rather than after it.

## 24.6 The ticket queue

- Tiles for open, in progress, resolved and SLA-breached tickets.
- Filters on status, priority, category, assigned agent and date range, with all active filters preserved through pagination.
- Colour-coded status and priority badges, overdue due dates in bold red, and unassigned tickets explicitly flagged.

## 24.7 Categories and the knowledge base

Ticket categories are maintained with an automatic code, description, default priority and active flag. Knowledge articles carry a title, an auto-generated unique web address, a rich body, a category, comma-separated tags and a lifecycle of draft, published or archived. Categories hold a unique name and address, a description, an icon and an active flag. Search spans title, content and tags; filters cover category and status; a view counter increments on every read; and tiles show published and draft counts.

## 24.8 Dashboards and reports

- Service home page with open, in-progress, resolved and breached tiles, a tickets-by-priority chart and a tickets-by-category chart.
- An SLA alerts panel listing tickets approaching breach with hours elapsed against target.
- A top support agents leaderboard for the last thirty days, showing tickets assigned and resolved per agent.
- Standard reports: ticket resolution with timings, SLA performance comparing target against actual with a verdict per ticket, and support workload of open and resolved counts by agent.
- The customer 360 view embeds open ticket count and recent tickets, so account managers see service load beside revenue.

**BUSINESS BENEFIT · Business benefit**

Support commitments become measurable. Because SLA targets are applied at intake and breach is computed live, an organisation can quote a response time it can actually evidence — and the SLA performance report is the document to put in front of a client when they claim otherwise.

# 25. Multi-Company, Intercompany and Group Consolidation

*Several legal entities are not the same thing as one company with a filter. QASWA ERP treats entities as first-class objects with their own years, sequences, currencies, ledgers and rules.*

## 25.1 The company master

| Group | Attributes held |
|---|---|
| **Identity** | Code, legal and trade name, entity type across LLC, sole proprietorship, partnership, free-zone establishment, branch, subsidiary, holding, non-government organisation, government body and trust, business category and group. |
| **Structure** | Parent and subsidiary links with ownership percentages and the consolidation method — full, proportionate, equity or none. |
| **Accounting** | Base currency, accounting framework (IFRS, IFRS for SMEs, local GAAP, US GAAP), fiscal-year start month, year and period naming patterns and default ledger accounts. |
| **Statutory** | Registration number, tax and VAT numbers, tax authority and office, VAT return frequency and due day, and the applicable e-invoicing regime. |
| **Operations** | Country, time zone, languages, branch codes, bank accounts with a primary flag, warehouses and cost centres. |
| **Status** | Active, inactive, dormant or archived. |

The company list searches eight fields, filters by type, status and group, sorts, shows derived counts — users with access, subsidiaries, journals and financial years — and displays a warning banner against any company without a fiscal-year start, because such a company cannot post.

## 25.2 Working across entities

- A switcher in the top bar appears as soon as two or more companies exist, showing the name, code and currency; each switch is re-validated against the user's access rights.
- Super administrators see every company; every other person sees only the companies they are assigned to.
- All data reads are restricted to the active company, with genuinely shared group-level records available where intended.
- The chosen company's identity, tax number, logo and address feed printed documents automatically.
- Financial years, voucher books and document sequences are each maintained per company; the posting engine will not borrow another entity's year and has no default-company fallback.

## 25.3 Intercompany transactions

A transaction between two group companies — sale, purchase, service, expense, loan, interest or transfer — is entered once. The system then generates the mirrored transaction and the posted journal in the partner company's books automatically, and cross-links both sides through a shared root reference. One-sided balances, the defect that makes consolidation projects late, are structurally impossible.

## 25.4 Matching and reconciliation

- An automatic match engine pairs entries using an amount tolerance and a date window.
- Match states are tracked as matched, partially matched, unmatched, exception and resolved.
- Partner-pair reconciliation shows company A's receivable against company B's payable with the difference and the difference as a percentage.
- Exceptions surface first on the dashboard with a resolve action, so the work list is ordered by problem rather than by date.

## 25.5 Consolidation runs

| Stage | Gate applied |
|---|---|
| **Draft** | The run is created for a group, a period and a set of companies. |
| **In progress** | Company data is drawn in. |
| **Validated** | Each company must have a financial year, a balanced trial balance, closed periods, a configured exchange rate and a clean intercompany reconciliation. Failures are listed. |
| **Approved** | Available only once validation has passed. |
| **Posted** | Available only once approved, and a run posts exactly once. |
| **Cancelled** | An alternative terminal state, audited. |

The consolidation workspace walks the controller through validate, eliminate, statements, approve and post on one screen, with a live balance-sheet check alongside. Eliminations for intercompany receivable against payable and intercompany revenue against expense are created in the consolidation layer only — individual company ledgers are never altered — and manual reclassification and adjustment journals can be added to the same run.

## 25.6 Currency translation

Each run translates at closing, average or historical rates, and the resulting foreign-currency translation adjustment is surfaced within group equity rather than buried in a residual.

## 25.7 Group reporting

- Consolidated trial balance with one column per company, an eliminations column and the consolidated figure.
- Consolidated profit and loss and consolidated balance sheet.
- Elimination, ownership and non-controlling interest reports, intercompany reconciliation and exception reports, currency translation and consolidation adjustment reports.
- Company, group, standalone and consolidated views are available as report filters on the same statement definitions.

- The group dashboard shows legal entities, groups, companies in scope, group revenue, expenses and profit, intercompany gross balance, eliminations, currency adjustment and last run status.

> **BUSINESS BENEFIT · Business benefit**
>
> Groups of three to twenty entities are the awkward size: too complex for manual consolidation, too small for a tier-one suite. Because the counterpart entry is created automatically and a run must validate before it can be approved, a consolidation cycle that normally takes weeks becomes a matter of clearing an exception list.

# 26. Period Close and Year-End Closing

*The closing process is where most accounting systems reveal their weakness. Here it is a designed workflow with a gate, a checklist, a preview and an audit trail.*

## 26.1 The closing dashboard

Current year, current period, periods closed against remaining, checklist progress, pending adjustments, unreconciled modules, current net profit or loss and the overall closing status appear on one screen. A controller knows the state of the close without asking anyone.

## 26.2 Period control

- Monthly periods are generated from the financial year and can be closed, locked and reopened.
- Reopening is controlled: it refuses to proceed without a written reason and records the user, timestamp and IP address.
- Once closed, a period refuses journals, invoices, bills, receipts, payments, expenses, payroll postings, depreciation runs, tax postings — and even a reversal whose date would land inside it.

## 26.3 The reconciliation gate

Before a month can close, a battery of tests runs. Every failure blocks the close and names the problem, the module and the required action; a period is never left partially closed.

| Test group | What must be true |
|---|---|
| **Journals** | No unposted or draft journals remain in the period. |
| **Balance** | Total debits equal total credits. |
| **Adjustments** | No pending or unposted closing adjustments remain. |
| **Checklist** | The closing checklist is complete with zero unresolved exceptions. |
| **Subledgers** | Bank, accounts receivable, accounts payable, tax and payroll reconciliations are attested. |
| **Configuration** | The company has a financial year and the required ledger mappings exist. |

## 26.4 The closing checklist

The checklist is instantiated per period and per year from a template, and covers bank reconciliation completed; accounts receivable, accounts payable, tax, payroll, fixed asset and inventory reconciliations;

accruals and prepayments reviewed; suspense accounts reviewed; trial balance reviewed; profit and loss and balance sheet reviewed; and management approval received. Each item can be marked pending, in progress, completed or exception, with comments and supporting attachments — so the evidence sits with the control rather than in an email.

## 26.5 Closing adjustments

Accrual, prepayment, provision, correction, depreciation and tax adjustment journals are drafted inside the close, approved or rejected, and posted only through the standard gateway. There is no route into the ledger that bypasses the checks, closing or otherwise.

## 26.6 Year-end closing

1. Run the year validation: all periods closed, trial balance balanced, no unposted journals, required adjustments posted, retained-earnings and income-summary accounts configured, checklist complete, no unresolved exceptions and subledger reconciliations in order.
2. Review the what-will-happen preview, which states the outcome before anything is written.
3. Execute the close. The system computes net profit or loss, closes the temporary accounts into the configured retained-earnings account, writes the closing journal, carries permanent balances into the next financial year and creates that year if it does not yet exist.
4. Verify on the opening-balance carry-forward screen that the new year's opening equals the prior year's closing, in debit and in credit.

The operation is repeat-safe: a closed year cannot be closed a second time and opening balances are never duplicated. Reopening the year and reversing the closing journal are both available, both audited, and neither deletes history.

## 26.7 Closing history and reports

- A closing audit trail lists every period opened, closed and reopened, every validation run, checklist completion, adjustment, year closure and opening-balance generation, with person, timestamp, reason and IP address.
- Seven closing reports: period closing, year-end closing, closing checklist, opening balance, closing journal, unreconciled accounts and year-over-year comparison.
- Closing settings let the controller decide whether the checklist is mandatory before a period close, before a year close, both, or neither.

> **AUDIT · Business benefit**
>
> The audit question “who changed the closed month and why” has an evidenced answer. The management question “when will we have the numbers” has a schedule rather than a hope. And because reopening costs a written reason and an audit entry, the practice of quietly adjusting a closed period stops being available.

# 27. QASWA Intelligence I — Assistant, Copilot and Voice

*One hundred and seven AI services across more than thirty screens. This chapter covers how people talk to the system; chapter 28 covers what the system reads and does; chapter 29 covers how it is controlled.*

## 27.1 The assistant

A conversational assistant answers questions using your own operational data. Conversation history is retained across the thread, messages are substantial enough to paste a document into, responses stream as they are produced, and the screen opens with suggested questions so nobody stares at an empty box.

## 27.2 The universal copilot

| Stage | What happens |
|---|---|
| **Understand** | The request is classified into an intent and routed to the capabilities that can answer it. |
| **Retrieve** | Relevant ERP records and knowledge sources are pulled, within the permissions of the person asking. |
| **Reason and act** | The answer is composed, or an action is planned for approval. |
| **Verify** | The result is checked against the data it claims to describe. |
| **Explain** | The answer is written in plain language with citations back to the underlying records or documents. |
| **Offer** | A "do it for me" mode carries a suggestion straight into execution, subject to approval. |

Session history and recent sessions are available, a capability list states what the copilot can do in the current context, and quick commands cover the common asks. Because it is a single box, the user does not need to know which module owns the answer.

## 27.3 Natural-language navigation and the command centre

Typing "open pending requisitions" reaches the screen. The command centre maintains a registered directory of every screen in the product, filters it by the user's permissions, and matches requests on keywords and synonyms. The matching runs server-side on ordinary logic, so routine navigation costs no AI credits at all.

## 27.4 Voice

- Push-to-talk input, speech-to-text transcription, spoken replies, dictation into form fields and spoken commands — each with its own switch, so an organisation can enable dictation without enabling outbound speech.
- Authorisation is never inherited from a voice conversation: a spoken request does not carry permissions the user does not hold.
- A high-risk spoken action requires explicit confirmation bound to the user, the company, the exact action and an expiry time.

### 27.5 Proactive briefings

A daily briefing is generated per role — finance, procurement, inventory, management — and every figure in it is traced to actual data rather than composed. The point is that a manager starts the day with the exceptions already summarised.

### 27.6 Intelligence events, watchlists and monitors

| Mechanism | Behaviour |
|---|---|
| **Detection** | Business situations are identified using rule, threshold, trend and anomaly logic. The AI writes the explanation; it does not decide the detection, which keeps the trigger deterministic and reviewable. |
| **Events** | Duplicate events are merged, evidence is attached, statuses are tracked, and any event can be turned into a task with one action. |
| **Watchlists** | A user follows a specific supplier, document or record and receives events about it. |
| **Monitors** | An administrator publishes a reusable detection rule that everyone can benefit from. |
| **Insights** | Recommendations appear proactively on the dashboard, are deduplicated, and carry helpful or not-helpful feedback, per-user preferences and ninety-day retention. |

Feedback is collected across the copilot, correspondence, knowledge answers, intelligence events and observability review, which is how the quality of the answers becomes something you can report on rather than argue about.

> BUSINESS BENEFIT · **Business benefit**
>
> The value is not conversation; it is that the exceptions find the person. A supplier invoice that no longer matches an order, a bid about to expire, a customer approaching a credit limit, a ticket drifting toward breach — these are detected from your data and explained in language a non-specialist can act on.

## 28. QASWA Intelligence II — Documents, Knowledge, Automation and Agents

*The working half of the AI layer: reading documents, answering from your own policies, and doing the routine work on a schedule.*

### 28.1 Document intelligence

| Capability | What it means in practice |
|---|---|
| **Registration** | Upload or link a document; it is auto-classified, checked for duplicates, tracked for expiry and retention, and related to other documents. |
| **Extraction** | Optical character recognition turns images, PDFs and scans into structured business fields, with a confidence score and page reference for every field. |
| **Review queue** | Low-confidence fields route automatically to a human, and every correction is recorded field by field — which is how accuracy improves rather than degrades. |

| Capability | What it means in practice |
|---|---|
| **Templates** | Extraction templates carry validation rules and version history; document types are configured by an administrator with changes audited. |
| **Three-way reconciliation** | An invoice is compared against the purchase order and the goods receipt — supplier, items, quantities, prices, tax, totals and references — with discrepancies flagged and explained. It never approves a payment. |
| **Master-data matching** | Extracted names and codes are matched to existing vendor and customer records to prevent duplicate masters. |
| **Document questions** | Ask a question about a specific document and get an answer grounded in it. |
| **Comparison** | Compare two quotations, invoices or contracts and see what changed. |
| **Action proposals** | A contract can produce a draft purchase requisition; an inbound message can produce a document-aware reply. |
| **Search** | Search by keyword, by meaning and by metadata. Restricted documents never appear in results or in AI answers. |

## 28.2 The knowledge base

- Collections are created and sources added as pasted text or as files — PDF, Word, Markdown, HTML, CSV or plain text, up to ten megabytes.
- Content is chunked, indexed and retrieved semantically, with a keyword fallback when meaning alone is not enough.
- Answers are grounded and cited. When the knowledge base does not hold the answer, the system says so rather than inventing one, and flags a conflict when two sources disagree.
- Versions carry effective dates and supersession, freshness is tracked, quality is scored, and a review queue supports the full lifecycle from draft to review to published to retired.
- Gap detection shows what staff asked that the knowledge base could not answer — the most practical way to improve documentation.
- AI-drafted articles go to a human who approves, edits or rejects them.
- Knowledge is surfaced in context: inside the record a person is looking at, on the page they are working on, and during agent execution for process-compliance lookups.

## 28.3 Correspondence

Emails and letters are drafted from verified ERP facts, with the source records listed and alternative suggestions offered. Drafts can be regenerated, edited and deleted. Threads about a supplier, customer, employee, invoice or ticket can be summarised, their action items extracted, and a chronological timeline built. Inbound correspondence is classified and prioritised, a user can correct a classification, and the system detects when a message needs a follow-up. Translation between business languages protects amounts, dates and references explicitly. Templates are AI-assisted with controlled variables, versions, activation and rollback.

Sending is treated as a safety event: recipient validation, attachment checks, sensitive-data screening, and a hard distinction between saving a draft and sending — with an explicit confirmation before anything leaves the organisation. Batch preparation tasks and suggested outbound messages can be triggered by intelligence events.

## 28.4 Analytics and forecasting

- Analysis runs only over approved data sources, and each metric has one registered definition, so the same key figure cannot be calculated two different ways. Arbitrary database queries are refused.
- Dimensions, role-specific metric sets, supporting evidence and an AI-written explanation accompany each result.
- Forecasting and what-if scenarios run on simulations only and cannot write to live data.
- Analyses can be saved and scheduled to recur.

## 28.5 Process intelligence

The system builds end-to-end process maps for procurement and other lifecycles, detects bottlenecks, summarises cycle time against SLA and rework, compares departments with each other, and produces prioritised improvement recommendations that can be simulated before being adopted. A recommendation converts into a task or a formal change proposal. Analysis runs on an allowlist of lifecycle tables, on a schedule.

## 28.6 Agents, skills, workflows and automations

| Feature | What you can do |
|---|---|
| **Agents** | Give an objective and receive a structured plan you can preview or dry-run before anything happens. Execution is step by step, with pause, resume and cancel, durable checkpoints that allow a safe restart after an interruption, and produced artefacts such as reports, drafts and summaries. |
| **Approvals** | Each action that changes data requires an approval cryptographically bound to its exact parameters. Change one number and the approval is void. |
| **Skills** | A named catalogue of repeatable expert procedures — raise a purchase requisition, draft a quotation, add a supplier, create a user, investigate an issue, prepare a monthly review. |
| **Automations** | Create, edit, enable, disable and run on demand. Time-based schedules fire from a minute-level scheduler with database locking, concurrency caps, retries with backoff and failure notification. Event triggers come from a registered catalogue of business events with twenty-four-hour duplicate suppression. |
| **Workflow studio** | A visual builder with versioning, validation and dry-run testing. Steps include reading data, AI analysis, field and threshold conditions, approval requests, task creation, notifications, and manual or event triggers. |
| **Workspaces** | Shared team rooms with members and roles, shared conversations, findings carrying evidence and review status, research sessions with notes and summaries, pinned context, standing instructions, goals, knowledge references, an activity timeline, notifications and workspace analytics. |

## 28.7 Integration and administration

Providers and models are administered in application: add, edit and delete providers, discover and import the models each offers live, set defaults, enable or disable, and test the connection. A generic REST connector, outbound webhooks, a calendar connector and field-mapping synchronisation with preview-before-apply are provided, with credentials held in a vault and revocable, and connection health and activity logged. Procurement, finance, human resources, customer management and service are already wired into the AI layer.

**BUSINESS BENEFIT · Business benefit**

Document intelligence is where the payback usually appears first: supplier invoices read and structured with confidence scores, reconciled against orders and receipts, with a human reviewing only what is uncertain. That removes the data-entry step from accounts payable and the rework step from procurement disputes.

# 29. AI Governance, Safety and Cost Control

*The reason an organisation can switch the AI layer on without accepting unmanaged risk.*

## 29.1 The policy engine

Every AI operation passes one central policy engine, applied from the screen down to the database — defence in depth rather than a single checkpoint. Risk is tiered low, medium, high and critical, and high-risk work is diverted into a human review queue rather than executed.

## 29.2 Hard rules the assistant cannot work around

- Any write requires confirmation, and pending actions expire after thirty minutes with a maximum of fifty outstanding.
- Monetary thresholds and bulk-action ceilings trigger additional permissions and review.
- Approvals are bound to exact parameters; changing a value invalidates the approval.
- The AI is never given credentials, API keys or tokens, and tools execute server-side.
- Arbitrary database queries, file execution, unregistered routes and unregistered functions are refused.
- Prompt-injection is detected and the output of external tools is sanitised before it can influence behaviour.
- Data classification and masking rules are applied before content reaches a model.
- Financial actions, external communications, bulk operations, loops and navigation are each covered by a dedicated protective service.

## 29.3 Cost discipline

| Control | Behaviour |
|---|---|
| **Pre-execution estimate** | The cost of an operation is estimated before it runs. |
| **Provider lock** | Switching provider to evade a budget block is prevented. |
| **Rate limits** | Per-feature limits apply, with a default of thirty requests per minute. |
| **Usage reporting** | Consumption and cost are reported by feature and over time. |
| **Retention** | Retention policies drive automated cleanup of stored content. |

### 29.4 Kill switches and emergency controls

Roughly forty individual switches govern workflow execution, agents, document processing, voice, knowledge retrieval, webhooks, external writes, evaluations, feedback collection and content sampling. Six one-command emergency shutdowns, including a disable-everything control, each require a reason and are audited. A named administrator can stop the AI layer in one click without stopping the business.

### 29.5 Observability and quality

- Per-request traces with detail, so an answer can be reconstructed.
- Quality datasets and evaluation cases, regression runs, controlled experiments and benchmarks.
- Prompt version management with activation, so a prompt change is a release rather than an edit.
- Findings, anomaly and failure detection, report generation and masked content sampling.
- A security event log with alerting, and a management centre showing the health of every AI component, diagnostics, feature validation, switch states, cost and rate rules, masking and retention policies, usage dashboards, audit logs and retry or resolution of failed operations from one screen.

> RISK · **Business benefit**
>
> Most AI features fail to reach production because nobody can answer “what happens if it is wrong”. Here the answer is specific: risk tiers, mandatory human confirmation for writes, parameter-bound approvals, a review queue, budget checks before execution, an audited kill switch, and a trace for every response.

## 30. Reporting, Analytics and Executive Intelligence

*Three distinct reporting layers: a report centre of standard business reports, a finance statement and export engine, and live analytics dashboards — plus scheduled delivery so the report comes to people instead of people going to the report.*

### 30.1 The report centre

| Group | Reports available |
|---|---|
| **Human resources** | Employee summary · Attendance report showing present, absent, late and attendance percentage · Leave summary |
| **Projects** | Project progress · Task completion · Timesheet summary |
| **Customer management** | Leads conversion · Sales pipeline · Client growth |
| **Finance** | Revenue summary · Expense summary · Profit overview · Invoice ageing |
| **Assets** | Asset allocation · Maintenance summary · Licence expiry |
| **Service desk** | Ticket resolution · SLA performance · Support workload |

Every report accepts a date range plus the filters that make sense for its subject — department, employee, project, client, status, category, priority — presents on-screen summary figures, and outputs as CSV suitable for Excel, as a PDF document, or as a print view. Each export is recorded.

## 30.2 Saved reports and scheduled delivery

- A filter set can be bookmarked as a named saved report and reopened by its owner, which turns a fifteen-second configuration exercise into a single click every morning.
- Scheduled reports are named, typed, and set to run daily, weekly or monthly, delivered to a recipient list, with next-run dates visible and the schedule enabled or disabled at will.
- Scheduling is the feature that makes reporting stick: the operations review receives its own pack without anyone having to remember to generate it.

## 30.3 Financial statements

The finance reporting hub presents date filters, quick-stat cards, a revenue-against-expense trend, the receivable and payable position and key ratios, with shortcuts to every statement.

- Trial balance.
- Profit and loss, by month, quarter, year or a custom range.
- Balance sheet.
- Cash flow statement, split into operating, investing and financing activity with non-cash items disclosed.
- General ledger report and individual account ledgers.
- Comparative modes: current against previous period, current against previous year, and budget against actual with variance and variance percentage.

## 30.4 Drill-through, not re-querying

The reporting path is navigable in both directions. From the trial balance, clicking an account opens its ledger; clicking a transaction in that ledger opens the journal voucher behind it. From the general ledger report, clicking the voucher number or the account name reaches the same places. A challenge to a reported figure is therefore answered in three clicks, in front of the person challenging it.

## 30.5 The export centre

Eleven statement sets — trial balance, profit and loss, balance sheet, cash flow, general ledger, receivable ageing, payable ageing, tax summary, asset register, budget against actual and payroll summary — publish as CSV, Excel or PDF. Every header is stamped with the company name, the report name, the generation date and the filters used, and PDF renders as landscape A4. This matters for evidence: a file can be tied back to the exact parameters that produced it.

## 30.6 Financial ratios

A dedicated screen computes current ratio, quick ratio, debt-to-equity, gross margin, net margin, return on assets, return on equity, days sales outstanding and days payable outstanding. Each figure carries a benchmark and an interpretation badge — excellent collection, good return, needs improvement, extended terms — so a non-financial director can read the result without a calculator.

## 30.7 Integrity checking

The integrity checker runs a full reconciliation sweep and returns a pass, warning or fail card for each area, with on-screen guidance about what to do when an issue is found. It verifies the trial balance, that assets equal liabilities plus equity, that the receivable and payable control accounts agree to their

subledgers, that the tax subledger agrees to the ledger, and the fixed asset, payroll, bank and budget positions.

### 30.8 Analytics and the executive dashboard

| View | Content |
|---|---|
| **Analytics workspace** | A period selector across seven, thirty, ninety or three hundred and sixty-five days, with key-figure strips and charts for human resources, projects, customer management, finance and service — revenue against expenses, department headcount, ticket status, lead sources and attendance trends — plus a chart gallery demonstrating the visualisation set. |
| **Executive dashboard** | Year-to-date revenue, month-on-month growth, headcount and new hires, active and overdue projects, pending and overdue invoices with their value, open and critical tickets, year-to-date expenses, net profit and margin, a twelve-month revenue trend, project status, the top five clients, pending leave requests and recent system activity. |
| **Function dashboards** | Finance, procurement, inventory, human resources, leave, service desk, projects, assets, receivables, payables, tax, budgets, closing, group, and the AI management centre — each a purpose-built work screen rather than a generic chart page. |
| **Chart technology** | Two chart engines are wired in, both theme-aware, so visualisations follow the light or dark theme rather than breaking it. |

### 30.9 Report audit

A report audit log records which report was generated or exported, the parameters used, who ran it, when, in which format, under which file name and from which address. When a figure is later questioned, the exact version that was circulated can be reproduced.

> BUSINESS BENEFIT · **Business benefit**
>
> Reporting maturity is usually the first thing a board complains about. Standard reports that arrive on a schedule, statements that drill through to vouchers, an integrity checker that reconciles the subledgers, and an export centre that stamps its own parameters together move the organisation from “send me an update” to reading a pack that already exists.

## 31. Document Design, Print and Distribution

*Customer-facing paper is a commercial artefact. QASWA ERP ships a design tool for it rather than a fixed layout.*

### 31.1 The template designer

- Drag-and-drop construction from a palette of elements: text blocks, tables, logos and images, dynamic fields, dividers, quick-response codes, barcodes, signature blocks, terms and conditions and custom HTML.
- Header, body and footer sections, with page size, orientation, font family and document category set per template.

- Live preview before publishing, duplication of an existing template as a starting point, and explicit publishing so a work-in-progress layout never reaches a real document.
- Module mappings decide which template renders which document, so an invoice, a statement and an asset report can each carry their own design.
- Full version history, meaning a layout can be compared to the version that printed last month.

### 31.2 What the printed document carries

Company identity, logo and address from the company master; the customer's own tax registration; the document number from the company sequence; the issue and due dates; the line detail with tax treatment; totals in the document currency; and the terms held against the customer or the document. Print views strip navigation, so a printed invoice looks like an invoice rather than a screenshot of software.

### 31.3 Distribution

Delivery channel is a property of the customer record — email, print, portal or courier — and the invoice email address and copy list flow onto the document automatically. Statements and reports are emailable on a schedule through the scheduled-report engine.

> **BUSINESS BENEFIT · Business benefit**
>
> A document that carries your brand, your numbering rules and your tax registrations is not a cosmetic concern: late payment is heavily influenced by how clear and professional the invoice looks, and cross-border customers expect their own tax identifiers presented correctly.

## 32. Security, Access Control and Compliance Evidence

*Described for a business reader: what protects the data, who is allowed to see what, and what evidence exists when someone asks.*

### 32.1 Identity and session safety

| Control | What it means |
|---|---|
| **Credentials** | Passwords are held only as one-way hashes — never readable, never displayed, never exportable. |
| **Session integrity** | A fresh session identity is issued at every sign-in, which defeats the class of attack that plants a session identifier before login. |
| **Live account validity** | Every page re-checks the account. Delete, suspend or deactivate a person and their open session ends immediately with an explanation. |
| **Sign-out** | Destroys the session and records the event. |
| **Administrative reset** | Forgotten passwords are reset by an administrator, keeping access decisions inside the organisation. |
| **Cookie protection** | Session cookies are set to be inaccessible to scripts, secure where the connection allows, and restricted in cross-site sending. |

## 32.2 Protection of the application itself

- Every create, edit and delete form carries a single-use token verified with a tamper-proof comparison, which blocks forged requests from another site.
- All displayed text is escaped, so stored or typed content cannot execute as code.
- Every database read and write uses a parameterised statement on a native driver — user input can never alter the structure of a query.
- Protective response headers are applied: framing restriction, no content-type sniffing, cross-site scripting filter and a strict referrer policy.
- Directory listing is disabled; internal configuration, helper, security, template and database folders cannot be reached from a browser; SQL, markdown, environment, log, backup and hidden files are blocked.
- Sixteen installation, migration and audit scripts are command-line only and denied over HTTP.
- In production, errors are logged rather than displayed, and a database failure presents “contact your administrator” instead of exposing detail.

## 32.3 Roles and permissions

Three roles ship — super administrator, administrator and user — and unlimited custom roles can be created. A person may hold several roles. Access is decided by roughly three hundred and thirty discrete permission points spread across more than ninety areas, each covering an action rather than a screen: view, create, edit, delete, approve, post, close, reopen, reconcile, export, publish, manage sequences, manage currencies, manage lookups, manage credit, consolidate and operate the AI kill switches.

- Every sidebar link, page, tab, action button and export runs its own permission test.
- Refusals are explained rather than silent, and a user who can see but not change a record gets a read-only view.
- Finance alone carries about one hundred and fifty permission codes, so a cashier, an accountant, a controller and a group finance manager can each be given an exact scope.
- Lock-out prevention is built in: the super administrator role cannot be deleted; an administrator cannot remove their own super-administrative status or deactivate themselves; the last active super administrator cannot be demoted; and a person can only grant roles they already hold, which prevents self-promotion.
- Invalid or stale role selections are filtered before saving, and each user's company access is validated on every company switch.

## 32.4 Audit evidence

| Trail | Records |
|---|---|
| **System audit log** | Who, what action, which module, from which address and at what time — covering sign-in and sign-out, report views and exports, settings changes, currency and rate maintenance, sequence edits, lookups, roles, permissions, widgets and directory repairs. |
| **Approval history** | Per document: the approval level, the action, the comment, the previous state, the new state, the actor and the timestamp. |
| **Status history** | Per document: every state transition with the person responsible. |
| **Procurement audit** | Action, document, detail, the mandatory reason, address, user and timestamp across requisitions, quotations, orders, receipts and bills. |

| Trail | Records |
|---|---|
| **Closing audit** | Every period and year open, close, reopen, validation, checklist completion, adjustment and closing journal, with reason, person, timestamp and address. |
| **Report audit** | Which report, with which parameters, run by whom, when, in which format, to which file. |
| **AI security events** | Policy decisions, blocked operations, injection detections and emergency switch operations, with alerting. |

Audit recording is designed so that a failure to write an audit entry never blocks a legitimate business transaction — control should not become an outage — and every trail is filterable by module, user, date range and free text, with CSV export.

### 32.5 Retention and housekeeping

A guarded maintenance console allows an authorised administrator to clean or seed data module by module, with absolute guarantees coded in: the super administrator account and role, the permission set, the menu and singleton configuration can never be removed by it. AI content retention policies drive automatic cleanup of stored conversations and samples.

> ASSURANCE · **Compliance position**
>
> The controls an auditor typically asks for — segregation of duties, approval evidence, immutable posted records, locked periods, access reviews, change evidence and an audit trail with addresses and timestamps — are all present as system behaviour rather than as written policy. Independent assessments and penetration testing at the infrastructure layer remain your responsibility as the operating organisation, and chapter 37 lists the identity enhancements scheduled next.

## 33. Configuration, Master Data and Local Control

*The single most important operational question about any business system: can your own administrators change it without a development project?*

### 33.1 The configuration console

Settings are grouped as branding, finance, general and inventory, each with on-screen help, and only registered keys are accepted so a stray edit cannot create an unknown setting. Changes take effect immediately and are audited. Supplied keys include the application name, a fallback base currency, the fiscal-year start month, financial-year and accounting-period naming patterns, whether negative stock is allowed, and the date and date-time display formats.

### 33.2 Currencies and exchange rates

- Twelve currencies are available in a standard installation — including US dollar, euro, pound sterling, UAE dirham, Saudi riyal, Indian rupee, Japanese yen, Chinese yuan, Malaysian ringgit and Qatari riyal — each with an International Organisation for Standardisation code, a symbol and zero to four decimal places.

- Currencies can be ordered, activated and deactivated, with the base currency protected from being switched off.
- Exchange rates are entered with an effective date, a source and an author, and the full rate history is retained — so a conversion can be reproduced as at any past date.

## 33.3 Document numbering

Per company and per document type, twelve numbered document families are controlled from one screen: invoices, credit notes, receipts, journal vouchers, purchase orders, requisitions, goods receipts, vendor bills, and customer, vendor and contractor codes, plus contractor contracts. The prefix, zero-padding, current counter and a format template built from prefix, sequence, period, year, month and fiscal-year tokens are all editable. Allocation is conflict-proof under simultaneous users, numbers can be previewed without being consumed, master codes are re-checked for uniqueness and moving a counter backwards produces a visible warning and an audit entry.

## 33.4 Editable reference lists

Twenty-six dropdown lists behind the forms are maintained by administrators rather than hard-coded: company and customer types, credit ratings, risk levels, know-your-customer statuses, size bands, tax categories, payment terms with the day counts that drive due dates, payment methods, billing cycles, invoice delivery channels, price lists, shipping terms, Incoterms and contact channels. Values are deactivated rather than deleted, so historical documents continue to read correctly.

## 33.5 Other configuration surfaces

| Surface | What is decided here |
|---|---|
| **Voucher types** | Names, prefixes, automatic numbering and status for the more than thirty voucher books. |
| **Tax settings** | Default tax, rate and group, inclusive or exclusive pricing, rounding rule, precision, tax document prefixes, automatic period creation and the tax account mappings. |
| **Finance settings** | Base currency, symbol, decimal places, company tax number, account-code prefix, voucher prefix and the required general-ledger mappings for receivables, revenue, sales returns, payables, expense, expense payable, tax, bank and cash. |
| **Inventory settings** | Negative-stock permission, default costing method, default warehouse and location, movement prefix, and whether adjustments and transfers require approval. |
| **Procurement rules** | Approval matrix by company, department, priority and amount; over-receipt tolerance; matching tolerances; duplicate-invoice checking; sequence prefixes. |
| **Closing settings** | Whether the checklist is mandatory before a period close and before a year close. |
| **Asset categories** | Depreciation method, useful life, residual value and the three ledger accounts per category. |
| **Expense categories** | Names, codes and ledger account mappings. |
| **Service categories and SLAs** | Codes, default priorities, response and resolution targets by priority. |
| **Lookups, roles, users, companies** | All maintained in application screens with their own permissions and audit entries. |

**BUSINESS BENEFIT · Business benefit**

Localisation without code. A new country, a new statutory tax, a rebranding of document numbers, a change of payment-term philosophy or a new approval threshold is an afternoon of administration, not a change request, a quotation and a release cycle.

# 34. Data Protection, Backup and Business Continuity

*How the organisation's records survive a bad day — and how you can prove they do.*

## 34.1 Backup practice

- Full database dumps are taken with a timestamped naming convention, and compressed copies are kept alongside them.
- Every backup carries a published SHA-256 checksum file, so integrity is verifiable rather than assumed.
- Backups are not trusted until they have been test-restored: restores are verified by comparing table counts, row-by-row counts and content hashes against the source.
- A generated data dictionary accompanies the backup set — currently covering four hundred and sixty-nine tables, more than six thousand columns — which means the schema is documented from the live system rather than from a stale specification.
- Uploaded documents live outside the database dump in managed storage, so file backup is handled as its own discipline rather than being entangled with database structure.

## 34.2 Controlled change

Structural changes to the database are delivered as dated, self-checking migration scripts that inspect the current state before altering it, which makes them safe to run more than once. A migration inspector reviews what will change and a migration executor applies it with rollback tracking. All of these are restricted to the installation machine and unreachable through a browser.

## 34.3 Health and self-repair

- A module health check produces a report on the state of each module.
- A people-identity audit runs fifteen checks enforcing the rule that one human being holds one person code across employee, customer and contractor records.
- Directory maintenance actions re-synchronise person codes and prune entries that have no record behind them, from the interface rather than from a script.
- A setup wizard installs the dashboard widget system, and a seeded demonstration data library lets a new installation be explored without loading real records first.

## 34.4 Operating continuity

| Concern | Position |
|---|---|
| **Recovery point** | Defined by backup frequency; the practice above means a restore is verified rather than hopeful. |

| Concern | Position |
|---|---|
| **Recovery of structure** | The authoritative schema snapshot means the database can be rebuilt from empty and then migrated forward. |
| **Recovery of documents** | Uploads are stored in a managed directory with controlled downloads, and are covered by file-system backup rather than database backup. |
| **Protection from user error** | Soft deletes across employees, customers, companies and other masters; historical records hidden rather than erased; deletion refused where related records depend on the entry. |
| **Protection from privileged error** | Counter regression warnings, super-administrator lock-out prevention, mandatory reasons for reopening periods, and irreversible actions gated behind specific permissions. |

CONTINUITY · **Business benefit**

Most disputes about a business system begin with "is the data safe?". The answer here is a checksum, a documented test restore, a version-controlled schema and a data dictionary — evidence an auditor or an insurer will accept, not a reassurance.

# 35. Implementation, Training and Ongoing Support

*A realistic view of how deployment runs, sized for an organisation adopting the full platform.*

## 35.1 Recommended sequence

| Phase | Focus | Typical duration |
|---|---|---|
| 0 · Discovery | Confirm the organisation structure, entities, financial years, chart of accounts, tax regimes, approval philosophy and the roles that will use the system. | 1–2 weeks |
| 1 · Foundation | Install and configure companies, users, roles and permissions; set base currencies and exchange rates; define document numbering; load lookup lists; build the chart of accounts and opening balances. | 2–3 weeks |
| 2 · Finance live | Journals, banking and cash, receivables and payables, expense categories and claims, tax configuration. First month-end closed inside the system. | 3–4 weeks |
| 3 · Procurement and stock | Requisition and approval matrix, RFQ and evaluation model, orders and receipts, matching tolerances, vendor master, item master, opening stock and warehouse settings. | 3–4 weeks |
| 4 · People and assets | Employee and contractor records with documents, departments and designations, leave types and annual balances, attendance practice, asset register with capitalisation and depreciation configuration. | 2–3 weeks |
| 5 · Delivery and service | Project register, task board conventions, ticket categories and SLA policies, knowledge base seeding. | 2 weeks |
| 6 · Intelligence | Provider and model configuration, document types and extraction templates, knowledge collections, governance rules, thresholds, kill-switch ownership, automations and workflow studio. | 2–3 weeks |
| 7 · Group | Ownership structure and consolidation methods, intercompany discipline, first consolidation run, period and year-end closing settings. | 2–3 weeks |
| 8 · Stabilise | Report scheduling, template design for customer documents, user acceptance, performance tuning, go-live decision. | 2 weeks |

Phases 0 to 4 are the point at which an organisation stops running its money through a spreadsheet. The remaining phases add value without being a prerequisite for going live.

## 35.2 Enablement

- Role-based training rather than feature-based training: an accounts clerk, a buyer, a warehouse supervisor, a service agent, a project manager, an HR administrator, a controller and a group administrator each need a different hour of instruction, because the interface pattern is identical everywhere.
- Super-administrator enablement covering roles and permissions, company and financial-year setup, document numbering, currencies and lookups, approval matrices, closing settings and the AI governance console.
- Written procedures for the month-end close, the three-way match exception queue, the SLA queue and the year-end close — the four recurring routines that benefit from documented practice.
- A sandbox installation seeded with demonstration data for training without touching live records.

## 35.3 Support model

| Level | Scope |
|---|---|
| **First line (internal)** | Password resets, role and permission adjustments, lookup and reference-list maintenance — all routine administration designed for your own team. |
| **Second line (vendor)** | Configuration questions, report definition, template design, scheduled deliveries, upgrade and migration support. |
| **Third line (product)** | Defect resolution, health-check review, AI governance tuning, consolidation methodology and closing-process guidance. |
| **Emergency** | AI kill switches for the intelligence layer; period locking to stop incorrect posting; the verified backup and restore route for data recovery. |

## 35.4 Operating requirements

The platform runs on standard web hosting: a current PHP application server version eight point one or later, a MySQL or MariaDB database, and the Apache rewrite module for clean web addresses. It is deliberately built without a framework or a build pipeline, which means an ordinary commercial hosting environment — including a modest on-premises server — is sufficient, and the organisation is never dependent on a specialist toolchain to run or patch the system. No third-party subscription is required for any function except the external AI models you choose to connect.

> **BUSINESS BENEFIT · Adoption risk, honestly addressed**
>
> The main reason enterprise systems fail is not capability but data entry resistance. QASWA ERP's mitigation is mechanical: documents flow forward rather than being retyped (a requisition becomes a request for quotation, whose award becomes an order, whose receipt posts stock and whose bill matches against both), and journals write themselves. The clerical argument against using the system disappears once that chain is trusted.

# 36. The Business Return

*Where the money comes back from. These are the mechanisms in the product that produce a measurable effect on cost, cash and risk — not generic promises.*

## 36.1 Cash

| Mechanism | Effect |
|---|---|
| **Ageing by bucket and by invoice, with days-sales-outstanding measured** | Collections target the largest and oldest balances first rather than working alphabetically. |
| **Customer statements and print-ready invoices with the customer's own tax registration** | Fewer disputes, fewer re-issues, faster approval of payment runs by your customer. |
| **Credit limits, ratings and hold states on the customer record** | Order acceptance is informed by exposure before revenue is committed. |
| **Automatic receipts allocation across open invoices** | On-account cash stops sitting unidentified and ageing quietly. |
| **Unbilled receipts report** | Liabilities are not understated, and early-settlement discounts are not missed. |

## 36.2 Spend

- Savings measured against the requisition estimate on every sourcing event, aggregated — procurement gains a number it can report.
- Over-ordering, over-receipt and over-billing blocked by the engine, with overrides requiring permission and a written reason.
- Duplicate invoice detection per vendor, which is the single most common source of silent loss.
- Budget versions, revisions and transfers with utilisation monitoring against real ledger spend, so overrun is visible while it can still be corrected.
- Weighted bid evaluation with mandatory award reasons, which removes the relationship-driven purchase decision that audits find and boards regret.
- Automatic depreciation with no double-posting, disposal gain and loss computed, and impairment recorded — the asset register stops being a tax-time exercise.

## 36.3 Time and headcount

The mechanisms that consume clerical hours in a typical finance and operations team are specifically addressed: journal re-keying (eliminated by automatic posting from source documents), reconciliation searching (the integrity checker and the bank difference display), report assembly (scheduled delivery and the export centre), supplier query handling (statements, match outcomes and the interaction history), and closing coordination (the checklist with its evidence attachments). A reasonable planning assumption is that the accounting function's recurring manual effort falls materially, and that the freed capacity is redeployed to review rather than removed — the control benefit comes from review, not from headcount reduction.

### 36.4 Risk

| Risk | Mitigation present in the product |
|---|---|
| **Misstatement in the ledger** | Single posting gateway, balanced-entry enforcement, immutable posted vouchers, linked reversals, period locking. |
| **Unauthorised commitment** | Requisition approval matrix with a self-approval ban, approval history, over-order and over-bill guards. |
| **Compliance lapse** | Document-expiry colour coding for visas, passports and permits; contractor compliance panel; licence expiry alerts; tax period locking. |
| **Late close** | Closing checklist and validation gate with named blockers; periods generated automatically from the financial year. |
| **Data loss** | Checksummed, test-restored backups; version-controlled schema; verified row-level restore checks. |
| **Unmanaged AI use** | Central policy engine, risk tiering, human confirmation for writes, parameter-bound approvals, budget estimation, audited kill switches. |
| **Access sprawl** | Three hundred and thirty permission points, per-widget permissions, lock-out prevention, role-granting restricted to roles already held. |

### 36.5 What to measure after go-live

1. Days sales outstanding, before and after.
2. Average days to close a month.
3. Percentage of supplier bills matching without exception.
4. Procurement savings measured against requisition estimates.
5. Percentage of journals posted automatically from source documents.
6. SLA compliance rate and the count of tickets approaching breach.
7. Manual hours spent assembling recurring reports.
8. Value of unassigned or on-account receipts.

> **DISCIPLINE · A note on numbers**
>
> This document deliberately does not quote percentage-improvement figures as though they were a specification. Every benefit above is a mechanism with a stated measurement. Adopt the eight measures in section 36.5 during phase 0 and the return becomes your own evidence rather than our assertion.

# 37. Release Roadmap

*What arrives next, stated plainly. Everything in chapters 1 to 36 exists in the product today; this chapter is the forward commitment rather than the current scope.*

### 37.1 Finance and workforce

- Salary board computation: per-employee salary structures, earnings and deduction components, attendance-linked and production-linked pay, gross-to-net calculation and approval before posting.

- Payslip generation and distribution, and a bank disbursement file for payroll transfers.
- Leave encashment, automated accrual, expiry and lapse processing, enforced carry-forward, and multi-level leave approval with employee-initiated withdrawal.
- Employee self-service views for payslips, leave balances and attendance regularisation.
- Recruitment and requisition management, onboarding and exit workflows, and performance review cycles.

## 37.2 Commercial documents

- Sales quotations, proposals and sales orders as first-class documents ahead of the invoice, with conversion to order and to invoice.
- Automated overdue-status processing, dunning letters and reminder cycles.
- A customer payment portal for self-service statements and settlement.
- Project budgeting, cost tracking and profitability, billable rates and timesheet approval.
- Supplier scorecards, vendor categories and segments, and supplier self-onboarding.

## 37.3 Operations

- Barcode-assisted stock counting and device-based receiving.
- Inbound email-to-ticket conversion and auto-assignment or round-robin routing in the service desk.
- Canned responses, escalation matrices and ticket merging for support teams.
- Customer satisfaction measurement at ticket closure.
- Biometric or device attendance import, overtime calculation and shift management.

## 37.4 Platform and assurance

- Optional two-factor authentication for sign-in and rate limiting or account lockout inside the application, in addition to the server-level protection already in place.
- Self-service password reset with administrative policy control.
- Bulk actions on high-volume registers, saved filter views and a global search across modules.
- A data import wizard for opening balances, item masters, customer and employee loads.
- Vaulted database credentials as an installation best practice, and hardened hosting documentation.

## 37.5 Intelligence

- Extended evaluation dashboards and scheduled quality regression reporting for AI responses.
- Additional connectors for common enterprise systems and normalised field mapping.
- Broader voice workflow coverage and outbound telephony integration.

> **TRANSPARENCY · Commitment style**
>
> This roadmap exists so that no capability in this document is over-claimed. If a roadmap item is important to your decision, say so during evaluation: it can be scoped into the implementation plan explicitly rather than assumed.

# 38. Conclusion and Recommended Next Steps

*QASWA ERP is a complete operating platform in the area where most mid-sized organisations are least well served: enough complexity that spreadsheets have become dangerous, and not enough scale that a tier-one enterprise suite is affordable or operable.*

Its claim rests on four properties. Financial control is enforced by the system rather than by policy documents — immutable postings, period locks, mandatory reasons, approval matrices and a single gateway into the ledger. Operational documents flow forward without re-keying, so a requisition becomes a request for quotation, an award becomes an order, a receipt posts stock and a bill is matched against both. Depth of master data — an almost hundred-field customer record and a company record carrying ownership, consolidation method and accounting framework — means the system behaves correctly without being told repeatedly. And the intelligence layer is governed: risk tiered, writes confirmed, budgets estimated before execution, kill switches owned by a named person.

## What to look at first in a demonstration

1. Run one purchase requisition through approval, quotation, comparison, award, order, receipt, bill matching and payment — and watch the journals appear at each step without being typed.
2. Close a period with an intentional error in it, and read the way the validation gate names the problem, the module and the required action.
3. Open the trial balance and click down to a journal voucher, then back up to the statement.
4. Ask the copilot a question that requires data from three modules and inspect its citations.
5. Load a supplier invoice image and review the field-by-field extraction with its confidence scores and the resulting three-way match exceptions.
6. Switch company, currency and theme, and observe what changes and what stays under access control.
7. Operate an AI kill switch and confirm the business continues unaffected.

## Decisions this document should let you make

| Question | Answer supported by |
|---|---|
| **Can this replace our accounting package?** | Chapters 5 to 11 and chapter 26 — chart of accounts through year-end close, with statements and ratios. |
| **Can it handle our group structure?** | Chapters 25 and 26 — intercompany mirroring, matching, consolidation gates and eliminations. |
| **Will purchasing actually be controlled?** | Chapters 12 to 14 — enforced approval matrix, tolerance-based matching, over-order and over-bill guards. |
| **Is people administration covered?** | Chapters 18 to 20, with the payroll scope stated precisely and completed in chapter 37. |
| **Can we support customers and projects?** | Chapters 23 and 24 — task boards, milestones, time, SLA breach management and knowledge base. |
| **Is the AI safe to enable?** | Chapters 27 to 29 — governance, review queues, cost control, kill switches and observability. |

| Question | Answer supported by |
|---|---|
| **Can our own team run it?** | Chapter 33 — every list, sequence, term and rule maintained in application screens. |
| **What is not yet there?** | Chapter 37, stated openly. |

### Suggested next steps

1. Share this compendium with the finance, procurement, operations and people leads, and collect the questions each chapter raises.
2. Identify the two processes causing the most cost or delay today and request them demonstrated end-to-end with your own data shape.
3. Agree the eight measures in section 36.5 as the evaluation baseline before go-live.
4. Nominate the administrator who will own permissions, document numbering and the AI guardrails.
5. Confirm which roadmap items are decision-relevant so they can be scoped rather than assumed.

*QASWA is ready to walk any of these processes with your team, on your data, at your pace. Thank you for the opportunity to present the platform.*

## Appendix A — Complete Module Index

*All fifty-eight business modules in the platform, in the order a new user meets them, with a plain description of what each one is for.*

| # | Module | What it does for the business |
|---|---|---|
| 1 | Activity logs | A chronological record of what people did across the system, filterable and exportable. |
| 2 | AI workspace | The intelligence layer: assistant, copilot, documents, knowledge, agents, automations, governance and monitoring. |
| 3 | Analytics | Cross-function dashboards with charts for people, projects, customers, finance and service over a selectable period. |
| 4 | Appearance | Theme selection between the light and dark interfaces, remembered per person. |
| 5 | Asset assignments | Issue assets to individuals with dates, expected return and full custody history. |
| 6 | Asset categories | Define asset classes with their depreciation method, useful life and ledger accounts. |
| 7 | Asset returns | Process returned assets with condition on arrival and damage notes. |
| 8 | Assets | The operational fixed-asset register: identification, acquisition, condition and status. |
| 9 | Assets dashboard | Totals by status and category, value, warranty and licence exposure, recent custody movements. |
| 10 | Attendance | Daily marking, correction, monthly registers and status counts. |
| 11 | Audit logs | The security-facing trail: who, what, which module, address and timestamp. |
| 12 | Authentication | Sign-in, session issuance, live account validation and sign-out. |
| 13 | Companies | The multi-entity master: identity, structure, ownership, accounting framework and statutory detail. |

| # | Module | What it does for the business |
|---|---|---|
| 14 | Contractors | Non-employee engagement with compliance documents, contract lifecycle and rate history. |
| 15 | CRM dashboard | Leads, pipeline, customers and follow-ups as a single commercial picture. |
| 16 | Customers | The customer master of nearly a hundred attributes, with contacts, locations, notes and documents. |
| 17 | Deals | The six-stage sales pipeline board with value, probability and expected close. |
| 18 | Departments | Organisational units with codes, status and live headcount. |
| 19 | Designations | Job titles tied to departments, with employee counts. |
| 20 | Employees | The personnel file: personal, employment, immigration detail, documents and expiry surveillance. |
| 21 | Executive dashboard | The owner's view: revenue, margin, headcount, projects, receivables, tickets and trend. |
| 22 | Expense categories | Expense types with their ledger account mapping. |
| 23 | Expenses | Direct company spend with approval, payment and reporting. |
| 24 | Finance | The full accounting suite: ledger, banking, receivables, payables, expenses, budgets, tax, assets, payroll finance, reporting, closing and consolidation. |
| 25 | Helpdesk dashboard | Ticket queues, SLA alerts, category mix and agent performance. |
| 26 | Holidays | The year-by-year calendar of national, festival and optional holidays. |
| 27 | HRMS dashboard | Workforce overview with headcount, attendance, leave and hiring charts. |
| 28 | Inventory | The stock engine: ledger, balances, adjustments, transfers, reservations, counting and valuation. |
| 29 | Invoices | The fast billing desk for raising customer invoices and recording payments. |
| 30 | Knowledge base | Published articles and categories with search, versioning and a lifecycle. |
| 31 | Leads | Prospect capture with source, value, priority, owner and status ladder. |
| 32 | Leave management | Balance allocation and the annual entitlement grid. |
| 33 | Leave requests | Application, live balance checking, approval and deduction. |
| 34 | Leave types | Entitlement definitions with code, days, carry-forward and status. |
| 35 | Licences | Software entitlements with seats, keys, expiry alerts and assignment. |
| 36 | Maintenance | Asset upkeep records by type, cost, vendor and next due date. |

| # | Module | What it does for the business |
|---|---|---|
| 37 | Menu manager | Administration of sidebar sections and items, each linked to a permission. |
| 38 | Payments | Receipt and settlement records across customers and vendors. |
| 39 | People management | The unified directory of every person, with structured onboarding and login control. |
| 40 | Permissions | The individual action rights that access is granted on. |
| 41 | Procurement | Requisitions, requests for quotation, comparisons, awards, orders, receipts, bills and matching. |
| 42 | Projects | The project register with computed progress, members, tasks and milestones. |
| 43 | Projects dashboard | Portfolio view of projects, tasks, hours, milestones and overdue work. |
| 44 | Reports | The report centre: standard reports, filters, exports and saved reports. |
| 45 | Roles | Named collections of permissions, with anti-lockout protection. |
| 46 | Scheduled reports | Daily, weekly or monthly report delivery to recipient lists. |
| 47 | Settings | The configuration console: global settings, currencies and rates, document numbering and lookup lists. |
| 48 | SLA policies | Response and resolution targets by priority, with deletion protection. |
| 49 | System | The administration landing page grouping users, roles, permissions and people. |
| 50 | Tasks | Task lists and the drag-and-drop board, with sub-tasks, tags, assignees and discussion. |
| 51 | Tax settings | Tax names, percentages and types. |
| 52 | Template designer | Drag-and-drop design of printed documents with versioning and module mapping. |
| 53 | Ticket categories | Service categories with codes, default priority and status. |
| 54 | Tickets | The service desk queue with status, assignment, replies, internal notes and attachments. |
| 55 | Timesheets | Hours logged per employee against project and task, with totals. |
| 56 | Users | Accounts, role assignment, status and company access. |
| 57 | Vendors | The supplier master with commercial, tax and ledger defaults, and a 360 position view. |
| 58 | Widgets | The dashboard tile catalogue, sizes, permissions and layout reset. |

# Appendix B — Report and Statement Catalogue

*Every named report, statement and document the platform produces.*

## B.1 Statutory and core financial statements

- Trial balance · Profit and loss · Balance sheet · Cash flow statement · General ledger report · Account ledger · Opening balances · Comparative period and comparative year statements · Budget against actual with variance.

## B.2 Reports by function

| Function | Reports |
|---|---|
| **Receivables** | AR ageing · Customer statement · Overdue invoices · Days sales outstanding · Invoice register · Revenue summary |
| **Payables** | AP ageing · Vendor statement · Overdue bills · Days payable outstanding · Bill register · Unbilled receipts · Match exceptions |
| **Expenses** | By category · By department · By project · By employee · Monthly · Yearly · Top categories · Budget against spend |
| **Budgets** | Budget summary · By department · By account · Utilisation · Budget against actual · Variance analysis |
| **Tax** | Tax summary · Output tax · Input tax · Tax period · Tax adjustments · Tax register export |
| **Fixed assets** | Asset register · Category summary · Depreciation schedule · Monthly depreciation · Net book value · Asset movement · Additions · Disposals · Gain and loss · Impairment |
| **Payroll** | Payroll summary · Payroll cost · Payroll detail · Monthly and yearly summary · Liability · Deduction · Department payroll · Employee payable · Employer contribution · Payment status · Salary expense · Payroll reconciliation |
| **Procurement** | Requisition register · Pending approval · Approved for sourcing · Rejected with reasons · Value by department, project and cost centre · RFQ dashboard · Quotation comparison · Award outcomes · Savings against estimate · PO register · PO dashboard · Receiving reports · Commitment and exposure |
| **Inventory** | Current stock · Movement ledger · Adjustment history · Transfer history · Stock valuation · Cost audit · Low and out-of-stock watchlist |
| **Closing** | Period closing · Year-end closing · Closing checklist · Opening balances · Closing journal · Unreconciled accounts · Year-over-year comparison |
| **Group** | Company trial balance · Group trial balance · Consolidated trial balance · Company and consolidated profit and loss · Company and consolidated balance sheet · Intercompany reconciliation · Intercompany exceptions · Eliminations · Ownership and non-controlling interest · Currency translation · Consolidation adjustments |
| **People** | Employee summary · Attendance report · Leave summary · Leave by employee, department and type · Detailed leave log · Timesheet summary · Asset allocation |
| **Projects** | Project progress · Task completion · Timesheet summary · Portfolio status |
| **CRM** | Leads conversion · Sales pipeline · Client growth · Revenue summary · Leads by source · Deal trend |
| **Service** | Ticket resolution · SLA performance · Support workload · Tickets by category and priority · Agent leaderboard |
| **Integrity** | Financial integrity check · Ratios pack · Report audit log |

### B.3 Output formats

On screen; print view with navigation removed; CSV suitable for Excel; and PDF via the export centre for eleven statement sets, rendered landscape A4 with the company name, report name, generation date and parameters stamped on the header. Every export writes an audit entry.

## Appendix C — Controlled Documents and Numbering

*Every document the system issues, and how its number is formed. Prefixes, padding and counters are administrator-editable per company.*

| Document | Purpose | Typical number form |
|---|---|---|
| Purchase requisition | Internal request to buy | PR-2026-000001 |
| Request for quotation | Invitation to bid | RFQ-2026-000001 |
| Vendor quotation | A supplier's bid | QUO-2026-000001 |
| Purchase order | Formal commitment to a supplier | PO-2026-000001 |
| Goods receipt note | Physical receipt against an order | GRN-2026-000001 |
| Vendor bill | Supplier invoice for matching | VB-2026-000001 |
| Journal voucher | Manual or generated accounting entry | By voucher type prefix |
| Customer invoice | Bill raised to a customer | By company invoice sequence |
| Customer receipt | Money received from a customer | By company receipt sequence |
| Credit note | Reduction of a customer's balance | CN-YYYYMM-#### |
| Debit note | Reduction of a supplier's balance | By company debit sequence |
| Stock movement | Issue or receipt of inventory | SM-2026-000001 |
| Stock adjustment | Count correction with reason | ADJ-2026-000001 |
| Stock transfer | Warehouse to warehouse movement | TRF-2026-000001 |
| Expense claim | Employee reimbursement request | Automatic claim number |
| Company expense | Direct company spend | Automatic expense number |
| Petty cash voucher | Float issue, expense or top-up | Automatic voucher number |
| Asset code | Unique asset identifier | Automatically allocated |
| Employee code | Unique personnel identifier | EMP-2026-0001 |
| Customer / vendor / contractor code | Unique master identifier | From company sequence |
| Ticket number | Service request identifier | Automatically allocated |
| Article address | Knowledge article web name | Auto-generated unique slug |
| Category code | Service category identifier | CAT0001 |

Allocation is conflict-proof when two users save simultaneously, numbers are previewable without being consumed, and a backwards counter change warns visibly and writes an audit entry.

# Appendix D — Access Model Reference

*How permissions are organised, with illustrative examples. There is no fixed screen count: any number of custom roles can be composed from the available rights.*

## D.1 Illustrative role scopes

| Role | Typical grant |
|---|---|
| **Super administrator** | Every module, every company, every action — including sequence and configuration control. Protected against deletion and self-demotion. |
| **Group finance manager** | All finance areas, closing, consolidation, intercompany, reports and exports across assigned companies. |
| **Financial controller** | Ledger, budgets, tax, closing, integrity checks, period reopening, consolidated reporting. |
| **Accountant** | Journals, receivables, payables, expenses, assets, tax register, budgets viewing, statements. |
| **Accounts payable clerk** | Bill entry, receipts capture, matching exception review, vendor statements — no approval right. |
| **Accounts receivable clerk** | Invoice raising, receipts allocation, statements, ageing — no credit-limit override. |
| **Procurement officer** | Requisitions, RFQs, quotations, comparison, award recommendation, orders, receipts — no bill approval. |
| **Approving manager** | Approval matrix rights by department and amount band; no master-data maintenance. |
| **Warehouse supervisor** | Stock balances, receipts, adjustments, transfers, counting, low-stock watchlist. |
| **HR administrator** | People records, attendance, leave, holidays, documents, contractors, directory maintenance. |
| **Payroll officer** | Payroll finance: component mapping, postings, payment batches, reconciliation and reports. |
| **Project manager** | Projects, tasks, milestones, timesheets and the projects dashboard. |
| **Service agent** | Tickets, replies, internal notes, knowledge authoring; assignment rights limited. |
| **Sales representative** | Leads, deals, follow-ups, customer creation within their own segment. |
| **Auditor / reviewer** | Read and export across finance and operational registers, with the audit trail available; no create, edit or approve. |
| **AI administrator** | Providers and models, governance rules, kill switches, observability and cost reporting. |

## D.2 Action verbs used across modules

view · create · edit · delete · assign · approve · reject · post · cancel · close · reopen · reconcile · export · publish · manage sequences · manage currencies · manage lookups · manage credit · consolidate · operate kill switch. Each is tested independently, which is what allows segregation of duties to be real rather than nominal.

## D.3 Built-in safeguards

- A requester cannot approve their own requisition.
- Super-administrator role cannot be deleted.
- An administrator cannot remove their own super-admin status or deactivate themselves.
- The last active super administrator cannot be demoted.

- A user can only grant roles they already hold.
- Invalid role selections are filtered out before saving.
- Company access is re-validated on every switch.
- Every user is checked against a live account record on every page load.

# Appendix E — Reference Data and Configuration Register

*The editable lists and switches an administrator can control without a development request.*

| Register | Contents |
|---|---|
| **Company types** | LLC, sole proprietorship, partnership, free-zone establishment, branch, subsidiary, holding, non-government organisation, government body, trust. |
| **Customer types** | Company, individual, partnership, sole proprietorship, government, trust. |
| **Credit ratings** | AAA through to critical, supplied by typeahead from saved values. |
| **Risk levels** | Graded classification carried on the customer record. |
| **Know-your-customer status** | Not started, verified, rejected — with verifier and date. |
| **Company size bands** | Micro through enterprise. |
| **Tax categories** | Regular, composition, unregistered, special economic zone, export, deemed export, overseas. |
| **Payment terms** | Text plus the day count that calculates invoice due dates. |
| **Payment methods** | Cash, bank transfer, instant payment, card, wallet, cheque, online. |
| **Billing cycles** | Per transaction through to annual, with consolidated billing. |
| **Invoice delivery** | Email, print, portal, courier. |
| **Price lists** | Named lists defaulting onto customers. |
| **Shipping and Incoterms** | Conditions, Incoterms and locations. |
| **Contact channels** | Recorded per customer contact. |
| **Voucher types** | More than thirty books with prefix, auto-numbering and status. |
| **Currencies** | Twelve in a standard installation, with symbol and decimal precision. |
| **Exchange rates** | Dated, sourced, attributed and fully historiated. |
| **Asset categories** | Depreciation method, useful life, residual value and three ledger accounts. |
| **Expense categories** | Name, code and ledger mapping. |
| **Leave types** | Code, annual entitlement, carry-forward switch and status. |
| **Designations and departments** | Codes, descriptions, links and status. |
| **Ticket categories** | Auto code, description, default priority, status. |
| **SLA policies** | First-response and resolution targets by priority. |
| **Approval matrix rules** | Company, department, priority, maximum amount, approver role, sequence, enabled. |
| **Financial and tax settings** | Base currency, precision, prefixes, required ledger mappings, rounding rule, inclusive pricing. |

| Register | Contents |
|---|---|
| **Inventory settings** | Negative-stock permission, costing default, default location, adjustment and transfer approval switches. |
| **Closing settings** | Checklist mandatory before period close and before year close. |

# Appendix F — Business Glossary

*Plain definitions of the terms used in this document, for readers outside finance.*

| Term | Meaning in QASWA ERP |
|---|---|
| **Three-way match** | Comparing the purchase order, the goods receipt and the supplier bill before payment is allowed; differences become exceptions. |
| **Tolerance** | The permitted variance — in quantity, price percentage or value — before a match is refused. |
| **Immutable voucher** | A posted accounting entry that cannot be edited or deleted; corrected only by a linked reversal. |
| **Reversal** | The mirror entry the system creates to cancel a posted voucher, with debits and credits swapped. |
| **Period lock** | A closed month that refuses all postings, including reversals dated inside it. |
| **Posting gateway** | The single controlled route by which any document writes to the general ledger. |
| **Trial balance** | A list of every account's balance proving that total debits equal total credits. |
| **Subledger** | A detail record — receivables, payables, tax, assets, payroll — that should agree with its control account. |
| **Ageing** | Balances grouped by how overdue they are: current, one to thirty, thirty-one to sixty, sixty-one to ninety, over ninety days. |
| **Days sales outstanding** | The average number of days taken to collect from customers. |
| **Days payable outstanding** | The average number of days taken to pay suppliers. |
| **Elimination** | Removal of intra-group revenue, expense, receivable and payable when consolidating, so a group does not book profit from trading with itself. |
| **Non-controlling interest** | The share of a subsidiary the group does not own, shown separately in group equity. |
| **Currency translation** | Converting a subsidiary's figures into the group currency at closing, average or historical rates. |
| **Retained earnings** | Accumulated profit kept in the business; where the year-end close transfers the year's result. |
| **Net book value** | An asset's cost less depreciation recorded so far, and less any impairment. |
| **Impairment** | Writing an asset down when it is worth less than its recorded carrying value. |
| **Capitalisation** | Recording an item as an asset with a depreciation life rather than expensing it immediately. |
| **Weighted average cost** | A stock valuation method that blends each receipt into a new average cost. |
| **Reservation** | Stock earmarked for a specific document so it is not promised twice. |

| Term | Meaning in QASWA ERP |
|---|---|
| **Approval matrix** | Configured rules deciding who must approve a document, by company, department, priority and amount. |
| **Service level agreement** | A committed response and resolution time applied to a ticket by priority. |
| **Breach** | A ticket that has passed its SLA target; computed live in the queue. |
| **Retrieval-augmented answer** | An AI answer built from your own documents, with citations rather than from general knowledge. |
| **Confidence score** | How certain the system is about a field extracted from a document; low scores go to human review. |
| **Kill switch** | An administrator control that stops a named AI capability — or everything — immediately and audibly. |
| **Segregation of duties** | Splitting request, approval, receipt, billing and payment across different people, enforced by permission. |
| **Soft delete** | Hiding a record rather than erasing it, so historical documents remain readable. |

# Appendix G — Evaluation Checklist

*Use this as the scoring sheet during selection. Each row corresponds to a chapter in this document.*

| Capability to evaluate | Chapter | Importance (H/M/L) | Demonstrated (Y/N) |
|---|---|---|---|
| Chart of accounts, journals, ledger and posting rules | 5 | | |
| Banking, cash, petty cash and reconciliation | 6 | | |
| Receivables, invoicing, receipts, statements, ageing | 7 | | |
| Payables, bill matching, payments, debit notes | 8 | | |
| Expenses and two-level employee claims | 9 | | |
| Budgets, versions, transfers, variance | 10 | | |
| Tax regimes, rates, groups, periods, register | 11 | | |
| Requisitions and approval matrix | 12 | | |
| RFQ, bid comparison, weighted award, savings | 13 | | |
| Orders, receipts, three-way match, returns | 14 | | |
| Vendor master and enforcement | 15 | | |
| Inventory ledger, valuation, counting | 16 | | |
| Assets, depreciation, disposal, licences | 17 | | |
| Payroll posting, batches, reconciliation | 18 | | |
| Employee records, attendance, leave, holidays | 19 | | |

| Capability to evaluate | Chapter | Importance (H/M/L) | Demonstrated (Y/N) |
|---|---|---|---|
| Contractors, onboarding, people directory | 20 | | |
| Leads, pipeline, customer master, 360 view | 21 | | |
| Billing, credit control, multi-currency | 22 | | |
| Projects, tasks, board, timesheets | 23 | | |
| Tickets, SLA breach management, knowledge | 24 | | |
| Multi-company, intercompany, consolidation | 25 | | |
| Period and year-end close | 26 | | |
| Assistant, copilot, navigation, voice | 27 | | |
| Documents, knowledge, agents, automations | 28 | | |
| AI governance, safety and cost control | 29 | | |
| Reporting, analytics, executive dashboard | 30 | | |
| Document design, print and distribution | 31 | | |
| Security, permissions, audit evidence | 32 | | |
| Configuration and reference data control | 33 | | |
| Backup, integrity and continuity | 34 | | |

# Appendix H — Declaration

*About this document and the claims in it.*

This compendium describes the QASWA ERP platform as presented for evaluation. Capability statements reflect the modules, screens, reports, controls and services present in the product. Items not yet delivered are collected in chapter 37 rather than mixed into the description of current functionality, so that commercial commitments can be made from an accurate baseline.

Figures quoted in this document — fifty-eight modules, four hundred and sixty-nine data domains, one hundred and seven AI services, more than thirty voucher books, twenty-six reference lists, twelve numbered document families, thirty-three hundred permission points, eleven exportable statement sets and nineteen standard reports in the report centre — describe the platform as configured for a full installation. A particular deployment may hold more or fewer entries in any list, because voucher books, currencies, lookup values, categories, roles and permissions are all maintainable by the operating organisation.

Nothing in this document constitutes a warranty of fitness for a particular business process. Process fit should be confirmed during evaluation using Appendix G, against your own documents and data. Legal, tax and statutory obligations remain the responsibility of the operating organisation and its advisers; the platform provides the controls, records and evidence that make compliance practical.

| | |
|---|---|
| **Prepared by** | QASWA Product Office |
| **Document** | QASWA ERP — Product and Feature Compendium |
| **Edition** | Release 2.0 |
| **Issued** | October 2026 |
| **Classification** | Commercial in confidence |
| **Contact** | QASWA — available on request from your account lead |

*End of compendium.*