## Assignment 07 DM LAB

Abhilasha Jolly 20223008

## Objective 1: To design a tree-based machine learning algorithm and preprocess input dataset into a compatible format for the algorithm


## Outcome:


Students will able to learn various preprocessing techniques, design fit functions to train the model on the input dataset, and then apply the trained model for predicting unseen\unknown data into appropriate class label


Load vehicle0.dat file in Data Frame using pandas.read\_csv ("vehicle.csv") and prepare a user defined decision tree module. Make suitable preprocessing in the data dataset if required.

- Compute the split point for each attribute in the dataset using the following strategies: a. Information Gain
  - b. Gini Indexs
  - c. Gain Ratio
- Design module for creating the decision tree and its representation in graphical format for the following cases:
  - Binary Tree (each node split into exactly two branches).
  - General Tree (each node may split into more than two branches depending on count nominal labels corresponding attributes).
- Design module which predicts the class label of unknown and unseen data using tree traversal or any other techniques.

(General structure of standard machine learning-based model)







へ 🖫 🕪 ENG

Ħŧ

Type here to search

```
def gain_ratio(X_feature, y):
                total_entropy = entropy(y)
Q
                values, counts = np.unique(X_feature, return_counts=True)
                weighted_entropy = sum((counts[i] / len(X_feature)) * entropy(y[X_feature == values[i]]) for i in range(len(valu
                info_gain = total_entropy - weighted_entropy
                split_info = -sum((counts[i] / len(X_feature)) * np.log2(counts[i] / len(X_feature)) for i in range(len(values))
                return info_gain / (split_info + 1e-9) if split_info != 0 else 0
            # Compute split points using different strategies
            for col in X_train.columns:
                print(f"Feature: {col}")
                print(f" - Gain Ratio: {gain_ratio(X_train[col], y_train)}")
                print(f" - Gini Index: {gini_index(y_train)}")
                print(f" - Information Gain: {entropy(y_train) - entropy(X_train[col])}")
            # Decision Tree using Gini Index (Binary Tree)
            clf_gini = DecisionTreeClassifier(criterion='gini', random_state=42)
            clf_gini.fit(X_train, y_train)
            # Decision Tree using Entropy (Binary Tree)
            clf_entropy = DecisionTreeClassifier(criterion='entropy', random_state=42)
            clf_entropy.fit(X_train, y_train)
            # Visualizing the Binary Decision Tree
                                                                                               Activate Windows
            plt.figure(figsize=(12, 8))
            nlot tree(clf entrony filled=True feature names=X columns class names=[str(cls) for cls in clf entrony classes 1)

√ 39s

                                                        completed at 15:01
```


Ħ

IIII

へ 🖫 🕪 ENG


# Function to compute Gain Ratio

Type here to search



02-04-2025

Type here to search



→ Feature: name

- Gain Ratio: 0.07822694837075536 - Gini Index: 0.5061743122066724 - Information Gain: -8.385428871152778

Feature: year

- Gain Ratio: 0.05929013446966879 - Gini Index: 0.5061743122066724

- Information Gain: -2.6501027028505946

Feature: selling price

- Gain Ratio: 0.046048005126676846 - Gini Index: 0.5061743122066724 - Information Gain: -6.024348224173581

Feature: km driven

- Gain Ratio: 0.06016825001278412

Cini Indov. A FACITATIONSCITA

Activate Windows

Go to Settings to activate Window

completed at 15:01 √ 39s

Feature: km\_driven

- Gain Ratio: 0.06016825001278412 - Gini Index: 0.5061743122066724 - Information Gain: -5.62018614442556

Feature: fuel

- Gain Ratio: 0.004323368686332767 - Gini Index: 0.5061743122066724

- Information Gain: 0.20780283240842934


Feature: seller\_type

- Gain Ratio: 0.07276763031488259 - Gini Index: 0.5061743122066724 - Information Gain: 0.399905284808606

Feature: transmission

- Gain Ratio: 0.013356167434804667 - Gini Index: 0.5061743122066724

- Information Gain: 0.8408520297497707



Ш X <del>\_\_\_\_\_</del> Binary Decision Tree Predictions: [2 0 0 0 0] General Decision Tree Structure: {np.int64(0): np.int64(2), np.int64(1): np.int64(1), n 0 0 0 0 0 0 0 4 4 0 4 0 0 4 0 0 0 2 0 0 1 0 0 4 0 0 0 2 0 0 2 0 0 2 2 0 2000000002440000002000000000000000 0 0 0 0 2 0 0 0 0 0 0 2 0 0 0 0 0 2 0 0 0 2 2 0 0 0 0 2 2 2 0 0 0 0 2 0 0 0 0 0 0 0 2 2 2 2 0 0 0 0 2 0 2 2 1 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 0 0 2 1000 **3 0 0 0 0 0 0 2** Settings to activate Windows. 0000000020002000000024000040 200000000020002001