



Comment	Description	Designator	Footprint	LibRef	Quantity
10uF	WCAP-CSGP		·		
	Multilayer Ceramic		WCAP-		
	Chip Capacitor,	C1	CSGP_0805_H=0.6mm	885012007010	1
	General Purpose, size		_Reflow		
	0805, NPO, 10pF, 16V		_		
NM	WCAP-CSGP				
	Multilayer Ceramic		WCAP-		
	Chip Capacitor,	C2, C4	CSGP_0805_H=0.6mm	885012007010	2
	General Purpose, size		_Reflow		
	0805, NP0, 10pF, 16V				
4.7uF	WCAP-CSGP				
	Multilayer Ceramic		WCAP-		
	Chip Capacitor,	C3	CSGP_0805_H=0.6mm	885012007010	1
	General Purpose, size		_Reflow		
	0805, NPO, 10pF, 16V		_		
Red, 2V, 140°	WL-SMCD Mono-				
	color Chip LED	D4	14# 0140D 0400	1500/00055040	
	Diffused, SMT, size	D1	WL-SMCD_0603	150060RS55040	1
	0603, Red, 2V, 140°				
3V3/0.5W	DIODE ZENER 22V	D74 D70	00000		
	500MW SOD80C	DZ1, DZ2	SOD80	SOD80_zener	2
613003143121	WR-PHD Socket				
	Header, THT, Angled,		(40000440404	(40000440404	
	pitch 2.54mm, 1 Row,	J1	613003143121	613003143121	1
	3P				
61300411121	WR-PHD Pin Header,				
	THT, Vertical, pitch	P1, P3	61300411121	61300411121	2
	2.54mm, 1 Row, 4P				
100K	SMD Resistor	R1, R6, R7, R9	SM/R_1206	SMRes	4
OR	SMD Resistor	R2, R3, R12, R13	SM/R_1206	SMRes	4
1K	SMD Resistor	R4, R14, R16	SM/R_1206	SMRes	3
NM	SMD Resistor	R5, R10, R15	SM/R_1206	SMRes	3
220R	SMD Resistor	R8	SM/R_1206	SMRes	1
9K	SMD Resistor	R11	SM/R_1206	SMRes	1
65R	SMD Resistor	R17	SM/R_0805	SMRes	1
LM2904D	Low-Power Dual	U1, U2	SO8_N	LM2002D	2
	Voltage Comparator	01,02	308_IV	LM2903D	2
	STMICROELECTRONIC				
	S - TL431AIL3T -				
	Voltage Reference,				
TL431AIL3T	AEC-Q100, Shunt -	U6	SOT23-3_N	TL431AIL3T	1
	Adjustable, 2.5V to				
	36V, 1 % Ref, SOT-23-				
	3				