

Allure Report Overview

This test report was generated using Allure to demonstrate the results of my automated UI and API test cases. It includes BDD-style test execution using Behave and covers multiple test scenarios, including edge cases and negative validations.



Test Cases Overview (Behaviors Tab)



Example of a Failed Test Case

User Authentication: Verify login with invalid combinations of email and password

Failed Verify login with invalid combinations of email and password -- @1.3

Overview

History

Retries

AssertionError: AssertionError: Expected 'Warning: No match for E-Mail Address and/or Password.', but got 'Warning: Your account has exceeded allowed number of login attempts. Please try again in 1 hour.'

Tags: browser

Categories: Product defects

Severity: normal

Duration: @ 7s 034ms

Parameters

email: EMPTY password: EMPTY

Execution

Test body

Given I open the OpenCart login page

980ms

When I enter email "EMPTY" and password "EMPTY" in the login form

290ms

And I submit the login form

198ms

▼Then I should see an error message saying "Warning: No match for E-Mail Address and/or Password."

634ms

AssertionError: AssertionError: Expected 'Warning: No match for E-Mail Address and/or Password.', but got 'Warning: Your account has exceeded allowed number of login attempts. Please try again in 1 hour.'

Example of a Passed Test Case

4 Verify Product Search API Functionality: Search for a product sending empty keyword

Passed Search for a product sending empty keyword

Overview History Retries

Tags: search_products_api

Severity: normal

Duration: @ 722ms

Execution

✓ Test body

Given I have a valid API endpoint and empty keyword for product search

716ms

When I send a request to the product search APIThen the API should return a successful response

0s

0s

And the response data should be empty

4ms