1)

Text answer | Consider the following program for computing factorial numbers:

```
long fact(int n) {
// precondition:
sassert(n >= 0);
long f = 1;
for (long i = 1; i <= n; ++i) {
    f = i * f;
}
return f;
}</pre>
```

Provide your answers to the following questions in a plain text file:

(a) How many arithmetic operations (+, -, \*, /) are required to compute fact (5)?

For at beregne fact(5) kræves i alt 10 aritmetiske operationer. Dette betyder fem multiplikationer og fem øgelser af variablen i.

Udregningen ser således ud:

- 1 \* 1 = 1
- 1 \* 2 = 2
- 2 \* 3 = 6
- 6 \* 4 = 24
- 24 \* 5 = 120

Antallet af operationer opnås så ved at vi bruger multiplikation operatoren \* fem gange og tælleren i øges 5 gange (i++ udføres fem gange)

(b) How many arithmetic operations (+, -, \*, /) are required to compute fact(n) for any positive integer n?

For at beregne fact(n) kræves 2 \* n aritmetiske operationer. Dette skyldes, at vi har brug for n multiplikationer (én for hver faktor i rækken 1 til n) og n additioner for at øge tælleren i. Samlet set kan vi derfor skrive:

Antal aritmetiske operationer = 2 \* n