
Causal frameworks and framing causal problems

Gherardo Varando

IPL 04 May 2023

Summary of last session

- statistical models
- ► BN/DAG, d-separation and conditional independences



Causal models desiderata

- ► Represent data, similar to a statistical model
- Model what happen when changes/experiment/interventions
- Reason on and explore the causal relationships
- Represent causal relationships

Causal regression models

- ▶ given a regression model $Y = f(X, \varepsilon)$ we could interpret this as a causal model
- ▶ in the sense that we imagine the physical/true generating process to be modeled by this equation

Causal regression models

- ▶ given a regression model $Y = f(X, \varepsilon)$ we could interpret this as a causal model
- ▶ in the sense that we imagine the physical/true generating process to be modeled by this equation
- ▶ If we make *experiments* by changing the value of X we know that the associated value for Y is generated accordingly to $f(X, \varepsilon)$

Structural Causal Models

Definition [Peters et al., 2017]

A SCM over variables X_1, \ldots, X_p with noise variables $\varepsilon_1, \ldots, \varepsilon_p$ is a collection of **structural assignments**:

$$X_i = f_i(X_{pa(i)}, \varepsilon_i)$$

where ε_i are assumed jointly independent and f_i are fixed deterministic functions.

- \triangleright $X_{pa(i)}$ are called the parents or the **direct causes** of X_i
- \blacktriangleright we say X_i is a direct effect of its direct causes
- ightharpoonup we assume the associated graph G to be a DAG

Structural Causal Models

Definition [Peters et al., 2017]

A SCM over variables X_1, \ldots, X_p with noise variables $\varepsilon_1, \ldots, \varepsilon_p$ is a collection of **structural assignments**:

$$X_i = f_i(X_{pa(i)}, \varepsilon_i)$$

where ε_i are assumed jointly independent and f_i are fixed deterministic functions.

- \triangleright $X_{pa(i)}$ are called the parents or the **direct causes** of X_i
- \blacktriangleright we say X_i is a direct effect of its direct causes
- ightharpoonup we assume the associated graph G to be a DAG
- ▶ A SCM defines a unique distribution P over the variables X_1, \ldots, X_p

Structural Causal Models

Definition [Peters et al., 2017]

A SCM over variables X_1, \ldots, X_p with noise variables $\varepsilon_1, \ldots, \varepsilon_p$ is a collection of **structural assignments**:

$$X_i = f_i(X_{pa(i)}, \varepsilon_i)$$

where ε_i are assumed jointly independent and f_i are fixed deterministic functions.

- \triangleright $X_{pa(i)}$ are called the parents or the **direct causes** of X_i
- \blacktriangleright we say X_i is a direct effect of its direct causes
- ightharpoonup we assume the associated graph G to be a DAG
- ▶ A SCM defines a unique distribution P over the variables X_1, \ldots, X_p
- \blacktriangleright (G, P) is a Bayesian network

▶ given a SCM we define an experiment, or intervention when we replace one or several of the structural assignments to obtain a new SCM

- given a SCM we define an experiment, or intervention when we replace one or several of the structural assignments to obtain a new SCM
- ► the interventional distribution under this change is the new entailed probability distribution defined by the new SCM

- given a SCM we define an experiment, or intervention when we replace one or several of the structural assignments to obtain a new SCM
- ▶ the interventional distribution under this change is the new entailed probability distribution defined by the new SCM
- ▶ e.g if changing one of the assignment (for X_k) we can write $P^{do(X_k = \tilde{f}_k(X_{\tilde{p}a(k)}, \tilde{\epsilon}))}$ the new interventional distribution
- ▶ sometimes you can find $P(\cdot|do())$

- given a SCM we define an experiment, or intervention when we replace one or several of the structural assignments to obtain a new SCM
- ► the interventional distribution under this change is the new entailed probability distribution defined by the new SCM
- ▶ e.g if changing one of the assignment (for X_k) we can write $P^{do(X_k = \tilde{f}_k(X_{\tilde{p}\tilde{a}(k)}, \tilde{\varepsilon}))}$ the new interventional distribution
- ▶ sometimes you can find $P(\cdot|do())$
- we say there is a **total causal effect** from X to Y in a SCM if and only if there exist a random variable \tilde{N} such that

$$X \not\perp \!\!\! \perp Y$$
 in $P^{do(X=\tilde{N})}$

- ➤ SCM defines an **observational distribution** plus **interventional distributions** for each of the possible interventions
- ► The set of observational and interventional distributions can also be represented with a Causal BN

- ► SCM defines an **observational distribution** plus **interventional distributions** for each of the possible interventions
- ► The set of observational and interventional distributions can also be represented with a Causal BN
- but SCMs allow an additional causal reasoning step: counterfactuals

Counterfactual statements

▶ Given some observed state/event, what would have happened if ... ?

Counterfactual statements

- ▶ Given some observed state/event, what would have happened if ... ?
- ▶ I have headache, I take aspirin and one hour later the pain disappear. Would the pain had disappeared if I had not taken aspirin?

Counterfactual statements

- Given some observed state/event, what would have happened if ... ?
- ► I have headache, I take aspirin and one hour later the pain disappear. Would the pain had disappeared if I had not taken aspirin?
- ▶ this is different from interventions since we are not just doing an experiment, but rather imagining interventions for alternative worlds, that is alternative ways the system could have evolved but conditioning on everything else being the same

Counterfactuals in SCM

- SCMs allow the computation of counterfactual probabilities
- ► Counterfactual statements can be seen as intervention/do-statements in a counterfactual SCM which is obtained from an initial SCM by replacing the noise distribution with $P(\varepsilon|X=x)$

Counterfactuals in SCM

- SCMs allow the computation of counterfactual probabilities
- ► Counterfactual statements can be seen as intervention/do-statements in a counterfactual SCM which is obtained from an initial SCM by replacing the noise distribution with $P(\varepsilon|X=x)$
- ► SCM can induce same observational and interventional distribution (Causal BN) but different counterfactuals

Example from Peters et al. [2017]

Example 6.19 Let $N_1, N_2 \sim \text{Ber}(0.5)$, and $N_3 \sim \text{U}(\{0,1,2\})$, such that the three variables are jointly independent. That is, N_1, N_2 have a Bernoulli distribution with parameter 0.5 and N_3 is uniformly distributed on $\{0,1,2\}$. We define two different SCMs. First consider \mathfrak{C}_A :

$$X_1 := N_1$$

 $X_2 := N_2$
 $X_3 := (1_{N_1 > 0} \cdot X_1 + 1_{N_1 = 0} \cdot X_2) \cdot 1_{X_1 \neq X_2} + N_3 \cdot 1_{X_1 = X_2}.$

If X_1 and X_2 have different values, depending on N_3 we either choose $X_3 = X_1$ or $X_3 = X_2$. Otherwise $X_3 = N_3$. Now, \mathfrak{C}_B differs from \mathfrak{C}_A only in the latter case:

$$\begin{split} X_1 &:= N_1 \\ X_2 &:= N_2 \\ X_3 &:= (1_{N_3 > 0} \cdot X_1 + 1_{N_3 = 0} \cdot X_2) \cdot 1_{X_1 \neq X_2} + (2 - N_3) \cdot 1_{X_1 = X_2}. \end{split}$$

Both SCMs entail the same observational distribution; and for any possible intervention they entail the same intervention distributions, too. But the two models differ in a counterfactual statement. Suppose, we have made an observation $(X_1, X_2, X_3) = (1, 0, 0)$ and we are interested in the counterfactual question "what would X_3 have been if X_1 had been 0?" From both SCMs, it follows that $N_3 = 0$, and thus the two SCMs \mathfrak{C}_A and \mathfrak{C}_B "predict" different values for X_3 under a counterfactual change of X_1 (namely 0 and 2, respectively).

Pearl Causal Hierarchy (PCH)

	Layer (Symbolic)	Typical Activity	Typical Question	Example	Machine Learning
\mathcal{L}_1	Associational $P(y x)$	Seeing	What is? How would seeing <i>X</i> change my belief in <i>Y</i> ?	What does a symptom tell us about the disease?	Supervised / Unsupervised Learning
\mathcal{L}_2	Interventional $P(y do(x),c)$	Doing	What if? What if I do X?	What if I take aspirin, will my headache be cured?	Reinforcement Learning
\mathcal{L}_3	Counterfactual $P(y_x x',y')$	Imagining	Why? What if I had acted differently?	Was it the aspirin that stopped my headache?	

Table 1.1: Pearl's Causal Hierarchy.

Potential outcomes - Counterfactual model

- consider a binary treatment variable A (1: treated, 0: untreated)
- ▶ and a binary **outcome** *Y* (1: death, 0: survival)
- ► A, Y are random variables that take possible different values for each individual

Potential outcomes - Counterfactual model

- consider a binary treatment variable A (1: treated, 0: untreated)
- ▶ and a binary **outcome** *Y* (1: death, 0: survival)
- ► A, Y are random variables that take possible different values for each individual
- ▶ denote with $Y^{a=1}$ (Y under treatment a=1) the outcome variable that would have been observed under treatment a=1, and similarly $Y^{a=0}$
- ► Y^{a=1} and Y^{a=0} are called **potential outcomes** or **counterfactual outcomes**

Potential outcomes - Counterfactual model

- consider a binary treatment variable A (1: treated, 0: untreated)
- ▶ and a binary **outcome** *Y* (1: death, 0: survival)
- ► A, Y are random variables that take possible different values for each individual
- ▶ denote with $Y^{a=1}$ (Y under treatment a=1) the outcome variable that would have been observed under treatment a=1, and similarly $Y^{a=0}$
- ► Y^{a=1} and Y^{a=0} are called **potential outcomes** or **counterfactual outcomes**
- for each individual, only one of the potential outcomes if actually observed/factual.

$$Y = Y^{a=A}$$
 (consistency equation)

Causal effects

Definition

Individual causal effects The treatment A has a causal effect on an individual's outcome Y if $Y^{a=1} \neq Y^{a=0}$

Definition

Average causal effects An average causal effect of treatment A on outcome Y is present if

$$P(Y^{a=1}=1) \neq P(Y^{a=0}=1)$$

► Granger causality

- Granger causality
- ► Causal interpretation of dynamical system, ODE and SDE [Mooij et al., 2013, Peters et al., 2022, Hansen and Sokol, 2014]

- Granger causality
- ► Causal interpretation of dynamical system, ODE and SDE [Mooij et al., 2013, Peters et al., 2022, Hansen and Sokol, 2014]
- ➤ Cyclic causal models [Hyttinen et al., 2012, Bongers et al., 2016]

- ► Granger causality
- ► Causal interpretation of dynamical system, ODE and SDE [Mooij et al., 2013, Peters et al., 2022, Hansen and Sokol, 2014]
- ► Cyclic causal models [Hyttinen et al., 2012, Bongers et al., 2016]
- ► Equilibrium models [Young et al., 2019, Varando and Hansen, 2020]

- ► Granger causality
- ► Causal interpretation of dynamical system, ODE and SDE [Mooij et al., 2013, Peters et al., 2022, Hansen and Sokol, 2014]
- ► Cyclic causal models [Hyttinen et al., 2012, Bongers et al., 2016]
- ► Equilibrium models [Young et al., 2019, Varando and Hansen, 2020]
- ▶ Dynamic Causal Models (DCM) [Friston et al., 2003]

- ► Granger causality
- ► Causal interpretation of dynamical system, ODE and SDE [Mooij et al., 2013, Peters et al., 2022, Hansen and Sokol, 2014]
- ► Cyclic causal models [Hyttinen et al., 2012, Bongers et al., 2016]
- ► Equilibrium models [Young et al., 2019, Varando and Hansen, 2020]
- Dynamic Causal Models (DCM) [Friston et al., 2003]
- ► Local Independence Graphs [Didelez, 2006, Mogensen and Hansen, 2020]

Causal problems

► Discovering causal relationships (causal discovery)

Causal problems


- ► Discovering causal relationships (causal discovery)
- ► Estimating causal effects (causal inference)

Causal problems

- ► Discovering causal relationships (causal discovery)
- ► Estimating causal effects (causal inference)
- Exploiting causal information in ML/prediction/forecasting/RL


Causal Discovery

► Which are the regions most affected by ENSO?




Causal Discovery

- ▶ Which are the regions most affected by ENSO?
- ► Which are the causal drivers and the causal relationships involving food insecurity?



- ► Which are the regions most affected by ENSO?
- ► Which are the causal drivers and the causal relationships involving food insecurity?
- ► Retrieve the reaction network between genes and proteins from single-cell data



► Learn the structure/graph of the causal relationships between variables


- ► Learn the structure/graph of the causal relationships between variables
- ▶ If only two variables are considered: bivariate causal discovery

- ► Learn the structure/graph of the causal relationships between variables
- ▶ If only two variables are considered: bivariate causal discovery
- ▶ it always require assumptions


- ► Learn the structure/graph of the causal relationships between variables
- ▶ If only two variables are considered: bivariate causal discovery
- ▶ it always require assumptions
- can use only observational data, or even interventions

- ► Learn the structure/graph of the causal relationships between variables
- ▶ If only two variables are considered: bivariate causal discovery
- ▶ it always require assumptions
- can use only observational data, or even interventions
- usually the output is not a complete description of the causal relationships (depends on the assumptions, the type of data etc..)


► Estimate the strength of the effect of ENSO on vegetation greenness



- ► Estimate the strength of the effect of ENSO on vegetation greenness
- ► How effective are humanitarian actions to fight food insecurity?



- ► Estimate the strength of the effect of ENSO on vegetation greenness
- ► How effective are humanitarian actions to fight food insecurity?
- What is the effect of radiation on NEE/GPP? Or the effect of temperature on RECO?



► Estimate average treatment effect (ATE) or conditional average treatment effect (CATE)

- ► Estimate average treatment effect (ATE) or conditional average treatment effect (CATE)
- ► Usually provide confidence intervals and/or test hypothesis

- Estimate average treatment effect (ATE) or conditional average treatment effect (CATE)
- Usually provide confidence intervals and/or test hypothesis
- Consider possible biases: confounding, selection biases, estimation biases

Causal ML

- ► Spurious relationships
- ► Causal representation learning
- ► Causal feature extraction/ feature selection
- robustness to intervention
- causal XAI
- Causal RL

,

- Elias Bareinboim, Juan D Correa, Duligur Ibeling, and Thomas Icard. On pearl's hierarchy and the foundations of causal inference. In *Probabilistic and causal inference: the works of judea pearl*, pages 507–556. 2022.
- Stephan Bongers, Jonas Peters, Bernhard Schölkopf, and Joris M Mooij. Theoretical aspects of cyclic structural causal models. arXiv preprint arXiv:1611.06221, 2016.
- V Didelez. Asymmetric separation for local independence graphs. In 23rd Annual Conference on Uncertainty in Artifical Intelligence, 2006.
- Karl J Friston, Lee Harrison, and Will Penny. Dynamic causal modelling. *Neuroimage*, 19(4):1273–1302, 2003.
- Niels Hansen and Alexander Sokol. Causal interpretation of stochastic differential equations. 2014.
- MA Hernán and JM Robins. *Causal Inference: What If.* Boca Raton: Chapman & Hall/CRC, 2020.

- Antti Hyttinen, Frederick Eberhardt, and Patrik O Hoyer. Learning linear cyclic causal models with latent variables. *The Journal of Machine Learning Research*, 13(1):3387–3439, 2012.
- Jean Kaddour, Aengus Lynch, Qi Liu, Matt J Kusner, and Ricardo Silva. Causal machine learning: A survey and open problems. arXiv preprint arXiv:2206.15475, 2022.
- Søren Wengel Mogensen and Niels Richard Hansen. Markov equivalence of marginalized local independence graphs. 2020.
- Joris M Mooij, Dominik Janzing, and Bernhard Schölkopf. From ordinary differential equations to structural causal models: the deterministic case. *arXiv preprint arXiv:1304.7920*, 2013.
- Jonas Peters, Dominik Janzing, and Bernhard Schölkopf. *Elements of causal inference: foundations and learning algorithms*. The MIT Press, 2017.
- Jonas Peters, Stefan Bauer, and Niklas Pfister. Causal models for dynamical systems. In *Probabilistic and Causal Inference: The Works of Judea Pearl*, pages 671–690. 2022.

Gherardo Varando and Niels Richard Hansen. Graphical continuous lyapunov models. In *Conference on Uncertainty in Artificial Intelligence*, pages 989–998. PMLR, 2020.

Larry Wasserman. All of statistics: a concise course in statistical inference, volume 26. Springer, 2004.William Chad Young, Ka Yee Yeung, and Adrian E Raftery.

Identifying dynamical time series model parameters from equilibrium samples, with application to gene regulatory networks. *Statistical modelling*, 19(4):444–465, 2019.