

STUDY DESIGN

A raw data set was downloaded from

<https://d396qusza40orc.cloudfront.net/getdata%2Fprojectfiles%2FUCI%20HAR%20Dataset.zip>

The raw data set consists of positional measurements taken for 30 subjects while they were performing one of six activities

The subjects are identified by unique number (1 to 30)

The activities they engaged in consisted of (WALKING, WALKING_UPSTAIRS, WALKING_DOWNSTAIRS, SITTING, STANDING, LAYING)

The positional measurements consist of sensor signals (accelerometer and gyroscope) that were recorded by a smart phone the subjects carried during these activities

The values of the positional measurements denote the following kinds of information:

Triaxial acceleration from the accelerometer (total acceleration) and the estimated body acceleration.

Triaxial Angular velocity from the gyroscope.

The raw data set consist of 561 measurement values for each subject for each activity. From this raw data set, only the 86 values indicating averages or standard deviations for measurements were extracted into the tidy data set

The raw data set separated subject identifiers and the measurement data into separate files. The tidy data set merges these into a single file.

The raw data set normalized data by using identifier codes (1 through 6) for the activities (WALKING, WALKING_UPSTAIRS, WALKING_DOWNSTAIRS, SITTING, STANDING, LAYING). The tidy data set replaces the lookup codes with the more "friendly" labels for these activities.

CODE
BOOK:

Column Number	Column Name	Data Type	Possible Values
1	subject	integer	1 to 30
2	activity	character	WALKING WALKING_UPSTAIRS WALKING_DOWNSTAIRS SITTING STANDING LAYING
3	tBodyAcc-mean()-X	number	-1 to 1

4	tBodyAcc-mean()-Y	number	-1 to 1
5	tBodyAcc-mean()-Z	number	-1 to 1
6	tBodyAcc-std()-X	number	-1 to 1
7	tBodyAcc-std()-Y	number	-1 to 1
8	tBodyAcc-std()-Z	number	-1 to 1
9	tGravityAcc-mean()-X	number	-1 to 1
10	tGravityAcc-mean()-Y	number	-1 to 1
11	tGravityAcc-mean()-Z	number	-1 to 1
12	tGravityAcc-std()-X	number	-1 to 1
13	tGravityAcc-std()-Y	number	-1 to 1
14	tGravityAcc-std()-Z	number	-1 to 1
15	tBodyAccJerk-mean()-X	number	-1 to 1
16	tBodyAccJerk-mean()-Y	number	-1 to 1
17	tBodyAccJerk-mean()-Z	number	-1 to 1
18	tBodyAccJerk-std()-X	number	-1 to 1
19	tBodyAccJerk-std()-Y	number	-1 to 1
20	tBodyAccJerk-std()-Z	number	-1 to 1
21	tBodyGyro-mean()-X	number	-1 to 1
22	tBodyGyro-mean()-Y	number	-1 to 1
23	tBodyGyro-mean()-Z	number	-1 to 1
24	tBodyGyro-std()-X	number	-1 to 1
25	tBodyGyro-std()-Y	number	-1 to 1
26	tBodyGyro-std()-Z	number	-1 to 1
27	tBodyGyroJerk-mean()-X	number	-1 to 1
28	tBodyGyroJerk-mean()-Y	number	-1 to 1
29	tBodyGyroJerk-mean()-Z	number	-1 to 1
30	tBodyGyroJerk-std()-X	number	-1 to 1
31	tBodyGyroJerk-std()-Y	number	-1 to 1
32	tBodyGyroJerk-std()-Z	number	-1 to 1
33	tBodyAccMag-mean()	number	-1 to 1
34	tBodyAccMag-std()	number	-1 to 1
35	tGravityAccMag-mean()	number	-1 to 1
36	tGravityAccMag-std()	number	-1 to 1
37	tBodyAccJerkMag-mean()	number	-1 to 1
38	tBodyAccJerkMag-std()	number	-1 to 1
39	tBodyGyroMag-mean()	number	-1 to 1
40	tBodyGyroMag-std()	number	-1 to 1
41	tBodyGyroJerkMag-mean()	number	-1 to 1
42	tBodyGyroJerkMag-std()	number	-1 to 1
43	fBodyAcc-mean()-X	number	-1 to 1
44	fBodyAcc-mean()-Y	number	-1 to 1
45	fBodyAcc-mean()-Z	number	-1 to 1
46	fBodyAcc-std()-X	number	-1 to 1

47	fBodyAcc-std()-Y	number	-1 to 1
48	fBodyAcc-std()-Z	number	-1 to 1
49	fBodyAcc-meanFreq()-X	number	-1 to 1
50	fBodyAcc-meanFreq()-Y	number	-1 to 1
51	fBodyAcc-meanFreq()-Z	number	-1 to 1
52	fBodyAccJerk-mean()-X	number	-1 to 1
53	fBodyAccJerk-mean()-Y	number	-1 to 1
54	fBodyAccJerk-mean()-Z	number	-1 to 1
55	fBodyAccJerk-std()-X	number	-1 to 1
56	fBodyAccJerk-std()-Y	number	-1 to 1
57	fBodyAccJerk-std()-Z	number	-1 to 1
58	fBodyAccJerk-meanFreq()-X	number	-1 to 1
59	fBodyAccJerk-meanFreq()-Y	number	-1 to 1
60	fBodyAccJerk-meanFreq()-Z	number	-1 to 1
61	fBodyGyro-mean()-X	number	-1 to 1
62	fBodyGyro-mean()-Y	number	-1 to 1
63	fBodyGyro-mean()-Z	number	-1 to 1
64	fBodyGyro-std()-X	number	-1 to 1
65	fBodyGyro-std()-Y	number	-1 to 1
66	fBodyGyro-std()-Z	number	-1 to 1
67	fBodyGyro-meanFreq()-X	number	-1 to 1
68	fBodyGyro-meanFreq()-Y	number	-1 to 1
69	fBodyGyro-meanFreq()-Z	number	-1 to 1
70	fBodyAccMag-mean()	number	-1 to 1
71	fBodyAccMag-std()	number	-1 to 1
72	fBodyAccMag-meanFreq()	number	-1 to 1
73	fBodyBodyAccJerkMag-mean()	number	-1 to 1
74	fBodyBodyAccJerkMag-std()	number	-1 to 1
75	fBodyBodyAccJerkMag-meanFreq()	number	-1 to 1
76	fBodyBodyGyroMag-mean()	number	-1 to 1
77	fBodyBodyGyroMag-std()	number	-1 to 1
78	fBodyBodyGyroMag-meanFreq()	number	-1 to 1
79	fBodyBodyGyroJerkMag-mean()	number	-1 to 1
80	fBodyBodyGyroJerkMag-std()	number	-1 to 1
81	fBodyBodyGyroJerkMag-meanFreq()	number	-1 to 1
82	angle(tBodyAccMean,gravity)	number	-1 to 1
83	angle(tBodyAccJerkMean,gravityMean)	number	-1 to 1
84	angle(tBodyGyroMean,gravityMean)	number	-1 to 1
85	angle(tBodyGyroJerkMean,gravityMean)	number	-1 to 1
86	angle(X,gravityMean)	number	-1 to 1
87	angle(Y,gravityMean)	number	-1 to 1
88	angle(Z,gravityMean)	number	-1 to 1