Introduction to Metadata in Dataverse Repositories

For Installation Administrators

April 15, 2025

Julian Gautier
IQSS, Harvard University

CC BY

What I'll be covering

1. Introduction
2. About metadata blocks
3. Configuration
4. Guidelines
5. Questions, survey, upcoming webinars

What I won’t be covering

- ✗ Metadata about collections and files
- ✗ “System-generated” metadata
- ✗ Displaying metadata fields in different languages (internationalization)
- ✗ Technical implementation details
- ✗ Possible and upcoming improvements



Introduce yourself in chat
Post questions in Q&A



Review Contributor Covenant Code of Conduct

- Use welcoming and inclusive language
- Respect differing viewpoints and experiences
- Gracefully accept constructive criticism
- Focus on what is best for the community
- Show empathy towards other community members

About me

- Working on Dataverse for about 9 years
- User experience researcher, informing design with qualitative and quantitative research
- Working on metadata design
- Working on curation and support team at Harvard Dataverse

By the end of the webinar




You should be able to use Dataverse's metadata features to make data more FAIR




I should be able to help improve our webinars, like this one, based on your feedback

Metadata blocks



Metadata blocks



What can we configure?

1. Creating metadata blocks
2. Creating dataset fields
3. Mapping dataset fields to fields in other metadata schemas
4. Naming fields in the Dataverse UI
5. Editing tooltip text
6. Adding watermarks
7. Controlling where fields appear
8. Making fields optional or required
9. Making fields searchable
10. Associating fields to each other
11. Letting users enter multiple values
12. Validating metadata that users enter

How can we configure it?

1. Metadata block TSV file
2. .properties file
3. External controlled vocabulary functionality
4. Graphical user interface settings
5. Dataverse API
6. Metadata export JAR files

Configuration

Creating metadata blocks

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1	#metadataBlock	name	dataverseAlias	displayName	blockURI															
2		citation		Citation Metad	https://dataverse.org/schema/citation/															
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI			
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title			
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution			
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation				
7		author	Author	The entity, e.g. a	person or org	none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator			
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation				
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation				
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme			
11		authorIdentif	Identifier	Uniquely identifies the author		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier			
12		datasetCont	Point of Contact	The entity, e.g. a	person or org	none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation				
13		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation				
14		datasetCont	Affiliation	The name of th	Organization)	text	14	(#VALUE)	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation				
15		datasetCont	E-mail	The point of co	name@email.:	email	15	#EMAIL	FALSE	FALSE	FALSE	FALSE	TRUE	TRUE	datasetCont	citation				
16		dsDescriptio	Description	A summary describing the pur		none	16		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation				
17		dsDescriptio	Text	A summary describing the pur		textbox	17	#VALUE	TRUE	FALSE	FALSE	FALSE	TRUE	TRUE	dsDescriptio	citation				
18		dsDescriptio	Date	The date when	YYYY-MM-DD	date	18	(#VALUE)	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	dsDescriptio	citation				
19	#controlledVocabulary	DatasetField	Value	identifier	displayOrder															
20		subject	Agricultural Scien	D01	0															
21		subject	Arts and Humanit	D0	1															
22		subject	Astronomy and A	D1	2															
23		subject	Business and Mar	D2	3															
24		subject	Chemistry	D3	4															
25																				

Configuration

#metadataBlock section

	A	B	C	D	E	F	G	H
1	#metadataBlock	name	dataverseAlias	displayName	blockURI			
2		citation		Citation Metad	https://dataverse.org/schema/citation/			
	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForm
		title	Title	The main title of the Dataset		text	0	
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#V
		otherId	Other Identifier	Another unique identifier for t	none		4	:
		datasetCont	Point of Contact	The entity, e.g. a person or org	none		12	
		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE
		datasetCont	Affiliation	The name of th	Organization)	text	14	(#VALUE)
		datasetCont	E-mail	The point of co	name@email.:	email	15	#EMAIL
		dsDescriptio	Description	A summary describing the pur	none		16	
		dsDescriptio	Text	A summary describing the pur	textbox		17	#VALUE
		dsDescriptio	Date	The date when	YYYY-MM-DD	date	18	(#VALUE)
	#controlledVocabulary	DatasetField	Value	identifier	displayOrder			
		subject	Agricultural Scien	D01	0			
		subject	Arts and Humanit	D0	1			
		subject	Astronomy and A	D1	2			
		subject	Business and Mar	D2	3			
		subject	Chemistry	D3	4			

1	#metadataBlock	name	dataverseAlias	displayName	blockURI		
2		citation		Citation Metad	https://dataverse.org/schema/citation/		

Configuration

#datasetField section

	#metadataBlock	name	dataverseAlias	displayName	blockURI													
		citation		Citation Metad	https://dataverse.org/schema/citation/													
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI	
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title	
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution	
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation		
7		author	Author	The entity, e.g. a	person or org	none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator	
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation		
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation		
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme	
11		authorIdentif	Identifier	Uniquely identifies the author		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier	
12		datasetCont	Point of Contact	The entity, e.g. a	person or org	none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation		
13		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation		
14		datasetCont	Affiliation	The name of th	Organization)	text	14	(#VALUE)	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation		
15		datasetCont	E-mail	The point of co	name@email.:	email	15	#EMAIL	FALSE	FALSE	FALSE	FALSE	TRUE	TRUE	datasetCont	citation		
16		dsDescriptio	Description	A summary describing the pur		none	16		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation		
17		dsDescriptio	Text	A summary describing the pur		textbox	17	#VALUE	TRUE	FALSE	FALSE	FALSE	TRUE	TRUE	dsDescriptio	citation		
18		dsDescriptio	Date	The date when	YYYY-MM-DD	date	18	(#VALUE)	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	dsDescriptio	citation		
	#controlledVocabulary	DatasetField	Value	identifier	displayOrder													
		subject	Agricultural Scien	D01	0													
		subject	Arts and Humanit	D0	1													
		subject	Astronomy and A	D1	2													
		subject	Business and Mar	D2	3													
		subject	Chemistry	D3	4													

Configuration

#controlledVocabulary section

#controlledVocabulary	DatasetField	Value	identifier	displayOrder
	subject	Agricultural Scien	D01	0
	subject	Arts and Humanit	D0	1
	subject	Astronomy and As	D1	2
	subject	Business and Mar	D2	3
	subject	Chemistry	D3	4

#controlledVocabulary	DatasetField	Value	identifier	displayOrder
	subject	Agricultural Scien	D01	0
	subject	Arts and Humanit	D0	1
	subject	Astronomy and As	D1	2
	subject	Business and Mar	D2	3
	subject	Chemistry	D3	4

Configuration


Creating dataset fields

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
		otherId	Other Identifier	Another unique identifier for t	none		4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
		author	Author	The entity, e.g. a person or org	none		7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator



Configuration


Creating dataset fields



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1	#metadataBlock	name	dataverseAlias	displayName	blockURI															
2		citation		Citation Metad	https://dataverse.org/schema/citation/															
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI			
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title			
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution			
		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation				
		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator			

Configuration

Mapping dataset fields




	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1	#metadataBlock	name	dataverseAlias	displayName	blockURI															
2		citation		Citation Metad	https://dataverse.org/schema/citation/															
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI			
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title			
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution			
		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation				
		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator			

termURI for “title” field

https://dataverse.org/schema/citation/title

Configuration

Mapping dataset fields




	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
1	#metadataBlock	name	dataverseAlias	displayName	blockURI															
2		citation		Citation Metad	https://dataverse.org/schema/citation/															
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI			
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title			
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution			
		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation				
		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator			

termURI for “title” field

~~https://dataverse.org/schema/citation/title~~

https://purl.org/dc/terms/title

Mapping dataset fields



Dataverse Project About Community Best Practices Software Contact

Metadata Export Formats

Contents:

- Introduction
- Exporter Basics
- Building an Exporter
- Specifying a Prerequisite Export

Introduction

Dataverse ships with a number of metadata export formats available for published datasets. A given metadata export format may be available for user download (via the UI and API) and/or be available for use in Harvesting between Dataverse instances.

As of v5.14, Dataverse provides a mechanism for third-party developers to create new metadata Exporters than implement new metadata formats or that replace existing formats. All the necessary dependencies are packaged in an interface JAR file available from Maven Central. Developers can distribute their new Exporters as JAR files which can be dynamically loaded into Dataverse instances - see External Metadata Exporters. Developers are encouraged to work with the core Dataverse team (see Getting Help) to distribute these JAR files via Maven Central. See the Croissant and Debug artifacts as examples. You may find other examples under Inventory of External Exporters in the Installation Guide.


Exporter Basics

New Exports must implement the `io.gdcc.spi.export.Exporter` interface. The interface includes a few methods for the Exporter to provide Dataverse with the format it produces, a display name, format mimetype, and whether the format is for download and/or harvesting use, etc. It also includes a main `exportDataset(ExportDataProvider dataProvider, OutputStream outputStream)` method through which the Exporter receives metadata about the given dataset (via the `ExportDataProvider`, described further below)


Configuration

Naming fields in the Dataverse UI

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator




Naming fields in the Dataverse UI



Configuration

Editing tooltip text

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
		alternativeUI	Alternative URL	Anoth	URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
		otherId	Other Identifier	Anothe	unique identifier for t	none		4		FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	




Editing tooltip text



Configuration


Adding watermarks


	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title o		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	




Adding watermarks






“Great things are done by a series of small things brought together.”
Vincent Van Gogh

Installation versus collection configuration



Container for your **Datasets** and/or **Collections***


* Collections can contain other Collections

Configuration

Controlling where fields appear

Dataset create and edit pages


“Dataset create” page




Controlling where fields appear

Dataset create and edit pages

“Dataset create” page



“Dataset edit” page



Controlling where fields appear

Dataset create and edit pages

Users must fill required metadata fields to create a dataset

>


Required fields always appear on the “dataset create” page

Configuration

Controlling where fields appear

Display order

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
		otherId	Other Identifier	Another unique	identifierFort	none	4		FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	




Configuration

Making fields optional or required

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique	identifier for t	none	4		FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	

“Dataset create” page




Configuration

Making fields optional or required

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4		FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	

“Dataset create” page




Configuration

Making fields optional or required

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4		FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	

“Dataset create” page




Configuration


Making fields optional or required

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4		FALSE	FALSE	TRUE	FALSE	FALSE			citation	

“Dataset create” page



“Dataset edit” page




Configuration


Making fields optional or required

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme
11		authorIdentif	Identifier	Uniquely identifies the autho		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier


“Dataset create” page



Making fields optional or required



Making fields optional or required



Making fields optional or required

[Update Collection Input Levels](#)

Parameters:

- `datasetFieldTypeName` : Name of the metadata field
- `required` : Whether the field is required (boolean)
- `include` : Whether the field is included (boolean)
- `displayOnCreate` (optional): Whether the field is displayed during dataset creation, even when not required (boolean)

```
export API_TOKEN=xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx
export SERVER_URL=https://demo.dataverse.org
export ID=root
export JSON='[{"datasetFieldTypeName":"geographicCoverage", "required":true, "include":true}, {"datasetFi
eldTypeName":"country", "required":true, "include":true}]'

curl -X PUT -H "X-Dataverse-key: $API_TOKEN" -H "Content-Type:application/json" "$SERVER_URL/api/datavers
es/$ID/inputLevels" -d "$JSON"
```

Making fields optional or required

Submit Incomplete Dataset

```
export API_TOKEN=xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx
export PARENT=root
export SERVER_URL=https://demo.dataverse.org

curl -H "X-Dataverse-key:$API_TOKEN" -X POST "$SERVER_URL/api/dataverses/$PARENT/datasets?doNotValidate=t
rue" --upload-file dataset-incomplete.json -H 'Content-type:application/json'
```

Configuration

Making fields searchable

Advanced search

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution




Configuration

Making fields searchable

Facets


	#metadataBlock	name	dataverseAlias	displayName	blockURI								
		citation		Citation Metad	https://dataverse.org/schema/citation/								
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displa
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRI
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FAL
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FAL
7		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRI
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRI
		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRI
		authorIdentit	Identifier Type	The type of identifier that unic		text	10	#VALUE	FALSE	TRUE	FALSE	FALSE	TRI




Configuration

Making fields searchable

Facets





Configuration

Associating fields to each other

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
		authorIdentit	Identifier Type	The type of identifier that unic		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme
		authorIdentit	Identifier	Uniquely identifies the author		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier
		datasetCont	Point of Contact	The entity, e.g. a person or org		none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	



Configuration

Associating fields to each other

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g.	a person or org	none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	autho	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	autho	citation	
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	autho	citation	http://purl.org/spar/datacite/AgentIdentifierScheme
11		authorIdentif	Identifier	Uniquely identifies the author		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	autho	citation	http://purl.org/spar/datacite/AgentIdentifier
12		datasetCont	Point of Contact	The entity, e.g.	a person or org	none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	
		datasetCont	Name	The name of th	1) Family Nam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation	



Configuration

Associating fields to each other

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g.	a person or org	none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme
11		authorIdentif	Identifier	Uniquely identifies the author		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier
12		datasetCont	Point of Contact	The entity, e.g.	a person or org	none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	
		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation	



Configuration

Letting users add multiple values

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme
11		authorIdentif	Identifier	Uniquely identifies the author		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier
12		datasetCont	Point of Contact	The entity, e.g. a person or org		none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	
		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation	



Configuration

Letting users add multiple values

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE			citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE			citation	
		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE			citation	http://purl.org/dc/terms/creator
		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author		citation	



Configuration

Letting users add multiple values

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIden ifierScheme
11		authorIdentif	Identifier	Uniquely identifies the autho		text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIden ifier
		datasetCont	Point of Contact	The entity, e.g. a person or org		none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	
		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation	



Configuration

Letting users add multiple values

	#metadataBlock	name	dataverseAlias	displayName	blockURI											
		citation		Citation Metad	https://dataverse.org/schema/citation/											
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultipl	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUI	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g.	a person or org	none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
10		authorIdentif	Identifier Type	The type of	identifier that uniq	text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIden ifierScheme
11		authorIdentif	Identifier	Uniquely	identifies the autho	text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIden ifier
		datasetCont	Point of Contact	The entity, e.g.	a person or org	none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	
		datasetCont	Name	The name of th	1) Family Nam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation	



Configuration

Letting users add multiple values

	#metadataBlock	name	dataverseAlias	displayName	blockURI												
		citation		Citation Metad	https://dataverse.org/schema/citation/												
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	metadatablock_id	termURI
4		title	Title	The main title of	the Dataset	text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/title
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		citation	https://schema.org/distribution
6		otherId	Other Identifier	Another unique	identifier for t	none	4	:	FALSE	FALSE	TRUE	FALSE	FALSE	FALSE		citation	
7		author	Author	The entity, e.g.	a person or org	none	7		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	http://purl.org/dc/terms/creator
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	TRUE	author	citation	
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	author	citation	
10		authorIdentif	Identifier Type	The type of	identifier that uniq	text	10	- #VALUE:	FALSE	TRUE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifierScheme
11		authorIdentif	Identifier	Uniquely	identifies the autho	text	11	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	author	citation	http://purl.org/spar/datacite/AgentIdentifier
		datasetCont	Point of Contact	The entity, e.g.	a person or org	none	12		FALSE	FALSE	TRUE	FALSE	TRUE	TRUE		citation	
		datasetCont	Name	The name of th	1) FamilyNam	text	13	#VALUE	FALSE	FALSE	FALSE	FALSE	TRUE	FALSE	datasetCont	citation	




Configuration

Validating metadata that users enter

Field types

	#metadataBlock	name	dataverseAlias	displayName	blockURI	
		citation		Citation Metad	https://dataverse.org/schema/citation/	
3	#datasetField	name	title	description	watermark	fieldType
4		title	Title	The main title of the Dataset		text
5		alternativeUF	Alternative URL	Another URL w	https://	url
6		otherId	Other Identifier	Another unique identifier for t		none
7		author	Author	The entity, e.g. a person or org		none
8		authorName	Name	The name of th	1) Family Nam	text
9		authorAffiliat	Affiliation	The name of th	Organization)	text
10		authorIdentif	Identifier Type	The type of identifier that uniq		text
11		authorIdentif	Identifier	Uniquely identifies the author		text
12		datasetCont	Point of Contact	The entity, e.g. a person or org		none
13		datasetCont	Name	The name of th	1) FamilyNam	text
14		datasetCont	Affiliation	The name of th	Organization)	text
15		datasetCont	E-mail	The point of co	name@email.:	email
16		dsDescriptio	Description	A summary describing the pur		none
17		dsDescriptio	Text	A summary describing the pur		textbox
18		dsDescriptio	Date	The date when	YYYY-MM-DD	date



Configuration

Validating metadata that users enter

Controlled vocabularies

	#metadataBlock	name	dataverseAlias	displayName	blockURI						
		citation		Citation Metad	https://dataverse.org/schema/citation/						
3	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowr
4		title	Title	The main title of the Dataset		text	0		TRUE	FALSE	FAI
5		alternativeUF	Alternative URL	Another URL w	https://	url	3	<a href="#VA	FALSE	FALSE	FAI
6		otherId	Other Identifier	Another unique identifier for t		none	4	:	FALSE	FALSE	TR
7		author	Author	The entity, e.g. a person or org		none	7		FALSE	FALSE	TR
8		authorName	Name	The name of th	1) Family Nam	text	8	#VALUE	TRUE	FALSE	FAI
9		authorAffiliat	Affiliation	The name of th	Organization)	text	9	(#VALUE)	TRUE	FALSE	FAI
10		authorIdentif	Identifier Type	The type of identifier that uniq		text	10	- #VALUE:	FALSE	TRUE	FAI
11		authorIdentif	Identifier	Uniquely identifies the autho		text	11	#VALUE	FALSE	FALSE	FAI

	#controlledVocabulary	DatasetField	Value	identifier	displayOrder	
84						
85		authorIdentif	ORCID		0	
86		authorIdentif	ROR		1	
87		authorIdentif	ISNI		2	
88		authorIdentif	LCNA		3	
89		authorIdentif	VIAF		4	
90		authorIdentif	GND		5	
91		authorIdentif	DAI		6	
92		authorIdentif	ResearcherID		7	
93		authorIdentif	ScopusID		8	
94		language	'Are'are	alu	0	alu
95		language	'Aybelawa	kud	1	kud



Configuration


Validating metadata that users enter

Controlled vocabularies

	#metadataBlock	name	dataverseAlias	displayName	blockURI
		citation		Citation Metad	https://dataverse.org/schema/citation/

	#datasetField	name	title	description	watermark	fieldType	displayOrder	displayForma	advancedSea	allowControl	allowmultiple	facetable	displayoncre	required	parent	meta
4		title	Title	The main title of the Datas		text	0		TRUE	FALSE	FALSE	FALSE	TRUE	TRUE		cita
5		subject	Subject	The area of study relevant t		text	19		TRUE	TRUE	TRUE	TRUE	TRUE	TRUE		cita
6		keyword	Keyword	A key term that describes a		none	20		FALSE	FALSE	TRUE	FALSE	TRUE	FALSE		cita
7		keywordValu	Term	A key term that describes ir		text	21	#VALUE	TRUE	FALSE	FALSE	TRUE	TRUE	FALSE	keyword	cita


	#controlledVocabulary	DatasetField	Value	identifier	displayOrder
85		subject	Agricultural S	D01	0
86		subject	Arts and Hum	D0	1
87		subject	Astronomy ar	D1	2
88		subject	Business and	D2	3
89		subject	Chemistry	D3	4
90		subject	Computer an	D7	5
91		subject	Earth and En	D4	6
92		subject	Engineering	D5	7
93		subject	Law	D8	8
94		subject	Mathematica	D9	9
95		subject	Medicine, He	D6	10
96		subject	Physics	D10	11
97		subject	Social Scienc	D11	12
98		subject	Other	D12	13
99		publicationI	ark		0



Configuration

Validating metadata that users enter

Controlled vocabularies



Configuration

Validating metadata that users enter


Controlled vocabularies



Configuration

Validating metadata that users enter


Controlled vocabularies




Configuration

Validating metadata that users enter

Controlled vocabularies



Metadata text guidelines document




Dataverse metadata text guidelines


Bold titles, tooltip text, watermarks, and additional help text help guide users as they use the metadata to describe or search for data. These four elements should help people use the metadata to search for and deposit data.

Methodology

Increasing clarity: For all bold titles, we reviewed the definitions used by the metadata standards that map to or are equivalent to those bold titles, e.g. the definitions of DDI Codebook elements that map to the bold titles in the Dataverse software's Citation metadata block. Our goal was to increase clarity and specificity, helping users of Dataverse repositories add as much relevant metadata about a dataset as possible. We recognize that

UX research






Sketch by Jennifer Cham

Questions, survey, upcoming webinars

Q&A

3-question webinar survey

https://forms.gle/Hxyy76fYFJGjFJG78



Upcoming webinars

May 21, 2025
Dataverse and Journals

September 12, 2025
Hands-On Curation Training with Harvard Dataverse Repository