Journal Collections & Review Workflows on Harvard Dataverse Repository

Empowering journal editors with efficient data sharing, review, and curation workflows.

Presenter

Sonia Barbosa, Associate Director, Dataverse Support, Data Curation, The Murray Archive

The Dataverse® Project

IQSS
The Institute for Quantitative Social Science

HARVARD LIBRARY

HARVARD UNIVERSITY
Information Technology

Agenda

01 Harvard Dataverse Repository for Journal data-sharing collections

02 Creating your Journal Collection for data sharing: Policies and workflows

03 Managed workflows in the repository: Submit for review

04 Ongoing management of your Journal collections

05 Data packaging at your fingertips! The HEAL Data Packaging Framework & Tool

Harvard Dataverse provides self-curated collections that reduce journal overhead and increase research impact.

Core Platform Benefits

Customized Collections

Harvard Dataverse is a self-curated repository open to the worldwide research community. By utilizing this platform, journals can maintain customized collections, significantly reducing the time spent developing and maintaining redundant data sharing guidance.

Research Impact

Streamlined Workflows

Standardizing the deposit process leads to better author turnaround times, easier manual or automated review of replication packages, and an increased journal profile through higher citation rates.

Note: All specific questions regarding datasets and access remain directed to the journal or managing organization.

Repository Curation

200+

Active Journal Collections

The Harvard Dataverse repository serves as a highly recommended hub, offering structured and self-curated storage even for journals without dedicated collections.

Annals of Applied Statistics Dataverse
Institute of Mathematical Statistics

Provides a timely and unified forum for statistical research papers spanning direct subject-matter collaborations.

Journal of Information Technology & Politics
University of Massachusetts Amherst

Dedicated repository space for posting replication datasets with structured dataset citation guidance.

NYU Law Review Dataverse
NYU Law Review

Legal scholarship publishing empirical legal studies, policy, taxation, and international law datasets.

Economics: E-Journal Dataverse
Kiel Institute for the World Economy

A cooperative platform using modern communication technologies to connect global research communities.

Authors should provide complete, well-documented data packages to facilitate replication and reuse.

Submission Guidelines

Require authors to submit comprehensive replication packages. Following structured guidelines ensures all deposited data is machine-actionable, fully transparent, and easily interpretable by the community.

Strict Deposit Policy


Publication-only submissions are strictly prohibited and will be removed without further notification. All packages must contain functional, replication-ready materials.

- **Required Data Files**
  Comprehensive datasets containing all primary and processed data blocks.
- **Verification Code & Scripts**
  All programming scripts and code necessary to execute and replicate the analysis.
- **Detailed README File**
  Explicitly explains the file structure and provides a descriptive list of all files.
- **Structured Guidelines**
  Ensures data package components are machine-actionable and interpretable.

Example Journals utilizing Harvard Dataverse Repository for data sharing

Leading political science publications host official replication collections to facilitate open science.


Political Analysis



American Journal of Political Science (AJPS)



American Political Science Review (APSR)



Strict Deposit Policy

Publication-only submissions are strictly prohibited and will be removed without further notification. All packages must contain functional, replication-ready materials.

American Journal of Political Science (AJPS)

Dataverse deposit workflows and reproducibility verification policies since 2013

Repository Partnership


American Journal of PS has been depositing data within the Harvard repository since 2013.

Verification & Badges

The use both reproducibility verification processes and open data badges in their deposits.



AJPS Dataverse Collection



materials. The document titled "*American Journal of Political Science* Guidelines for Preparing Verification Files"* provides useful information about what information is needed and how it should be organized. All verification files must be stored in a Dataset within the *AJPS* Dataverse, on the Harvard Dataverse Network. Note that authors also can make their verification files available elsewhere (e.g., their personal website, other data repositories, etc.) as long as all of the necessary files are included in the Dataset on the *AJPS* Dataverse.

The corresponding author should prepare and upload verification materials to the *AJPS* Dataverse before submitting the final draft of the accepted manuscript. The "*American Journal of Political Science* Quick Reference for Uploading Replication Files"* provides information about creating a Dataset on the *AJPS* Dataverse and depositing materials into it. The "*American Journal of Political Science* Quantitative Data Verification Checklist" and "*American Journal of Political Science* Qualitative Data Verification Checklist" are designed to help authors ensure that they have provided all necessary files.

When the final draft of the manuscript is submitted, the materials will be verified to confirm that they do, in fact, reproduce the analytic results reported in the article. Publication in the *American Journal of Political Science* is contingent upon provision of complete verification materials and successful verification of their content.

AJPS articles that do not contain empirical data analyses are not subject to this verification policy. In some limited circumstances, an author may request an exemption from the verification policy. This exemption would allow the author to withhold or limit public access to some or all of the data used in an analysis. All other verification materials (e.g., software commands, etc.) still must be provided. The primary reasons for such exemptions are restricted access to datasets and human subjects protection. If an exemption is granted, then the author must include a note at the beginning of the published article explicating acknowledging the limitations on data availability and describing the restrictions that prevent public access to the exempted data. Any exemptions from the verification policy must be approved explicitly by the *AJPS* Editor,

Verification Guidelines

AJPS AMERICAN JOURNAL of POLITICAL SCIENCE

American Journal of Political Science (AJPS) Dataverse ajps.org

(Midwest Political Science Association)

Harvard Dataverse > American Journal of Political Science (AJPS) Dataverse >

Does Affective Intelligence Theory Generalize? Evidence from the Russia-Ukraine War

Version 1.0

Zhandayeva, Raushan, 2026, "Does Affective Intelligence Theory Generalize? Evidence from the Russia-Ukraine War", https://doi.org/10.7910/DVN/HVRAOH, Harvard Dataverse, V1, UNF:6:5LzVlvd6v8JAxlvq4l4P0w== [fileUNF]

Cite Dataset Learn about Data Citation Standards.

Access Dataset | Contact Owner | Share

Dataset Metrics
19 Downloads

Description

During international crises, domestic populations encounter competing strategic narratives that shape public understanding. Affective Intelligence Theory (AIT) suggests that anxiety disrupts habitual political thinking, prompting individuals to seek more information, engage with a broader range of sources, and exhibit greater openness to counter-attitudinal perspectives. While well-supported in Western democratic contexts, its generalizability remains underexplored. This study tests AIT during an international crisis in Kazakhstan, where residents confront competing narratives about Russia's full-scale invasion of Ukraine. I field a preregistered online experiment (n = 649) with a validated anxiety induction and measure information behavior. The results show no significant effects of anxiety on these behaviors, challenging AIT's assumptions. Despite successful anxiety induction,

Read full Description [+]

Subject Social Sciences

Keyword affective intelligence theory, Russia-Ukraine war, public opinion, strategic narratives, anxiety, Kazakhstan, media

Notes This dataset underwent an independent verification process, complying with the AJPS Verification Policy updated June 2023, which replicated the tables and figures in the primary article. For the supplementary materials, verification was performed solely for the successful execution of the code. The verification process was carried out by the Cornell Center for Social Sciences at Cornell University.

The associated article has been awarded the Open Materials Badge. Learn more about the Open Practice Badges from the Center for Open Science.

Open Materials Badge

License/Data Use Agreement Custom Dataset Terms

Files | Metadata | Terms | Versions

1 to 6 of 6 Files — Download

readme.txt
Plain Text - 3.6 KB
Published Aug 7, 2026
4 Downloads
MD5: 8b7...988

zhandayeva_codebook.pdf
Adobe PDF - 327.5 KB
Published Aug 7, 2026
6 Downloads
MD5: f45...b5a

zhandayeva_replication.R
R Syntax - 64.6 KB
Published Aug 7, 2026
3 Downloads
MD5: 500...a04

anxiety_theme_codes.tab
data/
Tabular Data - 136.0 KB
Published Aug 7, 2026
2 Downloads
13 Variables, 317 Observations UNF:6:fhPJ...dCQ==

data_text.xlsx
data/
MS Excel Spreadsheet - 144.8 KB
Published Aug 7, 2026
2 Downloads
MD5: b2b...c0d

diss_survey_dec19
data/
Tabular Data - 1.2 MB
Published Aug 7, 2026
2 Downloads
116 Variables, 649 Ob

Citation Metadata

Persistent Identifier	doi:10.7910/DVN/HVRAOH
Publication Date	2026-08-07
Title	Does Affective Intelligence Theory Generalize? Evidence from the Russia-Ukraine War
Author	Zhandayeva, Raushan (The George Washington University)
Point of Contact	Use email button above to contact. Zhandayeva, Raushan (George Washington University)
Description	During international crises, domestic populations encounter competing strategic narratives that shape public understanding. Affective Intelligence Theory (AIT) suggests that anxiety disrupts habitual political thinking, prompting individuals to seek more information, engage with a broader range of sources, and exhibit greater openness to counter-attitudinal perspectives. While well-supported in Western democratic contexts, its generalizability remains underexplored. This study tests AIT during an international crisis in Kazakhstan, where residents confront competing narratives about Russia's full-scale invasion of Ukraine. I field a preregistered online experiment (n = 649) with a validated anxiety induction and measure information behavior. The results show no significant effects of anxiety on these behaviors, challenging AIT's assumptions. Despite successful anxiety induction, respondents did not seek more information, engage with diverse media, or reconsider prior attitudes. These findings suggest that the predictions of AIT are conditional, highlighting the need to revisit how emotional mechanisms shape information behavior across diverse information environments. (2026-01-26)
Subject	Social Sciences
Keyword	affective intelligence theory Russia-Ukraine war public opinion strategic narratives anxiety Kazakhstan media
Notes	This dataset underwent an independent verification process, complying with the AJPS Verification Policy updated June 2023, which replicated the tables and figures in the primary article. For the supplementary materials, verification was performed solely for the successful execution of the code. The verification process was carried out by the Cornell Center for Social Sciences at Cornell University. The associated article has been awarded the Open Materials Badge. Learn more about the Open Practice Badges from the Center for Open Science. Open Materials Badge
Producer	Zhandayeva, Raushan (George Washington University)
Depositor	Zhandayeva, Raushan
Deposit Date	2026-01-26
Data Source	Bureau of National Statistics of the Republic of Kazakhstan. 2022. "2021 National Census of the Republic of Kazakhstan." https://stat.gov.kz/en/national/2021/. Zhandayeva, Raushan. 2024. "Russia-Ukraine War Perceptions in Kazakhstan" [pre-registered online survey experiment fielded via LucidChit, 26 November – 19 December 2024, n = 649]. Raw data in data/diss_survey_dec19.csv. https://doi.org/10.7910/DVN/HVRAOH]

Political Analysis

Dataverse deposit workflows and reproducibility verification policies since 2010

Repository Partnership


Political Analysis has been depositing replication data within the Harvard Dataverse repository since 2010.

Verification & Reproducibility

Deposits undergo strict verification to ensure all code and data files are fully reproducible prior to publication.



PA uses CodeOcean to provide reproducibility verification services



POLITICAL ANALYSIS

Political Analysis Dataverse

(Cambridge University Press)

Harvard Dataverse > Political Analysis Dataverse >

Replication Data for: Euclidean Ideal Point Estimation From Roll-Call Data via Distance-Based Bipartite Network Models

Version 1.0

Lee, Seungju; Kim, In Kyun; Park, Jong Hee; Jin, Ick Hoon, 2026, "Replication Data for: Euclidean Ideal Point Estimation From Roll-Call Data via Distance-Based Bipartite Network Models", https://doi.org/10.7910/DVN/JHJEGT, Harvard Dataverse, V1

Cite Dataset · Learn about Data Citation Standards.

Access Dataset · Contact Owner · Share

Dataset Metrics

1 Download

Description Conventional ideal point models rely on Gaussian or quadratic utility functions that violate the triangle inequality, producing non-metric distances that complicate geometric interpretation and undermine clustering and dispersion-based analyses. We introduce a distance-based alternative that adapts the Latent Space Item Response Model (LSIRM) to roll-call data, treating legislators and bills as nodes in a bipartite network jointly embedded in a Euclidean metric space. Through controlled simulations, Euclidean LSIRM consistently recovers latent coalition structure with superior cluster separation relative to existing methods. Applied to the 118th U.S. House, the model provides competitive predictive performance while yielding bill embeddings that clarify cross-cutting issue alignments. The results show that restoring metric structure to ideal point estimation provides a clearer and more coherent inference about party cohesion, factional divisions, and multidimensional legislative behavior. (2026-07-21)

Subject Social Sciences

Related Publication Forthcoming, Political Analysis

License/Data Use Agreement CC0 1.0

Files · Metadata · Terms · Versions

1 File

PA-2025-0236_R2_Replication_Package.zip

ZIP Archive - 9.6 GB

Published Jul 30, 2026

1 Download

MD5: 343...cee

This archive contains the complete replication package for Euclidean Ideal Point Estimation From Roll-Call Data via Distance-Based Bipartite Network Models, including data, code, supplied intermediate objects, generated outputs, logs, and manuscript-numbered figure/table copies. Please begin with `README.md`, which describes the recommended replication workflow (`run_all.sh`), package setup, output locations, runtime notes, and optional full regeneration scripts for computationally intensive simulations and MCMC analyses.

Political Analysis

PA uses both in-house and Code Ocean services to produce reproducibility capsules


Capsule Services

Political Analysis uses both in-house and Code Ocean services to produce and verify reproducibility capsules, expediting the replication process.

Replication Package

A complete package must contain:

- README file with structure & execution details
- All code scripts for output figures/tables
- Sufficient data to fully reproduce findings



Instructions for Creating a Journal Collection

Step 1 • Configuration

Configure the Collection & Metadatablocks

- Identify your community and establish a **self-curated space**.
- Set up **journal-specific metadata block** to capture essential volume, issue, and publication date information.
- Customize default collection terms to define **precise access control**.
- Provide an **active contact email address** in the collection metadata.

Step 2 • Compliance & Workflow

Establish Disclaimers & Review Workflows

- Already enabled in “Submit for review” workflow: **mandatory policy disclaimers** for author responsibility on sensitive data and copyright.
- Configure **review workflows** that require expected replication materials (data, codebook, readme) before publishing.
- Prepare **daily or scheduled audits** to publish and remove empty, unpublished collections or non-data deposits.

Create a New Dataverse Collection

Create a New Dataverse Collection

Creating a Dataverse collection is easy but first you must be a registered user (se

1. **Fill in the following fields on the "New Dataverse" page (require**
   - **Host Dataverse**: Select a Dataverse collection you w
     My Data page, the Add Data link in the navbar, or the
     collections.
   - **Dataverse Name**: Enter the name of your Dataverse
   - **Affiliation**: Add any affiliation that can be associated
     for your user account.
   - **Identifier**: This is an abbreviation, usually lower-case
     the future, the URL for your Dataverse collection will
   - **Category**: Select a category that best describes the
     for an institution, select *Organization or Institution*.
   - **Email**: This is the email address that will be used as t
   - **Description**: Provide a description of this Dataverse
     format your text (<a>, <b>, <blockquote>,
, <co
   - **Dataset Metadata Langauge**: (If enabled) Select wh
   - **Guestbook Entry Option**: (If enabled) Select whethe
2. **Choose the sets of Metadata Fields for datasets in this Dataver**
   - By default the metadata elements will be from the ho
   - The Dataverse Software offers metadata standards fo
   - Most metadata fields can be hidden or can be select
   - Selected metadata fields are also used to pick which
3. **Choose which metadata fields will be used as browse/search f**
   - These facets will allow users browsing or searching y
     Dataverse collection's contents by subject area.
   - By default, the facets that will appear on your Datave
4. **Click the "Create Dataverse" button** and you're done!

STEP 2 • FIELDS

Fill Form Details

- **Name & Alias:** Set a descriptive name and a unique lowercase URL identifier.
- **Affiliation:** Enter department, journal, or organization.
- **Contact Email:** Provide valid emails for admin notices.
- **Description:** Describe the collection scope and include links to Journal policy page on dataset deposits.


STEP 3 • CUSTOMIZE

Metadata & Facets


- **Metadata Blocks:** Enable domain standards (Social Science, Journal, etc.).
- **Search Facets:** Choose fields to serve as filters on your page.
- **Guestbooks & Templates:** Require terms or auto-fill metadata.

CLICK "CREATE DATAVERSE"

Journal-specific metadata block should be utilized



Permissions: set “contributor” role for depositing authors



“Submit for review” workflow for Journal Collections

01

Contributor Setup

Journals have established a collection allowing account holding authors the “contributor” role to deposit datasets

02

Author Deposit

Author creates an account, navigate to the journal collection, and deposit a dataset

03

Admin Notification

Journal collection administrators get a notification that a deposit has been submitted for review

Submit for review: depositing authors

Once a dataset has been created in the Journal Collection, follow these three steps to submit for review:

01

Locate the button

On the dataset page (still in draft state), look in the **upper-right corner**.

You will see a **Submit for Review** button.

dataverse-guides.readthedocs.io

02

Click "Submit"

Click **Submit for Review**. A confirmation dialog will appear summarizing:

- Terms of use reaffirmation, including copyright and sensitive data protocol
- **Draft will be locked** during review process

03

Confirm Submission

Confirm in the dialog (e.g., click **Submit** or equivalent).

The draft dataset is then **locked** and routed to Journal staff for review.

guides.dataverse.org

What happens after submission

01

Administrative Review

Journal collection admin performs an administrative check on all submissions.

- Filters for spam or platform misuse
- Verifies basic policy, data packaging, reproducibility compliance

02

Publish or Return

If approved: Dataset is published. Authors receive email confirmation and the dataset becomes public and citable.

If changes needed: Returned and unlocked for revision.

dataverse-guides.readthedocs.io

03

Review Timing

Journals should establish clear expectations for the process:

- Notify authors of review & publishing timelines
- Provide an active email contact for author questions
- Repository does not publish on behalf of journals

Edit Dataverse Collection

To edit your Dataverse collection, navigate to your collection's landing page and select the **"Edit Dataverse"** button to access the following options:

Info & Branding

General Information

Edit name, affiliation, identifier, category, contact email, description, metadata fields, and search facets.

Theme

Upload logos, link to websites, add custom footer images, and select brand colors.

Widgets

Get embed codes to display your collection directly on external websites.

Access & Templates

Permissions

Assign editing and dataset permissions to other users, and review existing roles.

Dataset Templates

Set custom instructions or pre-populate common metadata fields to save manual effort.

Dataset Guestbooks

Collect usage data and researcher information from those downloading your files.

Curation & Lifecycle

Featured Collections

Showcase selected sub-collections at the top of your page to make discovery easier.

Delete Dataverse

Permanently remove your collection, provided it is unpublished and contains no draft datasets.

Establish your journal collection today to streamline data sharing and enhance research replicability.



CURATION & COMPLIANCE

By implementing structured data collections, journals can significantly reduce overhead and improve author adherence to data sharing policies.

Editors should begin by configuring their collections, setting up mandatory policy disclaimers, and establishing clear review workflows.

All specific questions regarding datasets should be directed to the managing journal or author.



TECHNICAL SUPPORT

For any errors in software functionality, journal staff and depositors can contact the support team directly.

SUPPORT@DATAVERSE.ORG

HEAL Data Packaging Framework & Tool

- Demo coming September 15
- Pilot planning with journals starts in October

Presenter

Andrea Tentner, Independent Data Consultant



WHAT IS A DATA PACKAGE?

A data package is the combination of your study files and Standard Data Package Metadata, which is a set of structured metadata files that describe your study, study files and results, and study file and result relationships.


The addition of Standard Data Package Metadata to your study files provides critical context for your study files and results within your own research team (allowing for efficient intra-team communication, coordination, and replication) and to potential secondary users of the valuable data and results you've collected and created.

Purpose of the HEAL Data Packaging Tool

Compiling and accurately documenting the aspects of your study's data and supporting documents in a way that will be understandable and usable for future researchers can be a difficult task. This tool was developed to help ease the burden of understanding and effectively fulfilling HEAL data sharing requirements.

This tool provides you with easy-to-fill-out forms and step-by-step guidance that will help you to document and annotate your study's experiments, results, and resources to maximize your study's findability and replicability by future researchers.

When you fill out these forms, the tool will package up the information into different trackers, which you will then deposit into the repository you choose, along with your other data package components, as supporting documentation. The tool and the resulting trackers will provide systematic annotation of your data package.



Why it will help authors

01 Clear step-by-step instructions

02 Desktop software tool with user-friendly interface

03 Works with study files where they are – no duplication

04 End result is a single ready-to-share data package zip archive

05 Developed and tested in close collaboration with authors

Why it will help journals

01 Reduced time spent developing and maintaining data sharing guidance for authors

02 Better author turn-around time and adherence

03 Easier and faster review of submitted replication packages by manual inspection

04 Possibility to implement automated review of submitted replication packages

05 Increased chance of re-use and citation of data/results published by journal; increase journal profile

Join us for our September Demo on the HEAL Data Packaging Tool!

Event Details

September 15 Demo

Interactive demonstration and walkthrough of the new HEAL packaging workflow.

Presenter

Andrea Tentner
Independent Data Consultant

Secure Your Spot

Register Here

Join the session to learn how the tool simplifies data sharing, review, and repository curation workflows.

https://support.dataverse.harvard.edu/event/heal-data-package-hdp-tool-demo

HEAL Data Packaging

NIH HEAL INITIATIVE **HEAL Data Packaging** Search GitHub ☆4 ⑂3

HEAL Data Packaging

- What is a data package
- Create your data package
- Prepare your data package for submission
- More information about data packaging
- Guidance & Resources
- Terms & Concepts

HEAL Data Packaging Guide



Share Your Data with the World!

Standardized data packaging relieves cognitive load and ensures timely publication for authors.



CLARITY & SPECIFICATIONS

Authors often face significant cognitive load when trying to interpret exact specifications for data sharing. Structured frameworks provide clear, step-by-step instructions that work directly with study files...



SPEED & PUBLICATION

...resulting in a single, ready-to-share data package archive. This streamlined process allows authors to fulfill journal requirements efficiently, ensuring timely publication of their papers.



CITATIONS & IMPACT

Furthermore, high-quality, standardized data sharing increases the likelihood of re-use, driving greater citation rates and providing authors with concrete credit for their data sharing efforts.