Image	Part	Description	Quantity needed for assembly	Quantity packed in a kit	ID
Steal Beams a	and Plates (SBP)				
	Beam X	SHS 40x40x3x1100	2	2	SBP-1
	Beam X - Main	SHS 40x40x3x1100	1	1	SBP-2
	Beam Y	SHS 40x40x3x1100	2	2	SBP-3
	L Profile - Chain Support	Aluminum L Profile 40x40x3x1100	1	1	SBP-4
	Beam Short X	SHS 100x100x3x130	1	1	SBP-5
	Beam Short Y1	SHS 100x100x3x130	1	1	SBP-6
	Beam Short Y2	SHS 100x100x3x13	1	1	SBP-7
	Aluminum profile	Aluminum X Profile 30x30x300	2	2	SBP-8
	Bearing plate	3mm Plate	1	1	SBP-9
	Motor plate	3mm Plate	1	1	SBP- 10
E CONTRACTOR DE	Bottom plate	3mm Plate	1	1	SBP- 11
	Bracket for tighteners – Plate	3mm Plate	6	6	SBP- 12
	U Profile - Chain Support	Aluminum U profile 100x50x3x35	1	1	SBP- 13

	DIN 933 M8x140	M8 Hex Bolt	2	5	BNW-
	DIN 933 M8x110	M8 Hex Bolt	20	25	BNW- 2
	DIN 933 M8x55	M8 Hex Bolt	6	10	BNW-
	DIN 933 M8x50	M8 Hex Bolt	8	10	BNW- 4
	DIN 933 M8x25	M8 Hex Bolt	6	10	BNW- 5
	DIN 933 M6x25	M6 Hex Bolt	18	20	BNW-
	DIN 7985 M6x50	M6 Cross Bolt	4	5	BNW-
	DIN 7985 M6x25	M6 Cross Bolt	11	15	BNW-
	DIN 7985 M5x25	M5 Cross Bolt	12	15	BNW- 9
	DIN 912 M4x16	M4 Hex Socket Bolt	5	10d>	BNW- 10
	ISO 14583 M3x12	M3 Torx Bolt	36	40	BNW- 11
The state of the s	DIN 7996 4.5x50	Wood Cross Screw	4	5	BNW- 12
•	DIN 934 M8 8.8	M8 Hex Nut	101	110	BNW- 13
②	DIN 934 M6 8.8	M6 Hex Nut	53	55	BNW- 14

	DIN 934 M5 8.8	M5 Hex Nut	36	40	BNW- 15
	DIN 934 M4 8.8	M4 Hex Nut	5	10	BNW- 16
	DIN 934 M3 8.8	M3 Hex Nut	16	20	BNW- 17
3	DIN 562 M8	M8 Square Nut	8	10	BNW- 18
0	DIN 125 8.4	M8 Washer	70	80	BNW- 19
0	DIN 125 5.3	M5 Washer	21	25	BNW- 20
0	DIN 127 8.5	M8 Spring Washer	46	50	BNW- 21
OTHER (OTH)					
	Bearing 608ZZ	Ball Bearing outer diam. 22	26	30	OTH-1
	Bearing F608Z	Belt Ball Bearing outer diam. 22	12	15	OTH-2
	Flanged Timing Pulley	16 teeth HTD3M/16 or DIN 7721 T5/16	3	3	OTH-3
	Coupler 5 to 8 mm	Flexible shaft coupler	1	1	OTH-4
	Turnbuckle M6	M6 2x Eye70 mm	2	2	OTH-5
and the second	Screw Anchor fi10	Plasterboard Anchor	4	5	OTH-6
R	NEMA 17 Stepper Motor		1	1	OTH-7

	NEMA 23 Stepper motor		3	3	OTH-8
	Linear guide fi12x270	Round Rod	2	2	OTH-9
\	Rod M8x200	M8 Rod	1	1	OTH- 10
0	Timing Belt	HTD3M or T5, width 10, length 1400	3	3	OTH- 11
0	Cable Chain	Length 1000, inner size 25x15, radius 50	1	1	OTH- 12
3D PRINTED I	PARTS (PRINT)				
*	Tightener – Outer	Tightener – Outer.STL	6	6	PRINT-
111	Tightener – Inner	Tightene – Inner STL	3	3	PRINT- 2
	Tightener - Spacer	Tightener – Spacer.STL	2	2	PRINT-
(1)	Linear guide mount	Linear guide mount.STL	4	4	PRINT-
	Nut casing – Upper	Nut casing – Upper.STL	1	1	PRINT-
₽ P	Nut casing – Bottom	Nut casing – Bottom.STL	1	1	PRINT-
	Electronics box	Electronics box STL	4	4	PRINT-
	Electronics box cover	Electronics box cover STL	4	4	PRINT-
	Electronics mount	Electronics mount STL	3	3	PRINT- 9
ELECTRONIC	S (EL)				

	ToslinkCNC 4-axis kit	1	1	EL-1
4 X	Motor drivers	4	4	EL-2
	Arduino	1	0	EL-3
	Cable DC 2x0.75mm^2 - 15cm	1	1	EL-4
	Cable DC 2x0.75mm^2 - 30cm	2	2	EL-5
	Cable DC 2x0.75mm^2 - Beam Y length + 40cm (150cm default)	2	2	EL-6
	Cable DC 2x0.75mm^2 - Beam X length + 90cm (200cm default)	1	1	EL-7
	Cable DC 2x2.5mm^2 300cm	1	1	EL-8
26	Cable clamp 16mm^2 dual	1	1	EL-9
	Cable clamp 10mm^2 dual	1	1	EL-10
	150W 24V DC power supply	1	1	EL-11
The state of the s	Power supply cable with plug (country dependent)	1	0	EL-12
The state of the s	Toslink optical cable 0.5m	1	1	EL-13
	Toslink optical cable 1.5m	1	1	EL-14

*** to time 1 / 128	Toslink optical cable 2.5m		2	2	EL-15	
Tours and	Tolsink optical cable 5m		1	1	EL-16	
ADDS ON (AO)					
	Planet CNC	USB controller Mk3/4 (4 axis) +Software	1	1	AO-1	
	Plasma cutter table		1	1	AO-32	
ADD ONS: MIL	LL (AOM)					
6- 12 kg	Toolhead: Milling: 0.8 KW Spindle		1	1	AOM-1	
*	3D printed bracket for spindle	Mill Mount 65mm - Z Axis - 2 piece(s).STL	2	2	AOM-2	
ND IMAGE	0.8kW VFD Frequency inverter		1	1	AOM-3	
	5m 4x1.5mm^2 230V cable + connector		1	1	AOM-4	
ND IMAGE	Power cable for VFD		1	1	AOM-5	
NO IMAGE	Water cooling pump		1	1	AOM-6	
ND IMAGE	10m 5x8 tube		1	1	AOM-7	
ADD ONS: PLASMA CUTTER (AOP)						
	Toolhead: Plasma cutting 41		1	1	AOP-1	
To the format is a second of the second of t	Tolsink optical cable 5m		1	1	AOP-2	

Q	3D printed bracket for Toolhead: Plasma cutting 41	Torch mount.STL	1	1	AOP-3
	Torch Safety Cap 802485		1	1	AOP-4
0	Electrode Diffuser Torch 802422		1	1	AOP-5
	Electrode 802420		2	2	AOP-6
	Nozzle 0.6mm 802423		5	5	AOP-7