

# Cucumber Report

24 abr. 2025 10:00:02

Start : abr. 24, 9:59:57.696 a. m.

End : abr. 24, 10:00:01.562 a. m.

Duration : 3.866 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login on Luma ecommerce</u>	3.866 s	1	0	1	0	4	0	0	4

#	Feature Name	Scenario Name
1	<u>Login on Luma ecommerce</u>	<u>Successful Login with datatable</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@logiirvin	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login on Luma ecommerce	1	0	1	0	3.866 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login on Luma ecommerce	Successful Login with datatable	4	0	0	4	3.862 s

## Login on Luma ecommerce

<b>FAILED</b>	DURATION - 3.866 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 9:59:57.696 a. m. // 10:00:01.562 a. m. /					

## Successful Login with datatable

<div>FAILED</div> <div>DURATION - 3.862 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
/ 9:59:57.700 a. m. // 10:00:01.562 a. m. /				
Login on Luma ecommerce				
@logiirvin				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.magento.utils.Hooks.setup()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 400. Message: binary is not a Firefox executable Host info: host: 'NTTD-6V7LBK3', ip: '192.168.232.154' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {binary: }}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:159)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:156)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:151)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132)</p>	FAILED	3.195 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:102) at com.magento.utils.Hooks.setup(Hooks.java:18)		
1	Given user is on login page "/customer/account/login/"	SKIPPED	0.051 s
2	When user enters and password	SKIPPED	0.022 s
	lruizajax@gmail.com ckzsd68REn@cgp5		
3	And user clicks on sign in button	SKIPPED	0.011 s
4	Then message displayed "Account Information"	SKIPPED	0.012 s
	AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "com.magento.utils.Hooks.driver" is null at com.magento.utils.Hooks.tearDown(Hooks.java:36)		