

Cucumber Report

24 abr. 2025 10:34:57

Start : abr. 24, 10:34:32.733 a. m.

End : abr. 24, 10:34:56.020 a. m.

Duration : 23.287 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login on Luma ecommerce</u>	23.287 s	2	0	2	0	5	1	2	2

#	Feature Name	Scenario Name
1	<u>Login on Luma ecommerce</u>	<u>Successful Login with datatable</u>
2		<u>Validar el filtrao en mercado libre mexico</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login on Luma ecommerce	2	0	2	0	23.287 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login on Luma ecommerce</u>	<u>Successful Login with datatable</u>	4	1	1	2	18.169 s
2		<u>Validar el filtrao en mercado libre mexico</u>	1	0	1	0	4.858 s


Login on Luma ecommerce

FAILED	DURATION - 23.287 s	Scenarios		Steps	
/ 10:34:32.733 a. m. // 10:34:56.020 a. m. /		Total - 2		Total - 5	
		Pass - 0		Pass - 1	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	



Successful Login with datatable

<div><div>FAILED</div><div>DURATION - 18.169 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:34:32.738 a. m. // 10:34:50.907 a. m. /				
Login on Luma ecommerce				
@Login				

#	Step / Hook Details	Status	Duration
1	Given user is on login page "/customer/account/login/"	PASSED	0.631 s
2	When user enters and password	FAILED	10.087 s
	<div>lruizajax@gmail.com</div> <div>ckzsd68REn@cgp5</div> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='login[username]']"} (Session info: chrome=135.0.7049.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1bb04efae817917b180f341f9aa52dee, findElement {using=name, value=login[username]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.97, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\liheredih\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58645}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58645/devtoo..., se.cdpVersion: 135.0.7049.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1bb04efae817917b180f341f9aa52dee</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.magento.steps.LoginSteps.user_enters_and_password(LoginSteps.java:34) at ?.user enters and password(file:///C:/Latam/Latam/semana06/SeleInter05-1/SeleInter05-1/src/test/resources/features/login.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	And user clicks on sign in button	SKIPPED	0.011 s
4	Then message displayed "Account Information"	SKIPPED	0.015 s
	AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.544 s
	failed		
			

Validar el filtrao en mercado libre mexico

FAILED	DURATION - 4.858 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 10:34:51.162 a. m. // 10:34:56.020 a. m. /				
Login on Luma ecommerce				
@Login				

#	Step / Hook Details	Status	Duration
1	<p>Given el usuario está en la página de mercado libre</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=135.0.7049.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [61c067a00f867201a00a97e78d69d4ed, get {url=https://mercadolibre.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.97, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\iheredih\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58692}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58692/devtoo..., se:cdpVersion: 135.0.7049.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 61c067a00f867201a00a97e78d69d4ed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.to(RemoteWebDriver.java:1007) at com.magento.steps.LoginSteps.elUsuarioEstáEnLaPáginaDeMercadoLibre(LoginSteps.java:53) at ?.el usuario está en la página de mercado libre(file:///C:/Latam/Latam/semana06/SeleInter05-1/src/test/resources/features/login.feature:23) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.129 s
	<p>AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=135.0.7049.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [61c067a00f867201a00a97e78d69d4ed, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.97, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\iheredih\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58692}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58692/devtoo..., se:cdpVersion: 135.0.7049.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 61c067a00f867201a00a97e78d69d4ed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) </pre>	FAILED	0.193 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at com.magento.utils.Hooks.tearDown(Hooks.java:32)		