

Cucumber Report

29 abr. 2025 11:14:34

Start : abr. 29, 11:14:00.152 a. m.

End : abr. 29, 11:14:31.004 a. m.

Duration : 30.852 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Filtros mercado libre</u>	30.852 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	<u>Filtros mercado libre</u>	<u>Validar el filtrado en mercado libre mexico</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@filtrosmc	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Filtros mercado libre</u>	1	0	1	0	30.852 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Filtros mercado libre</u>	<u>Validar el filtrado en mercado libre mexico</u>	5	3	1	1	30.848 s

Filtros mercado libre

FAILED	DURATION - 30.852 s	Scenarios		Steps	
/ 11:14:00.152 a. m. // 11:14:31.004 a. m. /		Total - 1	1	Total - 5	5
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Validar el filtrado en mercado libre mexico

FAILED	DURATION - 30.848 s		Steps	
/ 11:14:00.156 a. m. // 11:14:31.004 a. m. /			Total - 5	
Filtros mercado libre			Pass - 3	
@filtrosmc			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given el usuario está en la página de mercado libre	PASSED	0.448 s
2	And selecciona el pais méxico	PASSED	3.113 s
3	When busca los productos de playstation	PASSED	2.822 s
4	And se aplica los filtros para los productos org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.id: :R1b55ie:-menu-list-option-price_desc (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.magento.pages.FiltrarProductosPage.ordenoLosProductosDeMayorAMenor(FiltrarProductosPage.java:30) at com.magento.steps.FiltrarProductosSteps.seAplicaLosFiltrosParaLosProductos(FiltrarProductosSteps.java:41) at ?.se aplica los filtros para los productos(file:///C:/repogithub/Demo01/src/test/resources/features/filtrarproducto.feature:8) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#\:R1b55ie:\-menu-list-option-price_desc"} (Session info: chrome=135.0.7049.115) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18294c05a98840b42b958499b740d98f, findElement {using=id, value=:R1b55ie:-menu-list-option-price_desc}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\iheredih\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:	FAILED	13.189 s

#	Step / Hook Details	Status	Duration
	<p>localhost:53148}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53148/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18294c05a98840b42b958499b740d98f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.magento.pages.FiltrarProductosPage.ordenoLosProductosDeMayorAMenor(FiltrarProductosPage.java:30) at com.magento.steps.FiltrarProductosSteps.seAplicaLosFiltrosParaLosProductos(FiltrarProductosSteps.java:41) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.CucumberSerenityBaseRunner.runChild(CucumberSerenityBaseRunner.java:330)</p> <p>at io.cucumber.junit.CucumberSerenityBaseRunner.runChild(CucumberSerenityBaseRunner.java:51)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.junit.CucumberSerenityBaseRunner\$RunCucumber.evaluate(CucumberSerenityBaseRunner.java:361)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:316)</p> <p>at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:240)</p> <p>at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:214)</p> <p>at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:155)</p> <p>at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)</p> <p>at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)</p> <p>at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)</p> <p>at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)</p> <p>* Not displayable characters are replaced by '?'. </p>		
5	And obtengo e imprimo los cinco primeros elementos	SKIPPED	0.030 s
	AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.395 s
	failed		
	