

# Cucumber Report

28 abr. 2025 20:28:04

Start : abr. 28, 8:27:39.400 p. m.

End : abr. 28, 8:28:02.379 p. m.

Duration : 22.979 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 1




| Feature                      |          | Scenario |   |   |   | Step |   |   |   |
|------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                         | Duration | T        | P | F | S | T    | P | F | S |
| <u>Filtros mercado libre</u> | 22.979 s | 1        | 0 | 1 | 0 | 5    | 3 | 1 | 1 |

| # | Feature Name                 | Scenario Name                                      |
|---|------------------------------|--|
| 1 | <u>Filtros mercado libre</u> | <u>Validar el filtrado en mercado libre mexico</u> |

| TAG        | Scenario |   |   |   | Feature |   |   |   |
|------------|----------|---|---|---|---------|---|---|---|
| Name       | T        | P | F | S | T       | P | F | S |
| @filtrosmc | 1        | 0 | 1 | 0 | 1       | 0 | 1 | 0 |





| # | Feature Name                 | T | P | F | S | Duration |
|---|------------------------------|---|---|---|---|----------|
| 1 | <u>Filtros mercado libre</u> | 1 | 0 | 1 | 0 | 22.979 s |





| # | Feature Name                 | Scenario Name                                      | T | P | F | S | Duration |
|---|------------------------------|--|---|---|---|---|----------|
| 1 | <u>Filtros mercado libre</u> | <u>Validar el filtrado en mercado libre mexico</u> | 5 | 3 | 1 | 1 | 22.979 s |

## Filtros mercado libre

|  |                     |           |   |           |   |
|--|---------------------|-----------|---|-----------|---|
| <b>FAILED</b>                              | DURATION - 22.979 s | Scenarios |  | Steps     |  |
| / 8:27:39.400 p. m. // 8:28:02.379 p. m. / |                     | Total - 1 | 1   | Total - 5 | 5   |
|  |                     | Pass - 0  |   | Pass - 3  |   |
|  |                     | Fail - 1  |   | Fail - 1  |   |
|  |                     | Skip - 0  |   | Skip - 1  |   |


## Validar el filtrado en mercado libre mexico

|   |  |  |  |
|---|--|--|--|
| <div>FAILED</div> <div>DURATION - 22.979 s</div>      |  |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div> |
| <div>/ 8:27:39.400 p. m. // 8:28:02.379 p. m. /</div> |  |  |  |
| <div>Filtros mercado libre</div>                      |  |  |  |
| <div>@filtrosmc</div>                                 |  |  |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given el usuario está en la página de mercado libre  | PASSED | 0.203 s  |
| 2 | And selecciona el pais méxico  | PASSED | 1.002 s  |
| 3 | When busca los productos de playstation  | PASSED | 2.021 s  |
| 4 | And se aplica los filtros para los productos   | FAILED | 13.676 s |
|   | <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.id: :R1b55ie:-menu-list-option-price_desc (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at com.magento.pages.FiltrarProductosPage.ordenoLosProductosDeMayorAMenor(FiltrarProductosPage.java:30)</p> <p>at com.magento.steps.FiltrarProductosSteps.seAplicaLosFiltrosParaLosProductos(FiltrarProductosSteps.java:76)</p> <p>at ?.se aplica los filtros para los productos(file:///C:/Demo01/Demo01/src/test/resources/features/filtrarproducto.feature:8)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#R1b55ie:-menu-list-option-price_desc"} (Session info: chrome=135.0.7049.115) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [abf6869ecb0ef5eeefb393cee84138d8e, findElement {using=id, value=:R1b55ie:-menu-list-option-price_desc}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:/Users/IRVIN/AppData/Local/...}, fedcm:accounts: true, goog:chromeOptions:</p> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> {debuggerAddress: localhost:58288}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58288/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: abf6869ecb0ef5eefb393cee84138d8e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.magento.pages.FiltrarProductosPage.ordenoLosProductosDeMayorAMenor(FiltrarProductosPage.java:30) at com.magento.steps.FiltrarProductosSteps.seAplicaLosFiltrosParaLosProductos(FiltrarProductosSteps.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) </pre> |        |          |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.CucumberSerenityBaseRunner.runChild(CucumberSerenityBaseRunner.java:330) at io.cucumber.junit.CucumberSerenityBaseRunner.runChild(CucumberSerenityBaseRunner.java:51) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.CucumberSerenityBaseRunner\$RunCucumber.evaluate(CucumberSerenityBaseRunner.java:361) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:316) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:240) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:214) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:155) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) </pre> <p>* Not displayable characters are replaced by '?'.<br/> </p> |         |          |
| 5 | And obtengo e imprimo los cinco primeros elementos  | SKIPPED | 0.012 s  |
|   | AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)   | PASSED  | 0.825 s  |
|   | failed  |         |          |
|   |    |         |          |