
## 24 abr. 2025 09:50:41

## **Cucumber Report**



Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login on Luma ecommerce	4.838 s	1	0	1	0	4	0	0	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login on Luma ecommerce	Successful Login with datatable


TAG		Scer	nario		Feature			
Name T P F S		T	P	F	S			
@logiirvin	1	0	1	0	1	0	1	0
@Login	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login on Luma ecommerce	1	0	1	0	4.838 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Login on Luma ecommerce	Successful Login with datatable	4	0	0	4	4.836 s	

DETAILED SECTION

## **Login on Luma ecommerce**

FAILED	DURATION - 4.838 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:50:34.253 a. m. //	9:50:39.091 a. m. /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

## **Successful Login with datatable**



#	Step / Hook Details	Status	Duration
	BEFORE - com.magento.utils.Hooks.setup()	FAILED	4.237 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 400. Message: binary is not a Firefox executable. Host info: host: 'NTTD-6V7LBK3', ip: '192.168.232.154' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {binary: }}}]]  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)	PAILED	4.237 5
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:156)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:151) at org.openga.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.iava:132)</init></init>		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:102) at com.magento.utils.Hooks.setup(Hooks.java:18)</init></init></init>		
1	Given user is on login page "/customer/account/login/"	SKIPPED	0.072 s
2	When user enters and password	SKIPPED	0.028 s
	Iruizajax@gmail.com ckzsd68REn@cgp5		
3	And user clicks on sign in button	SKIPPED	0.010 s
4	Then message displayed "Account Information"	SKIPPED	0.014 s
	AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "com.magento.utils.Hooks.driver" is null at com.magento.utils.Hooks.tearDown(Hooks.java:36)		