

Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Filtros mercado libre</u>	23.056 s	1	0	1	0	5	3	1	1	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Filtros mercado libre	Validar el filtrado en mercado libre mexico


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@filtrosmc	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Filtros mercado libre	1	0	1	0	23.056 s

SCENARIOS SUMMARY -- 6 --




	# Feature Name	Scenario Name	T	P	F	S	Duration
-	1 Filtros mercado libre	Validar el filtrado en mercado libre mexico	5	3	1	1	23.040 s

DETAILED SECTION -- 7 --

Filtros mercado libre

FAILED	DURATION - 23.056 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 9:25:14.361 p. m.	// 9:25:37.417 p. m. /	Pass - 0	1	Pass - 3	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Validar el filtrado en mercado libre mexico



#	Step / Hook Details	Status	Duration
1	Given el usuario está en la página de mercado libre	PASSED	0.158 s
2	And selecciona el pais méxico	PASSED	0.924 s
3	When busca los productos de playstation	PASSED	1.439 s
4	And se aplica los filtros para los productos	FAILED	12.888 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.id: :R1b55ie:-menu-list-option-price_desc (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.magento.pages.FiltrarProductosPage.ordenoLosProductosDeMayorAMenor(FiltrarProductosPage.java:30) at com.magento.steps.FiltrarProductosSteps.seAplicaLosFiltrosParaLosProductos(FiltrarProductosSteps.java:42) at ?.se aplica los filtros para los productos(file:///C:/Demo01/Demo01/src/test/resources/features/filtrarproducto.feature:8) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"css selector", "selector":"#\:R1b55ie:\-menu\-list\-option\-price_desc"} (Session info: chrome=135.0.7049.115) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [b9285bd500dd46eb76fa65e6305f15b5, findElement {using=id, value=:R1b55ie:-menu-list-option-price_desc}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0, userDataDir: C:\Users\lRVIN\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions:		

#	Step / Hook Details	Status	Duration
	{debuggerAddress: localhost:53946}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:53946/devtoo, se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: b9285bd500dd46eb76fa65e6305f15b5		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at com.magento.pages.FiltrarProductosPage.ordenoLosProductosDeMayorAMenor(FiltrarProductosPage.java:30)		
	at com.magento.steps.FiltrarProductosSteps.seAplicaLosFiltrosParaLosProductos(FiltrarProductosSteps.java:42)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.CucumberSerenityBaseRunner.runChild(CucumberSerenityBaseRunner.java:330)		
	at io.cucumber.junit.CucumberSerenityBaseRunner.runChild(CucumberSerenityBaseRunner.java:51)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.CucumberSerenityBaseRunner\$RunCucumber.evaluate(CucumberSerenityBaseRunner.java:361)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:316)		
	at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:240)		
	at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:214)		
	at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:155)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)		
	* Not displayable characters are replaced by '?'.		
5	And obtengo e imprimo los cinco primeros elementos	SKIPPED	0.042 s
	AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.320 s
	failed		
	The state of the s		