

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login on Luma ecommerce	4.205 s	1	0	1	0	4	0	0	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login on Luma ecommerce	Successful Login with datatable


TAG		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@logiirvin	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login on Luma ecommerce	1	0	1	0	4.205 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Login on Luma ecommerce	Successful Login with datatable	4	0	0	4	4.201 s	

DETAILED SECTION --

Login on Luma ecommerce

FAILED	DURATION - 4.205 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:51:31.712 a. m. //	9:51:35.917 a. m. /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

Successful Login with datatable



#	Step / Hook Details	Status	Duration
	BEFORE - com.magento.utils.Hooks.setup()	FAILED	3.586 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 400. Message: binary is not a Firefox executable. Host info: host: 'NTTD-6V7LBK3', ip: '192.168.232.154' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.15' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {binary: }}]]]		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:159)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:156)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:151)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132)</init>		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:102) at com.magento.utils.Hooks.setup(Hooks.java:18)</init></init></init>		
1	Given user is on login page "/customer/account/login/"	SKIPPED	0.085 s
2	When user enters and password	SKIPPED	0.019 s
	Iruizajax@gmail.com ckzsd68REn@cgp5		
3	And user clicks on sign in button	SKIPPED	0.014 s
4	Then message displayed "Account Information"	SKIPPED	0.016 s
	AFTER - com.magento.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "com.magento.utils.Hooks.driver" is null at com.magento.utils.Hooks.tearDown(Hooks.java:36)		