References

[1] A. Dennis, B. H. Wixom, and R. M. Roth, *Systems Analysis and Design*, 7th ed., no. Mi. Wiley, 2019.

[2] M. Choetkiertikul, H. K. Dam, T. Tran, A. Ghose, and J. Grundy, "Predicting Delivery Capability in Iterative Software Development," *IEEE Trans. Softw. Eng.*, vol. 44, no. 6, pp. 551–573, Jun. 2018, doi: 10.1109/TSE.2017.2693989.

[3] G. Karner, "Resource Estimation for Objectory Projects." 1993.

[4] Y. Xie, J. Guo, and A. Shen, "Use Case Points Method of Software Size Measurement Based on Fuzzy Inference," in *Proceedings of the 4th International Conference on Computer Engineering and Networks*, vol. 355, W. E. Wong, Ed. Cham: Springer International Publishing, 2015, pp. 11–18.

[5] F. Wang, X. Yang, X. Zhu, and L. Chen, "Extended Use Case Points Method for Software Cost Estimation," in *2009 International Conference on Computational Intelligence and Software Engineering*, Dec. 2009, pp. 1–5, doi: 10.1109/CISE.2009.5364706.

[6] A. B. Nassif, L. F. Capretz, and D. Ho, "Enhancing Use Case Points Estimation Method Using Soft Computing Techniques," *J. Glob. Res. Comput. Sci.*, vol. 1, no. 4, pp. 12–21, Dec. 2010, [Online]. Available: http://arxiv.org/abs/1612.01078.

[7] L. Brezočnik, I. Fister, and V. Podgorelec, "Solving Agile Software Development Problems with Swarm Intelligence Algorithms," in *Lecture Notes in Networks and Systems*, vol. 76, E. Karabegovi, Ed. Sarajevo, Bosnia and Herzegovina: Springer, Cham, 2020, pp. 298–309.

[8] F. Ferrucci, C. Gravino, R. Oliveto, and F. Sarro, "Genetic Programming for Effort Estimation: An Analysis of the Impact of Different Fitness Functions," *2nd Int. Symp. Search Based Softw. Eng.*, no. 25, pp. 89–98, 2010, doi: 10.1109/SSBSE.2010.20.

[9] J. Murillo-Morera, C. Quesada-López, C. Castro-Herrera, and M. Jenkins, *A genetic*

algorithm based framework for software effort prediction, vol. 5, no. 1. Journal of Software Engineering Research and Development, 2017.

[10] D. Wu, J. Li, and C. Bao, "Case-based reasoning with optimized weight derived by particle swarm optimization for software effort estimation," *Soft Comput.*, vol. 22, no. 16, pp. 5299–5310, Aug. 2018, doi: 10.1007/s00500-017-2985-9.

[11] T. R. Benala and R. Mall, "DABE: Differential evolution in analogy-based software development effort estimation," *Swarm Evol. Comput.*, vol. 38, no. May 2016, pp. 158–172, 2018, doi: 10.1016/j.swevo.2017.07.009.

[12] M. Dashti, T. J. Gandomani, D. H. Adeh, H. Zulzalil, and A. B. M. Sultan, "LEMABE: a novel framework to improve analogy-based software cost estimation using learnable evolution model," *PeerJ Comput. Sci.*, vol. 7, no. January, 2021, doi: 10.7717/PEERJ-CS.800.

[13] Z. Shahpar, V. K. Bardsiri, and A. K. Bardsiri, "An evolutionary ensemble analogy-based software effort estimation," *Softw. Pract. Exp.*, vol. 52, no. 4, pp. 929–946, Apr. 2022, doi: 10.1002/spe.3040.

[14] Z. Shahpar, V. Khatibi, and A. Khatibi Bardsiri, "Hybrid PSO-SA Approach for Feature Weighting in Analogy-Based Software Project Effort Estimation," *J. AI Data Min.*, vol. 9, no. 3, pp. 329–340, 2021, doi: 10.22044/jadm.2021.10119.2152.

[15] N. Ghatasheh, H. Faris, I. Aljarah, and R. M. H. Al-Sayyed, "Optimizing Software Effort Estimation Models Using Firefly Algorithm," *J. Softw. Eng. Appl.*, vol. 08, no. 03, pp. 133–142, 2015, doi: 10.4236/jsea.2015.83014.

[16] V. Resmi, S. Vijayalakshmi, and R. S. Chandrabose, "An effective software project effort estimation system using optimal firefly algorithm," *Cluster Comput.*, vol. 22, no. S5, pp. 11329–11338, Sep. 2019, doi: 10.1007/s10586-017-1388-0.

[17] K. Langsari and R. Sarno, "Optimizing effort and time parameters of cocomo ii estimation using fuzzy multi-objective PSO," *Int. Conf. Electr. Eng. Comput. Sci. Informatics*, vol. 4, no. September, pp. 466–471, 2017, doi: 10.11591/eecsi.4.1047.

[18] N. A. Zakaria, A. R. Ismail, N. Z. Abidin, N. H. M. Khalid, and A. Y. Ali, "Optimized COCOMO parameters using hybrid particle swarm optimization," *Int. J. Adv. Intell. Informatics*, vol. 7, no. 2, p. 177, Apr. 2021, doi: 10.26555/ijain.v7i2.583.

[19] M. D. Alanis-Tamez, C. López-Martín, and Y. Villuendas-Rey, "Particle Swarm

Optimization for Predicting the Development Effort of Software Projects," *Mathematics*, vol. 8, no. 10, p. 1819, Oct. 2020, doi: 10.3390/math8101819.

[20]   S. Chhabra and H. Singh, "Optimizing Design of Fuzzy Model for Software Cost Estimation Using Particle Swarm Optimization Algorithm," *Int. J. Comput. Intell. Appl.*, vol. 19, no. 01, p. 2050005, Mar. 2020, doi: 10.1142/S1469026820500054.

[21]   M. Khazaiepoor, A. Khatibi Bardsiri, and F. Keynia, "A Hybrid Approach for Software Development Effort Estimation using Neural networks, Genetic Algorithm, Multiple Linear Regression and Imperialist Competitive Algorithm," *Int. J. Nonlinear Anal. Appl*, vol. 11, no. 1, pp. 2008–6822, 2020, doi: 10.22075/ijnaa.2020.4259.

[22]   K. E. Rao and G. A. Rao, "Ensemble learning with recursive feature elimination integrated software effort estimation: a novel approach," *Evol. Intell.*, vol. 14, no. 1, pp. 151–162, Mar. 2021, doi: 10.1007/s12065-020-00360-5.

[23]   A. Ardiansyah, R. Ferdiana, and A. E. Permanasari, "Optimizing complexity weight parameter of use case points estimation using particle swarm optimization," *Int. J. Adv. Intell. Informatics*, vol. 8, no. 2, p. 165, Jul. 2022, doi: 10.26555/ijain.v8i2.811.

[24]   A. Ardiansyah, R. Ferdiana, and A. E. Permanasari, "MUCPSO: A Modified Chaotic Particle Swarm Optimization with Uniform Initialization for Optimizing Software Effort Estimation," *Appl. Sci.*, vol. 12, no. 3, p. 1081, Jan. 2022, doi: 10.3390/app12031081.

[25]   M. R. Braz and S. R. Vergilio, "Using fuzzy theory for effort estimation of object-oriented software," in *16th IEEE International Conference on Tools with Artificial Intelligence*, 2004, no. Ictai, pp. 196–201, doi: 10.1109/ICTAI.2004.119.

[26]   G. Robiolo and R. Orosco, "Employing use cases to early estimate effort with simpler metrics," *Innov. Syst. Softw. Eng.*, vol. 4, no. 1, pp. 31–43, Apr. 2008, doi: 10.1007/s11334-007-0043-y.

[27]   P. Mohagheghi, B. Anda, and R. Conradi, "Effort estimation of use cases for incremental large-scale software development," in *Proceedings. 27th International Conference on Software Engineering, 2005. ICSE 2005.*, 2005, pp. 303–311, doi: 10.1109/ICSE.2005.1553573.

[28]   B. Anda, H. Dreiem, D. I. K. Sjoberg, and M. Jorgensen, "Estimating Software Development Effort based on Use Cases – Experiences from Industry," in *The Unified Modeling Language. Modeling Languages, Concepts, and Tools*, C. G. Kobryn, Ed.

Springer Berlin Heidelberg, 2001.

[29] B. Anda, E. Angelvik, and K. Ribu, "Improving Estimation Practices by Applying Use Case Models," *Prod. Focus. Softw. Process Improv.*, vol. 2559, no. 1325, pp. 383–397, 2002, doi: 10.1007/3-540-36209-6_32.

[30] M. Ochodek, J. Nawrocki, and K. Kwarciak, "Simplifying effort estimation based on Use Case Points," *Inf. Softw. Technol.*, vol. 53, no. 3, pp. 200–213, Mar. 2011, doi: 10.1016/j.infsof.2010.10.005.

[31] M. Ochodek, B. Alchimowicz, J. Jurkiewicz, and J. Nawrocki, "Improving the reliability of transaction identification in use cases," *Inf. Softw. Technol.*, vol. 53, no. 8, pp. 885–897, 2011, doi: 10.1016/j.infsof.2011.02.004.

[32] H. L. T. K. Nhung, V. Van Hai, R. Silhavy, Z. Prokopova, and P. Silhavy, "Parametric Software Effort Estimation Based on Optimizing Correction Factors and Multiple Linear Regression," *IEEE Access*, vol. 10, pp. 2963–2986, 2022, doi: 10.1109/ACCESS.2021.3139183.

[33] A. B. Nassif, D. Ho, and L. F. Capretz, "Towards an early software estimation using log-linear regression and a multilayer perceptron model," *J. Syst. Softw.*, vol. 86, no. 1, pp. 144–160, Jan. 2013, doi: 10.1016/j.jss.2012.07.050.

[34] A. B. Nassif, L. F. Capretz, D. Ho, and M. Azzeh, "A treeboost model for software effort estimation based on use case points," *Proc. - 2012 11th Int. Conf. Mach. Learn. Appl. ICMLA 2012*, vol. 2, no. June, pp. 314–319, 2012, doi: 10.1109/ICMLA.2012.155.

[35] K. Qi, A. Hira, E. Venson, and B. W. Boehm, "Calibrating use case points using bayesian analysis," in *Proceedings of the 12th ACM/IEEE International Symposium on Empirical Software Engineering and Measurement - ESEM '18*, 2018, pp. 1–10, doi: 10.1145/3239235.3239236.

[36] R. Silhavy and P. Silhavy, "Using Actors and Use Cases for Software Size Estimation," *Electronics*, vol. 10, no. 5, pp. 1–20, 2021, doi: 10.3390/electronics10050592.

[37] H. Le Thi Kim Nhung, H. T. Hoc, and V. Van Hai, "An Evaluation of Technical and Environmental Complexity Factors for Improving Use Case Points Estimation," in *Advances in Intelligent Systems and Computing*, vol. 1294, 2020, pp. 757–768.

[38] K. Qi and B. W. Boehm, "Detailed use case points (DUCPs)," in *Proceedings of the 10th International Workshop on Modelling in Software Engineering - MiSE '18*, 2018, pp. 17–

24, doi: 10.1145/3193954.3193955.

[39] D. D. Galorath and M. W. Evans, *Software Sizing, Estimation, and Risk Management*. Boca Raton: Auerbach Publications, 2006.

[40] K. Periyasamy and A. Ghode, "Cost Estimation Using Extended Use Case Point (e-UCP) Model," in *2009 International Conference on Computational Intelligence and Software Engineering*, Dec. 2009, pp. 1–5, doi: 10.1109/CISE.2009.5364515.

[41] A. Minkiewicz, "Use Case Sizing." PRICE Research, 2004.

[42] A. B. Nassif, "Software Size and Effort Estimation from Use Case Diagrams Using Regression and Soft Computing Models," The University of Western Ontario, 2012.

[43] A. B. Nassif, L. F. Capretz, and D. Ho, "Calibrating use case points," in *Companion Proceedings of the 36th International Conference on Software Engineering - ICSE Companion 2014*, 2014, pp. 612–613, doi: 10.1145/2591062.2591141.

[44] H. T. Hoc, V. Van Hai, and H. Le Thi Kim Nhung, "AdamOptimizer for the Optimisation of Use Case Points Estimation," in *Advances in Intelligent Systems and Computing*, vol. 1294, 2020, pp. 747–756.

[45] M. Hariyanto and R. S. Wahono, "Estimasi Proyek Pengembangan Perangkat Lunak Dengan Fuzzy Use Case Points," *J. Softw. Eng.*, vol. 1, no. 1, pp. 54–63, 2015.

[46] S. Mirjalili, S. M. Mirjalili, and A. Lewis, "Grey Wolf Optimizer," *Adv. Eng. Softw.*, vol. 69, pp. 46–61, Mar. 2014, doi: 10.1016/j.advengsoft.2013.12.007.

[47] X. S. Yang, "Firefly algorithms for multimodal optimization," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 5792 LNCS, pp. 169–178, 2009, doi: 10.1007/978-3-642-04944-6_14.

[48] Xin-She Yang, *Nature Inspired Metaheuristic Algorithms*, 2nd ed. Luniver Press, 2010.

[49] J. H. Holland, *Adaptation in Natural and Artificial Systems*. London: MIT Press, 1992.

[50] R. Silhavy, P. Silhavy, and Z. Prokopova, "Analysis and selection of a regression model for the Use Case Points method using a stepwise approach," *J. Syst. Softw.*, vol. 125, pp. 1–14, Mar. 2017, doi: 10.1016/j.jss.2016.11.029.

[51] E. Kocaguneli and T. Menzies, "Software effort models should be assessed via leave-one-out validation," *J. Syst. Softw.*, vol. 86, no. 7, pp. 1879–1890, 2013, doi: 10.1016/j.jss.2013.02.053.

[52] W. B. Langdon, J. Dolado, F. Sarro, and M. Harman, "Exact Mean Absolute Error of

Baseline Predictor, MARP0," *Inf. Softw. Technol.*, vol. 73, pp. 16–18, May 2016, doi: 10.1016/j.infsof.2016.01.003.

[53]   M. Shepperd and S. MacDonell, "Evaluating prediction systems in software project estimation," *Inf. Softw. Technol.*, vol. 54, no. 8, pp. 820–827, Aug. 2012, doi: 10.1016/j.infsof.2011.12.008.

[54]   M. H. Nadimi-Shahraki, S. Taghian, and S. Mirjalili, "An improved grey wolf optimizer for solving engineering problems," *Expert Syst. Appl.*, vol. 166, no. August 2020, p. 113917, 2021, doi: 10.1016/j.eswa.2020.113917.

[55]   H. Peng, W. Zhu, C. Deng, and Z. Wu, "Enhancing firefly algorithm with courtship learning," *Inf. Sci. (Ny).*, vol. 543, pp. 18–42, 2020, doi: 10.1016/j.ins.2020.05.111.

[56]   L. Abualigah, M. A. Elaziz, P. Sumari, Z. W. Geem, and A. H. Gandomi, "Reptile Search Algorithm (RSA): A nature-inspired meta-heuristic optimizer," *Expert Syst. Appl.*, vol. 191, no. November, p. 116158, Apr. 2022, doi: 10.1016/j.eswa.2021.116158.

[57]   M. Azzeh and A. B. Nassif, "A hybrid model for estimating software project effort from Use Case Points," *Appl. Soft Comput. J.*, vol. 49, pp. 981–989, 2016, doi: 10.1016/j.asoc.2016.05.008.

[58]   R. Silhavy, P. Silhavy, and Z. Prokopova, "Evaluating subset selection methods for use case points estimation," *Inf. Softw. Technol.*, vol. 97, no. June 2017, pp. 1–9, 2018, doi: 10.1016/j.infsof.2017.12.009.

[59]   J. Demsar, "Statistical Comparisons of Classifiers over Multiple Data Sets," *J. Mach. Learn. Res.*, vol. 7, pp. 1–30, 2006.

[60]   I. Boussaïd, J. Lepagnot, and P. Siarry, "A survey on optimization metaheuristics," *Inf. Sci. (Ny).*, vol. 237, pp. 82–117, Jul. 2013, doi: 10.1016/j.ins.2013.02.041.

[61]   A. H. Halim, I. Ismail, and S. Das, *Performance assessment of the metaheuristic optimization algorithms: an exhaustive review*, vol. 54, no. 3. Springer Netherlands, 2021.

[62]   J. O. Agushaka, A. E. Ezugwu, L. Abualigah, S. K. Alharbi, and H. A. E. W. Khalifa, "Efficient Initialization Methods for Population-Based Metaheuristic Algorithms: A Comparative Study," *Archives of Computational Methods in Engineering*, vol. 30, no. 3. pp. 1727–1787, 2023, doi: 10.1007/s11831-022-09850-4.

[63]   M. A. Tawhid and A. M. Ibrahim, "Improved salp swarm algorithm combined with chaos," *Math. Comput. Simul.*, vol. 202, pp. 113–148, 2022, doi: