

Test Case Specification & Execution Record

SPM-37 - Save an Event Request as a Draft (with referenced SPM-36 create/submit cases)

Project / Team	IS212 Software Project Management - Team G5-T2	Sprint	Sprint 1
User story	As an event organiser, I want to save an event request as a draft, so that I can complete and submit it later.	Jira	SPM-37 (Medium, In Progress)
Document type	Functional test cases derived from acceptance criteria (Agile Testing Quadrants Q1 & Q2)	Branch	feature/SPM-37-save-event-request-as-a-draft
Created by	Team G5-T2 (AI-assisted: generated then curated per the 5-step method)	Date created	2026-09-18
Executed by	Automated suites (Vitest, Playwright) - this session	Date executed	2026-09-18

Execution summary (this session)

Suite	Type / Quadrant	Cases	Tests run	Result	Code coverage (per-file target 100%)
Backend unit (Vitest)	Q1 - unit, technology-facing	Q1-001...037, 042...051	260 tests	260 / 260 PASS	draft-input.ts, drafts.service.ts, drafts.controller.ts, event-input.ts, events.service.ts = 100% stmts / branches / funcs / lines
Frontend unit + component (Vitest)	Q1 (api util) + Q2 - functional, business-facing	Q1-035...037, Q2-001...020, 022, 023	68 tests	68 / 68 PASS	EventCreatePage.tsx, MyRequestsPage.tsx, api.ts = 100% stmts / branches / funcs / lines
Backend API + database (Vitest e2e)	Q1 - integration (real PostgreSQL)	Q1-038...041 + 7 AC integration checks	13 tests	13 / 13 PASS	Verifies persistence, atomic submit and concurrency against the spm_test database
Real-browser end-to-end (Playwright/Chromium)	Q2 - full story workflow	Q2-021	1 test	1 / 1 PASS	Save -> refresh -> reopen -> retry -> submit -> lock, against the running app + DB

Overall: 342 / 342 automated checks pass; per-file code coverage is 100% (statements, branches, functions, lines) for every SPM-37 module. Test IDs use the Agile Testing Quadrant scheme: **Q1** = unit / technology-facing (automated, supports the team); **Q2** = functional / business-facing story tests (component behaviour and full user workflow). EVE-CRE-* rows are the neighbouring SPM-36 create/submit cases that share these modules and are re-run here for regression.

1 - How these test cases were derived

Following the lecture's 5-step method for identifying test cases, each acceptance criterion (AC) was translated from a checklist item into concrete scenario-based cases with specific inputs, preconditions, actions and expected results:

Step	Activity	How it was applied to the draft feature
1. Visualise workflow	Walk the user's path	Organiser opens the create form, fills fields across three wizard steps, saves a draft, leaves, reopens from My Requests, edits, then submits.
2. Happy path	Positive case, run first	Save an incomplete draft and get a confirmation (Q2-001/007); reopen and see every value (Q1-023, Q2-023); submit and lock (Q2-009, Q1-030).
3. Cross-cutting	Story-specific quality checks	Accessible labels on every field (EVE-CRE-02-A); safe error handling that never leaks server internals (Q1-037); no duplicate submits (Q2-007/022).
4. Negative testing	Erroneous data & failures	Malformed envelopes/fields/IDs (Q1-001/002/024); unsupported options (Q1-013/015); network/DB failures with retained input and rollback (Q1-032, Q2-005/007/010).
5. Boundary testing	Just below, at, just above	Field lengths, attachment size/count, attendance range, version range, wizard step and date/time edges - see the BVA rows (Q1-007/008, 018/019, 050; Q2-011/012/018/019).

Which tests matter (Agile Testing Quadrants)

At minimum the story needs **functional test cases** that verify its ACs; automated **unit** and **integration** tests guard against regressions. This document therefore records only **Q1** (unit, technology-facing) and **Q2** (functional, business-facing) cases, as requested. Performance/load/security (Q4) and manual exploratory/UAT (Q3) are out of scope for this story. AC7 (real per-organisation identity isolation) is explicitly deferred by the customer; a shared server-side demo organiser is used and ownership filtering is retained (verified by the integration owner-isolation check).

Test-case template (per lecture, page 22/34)

Each row below carries the **specification** fields (ID - Scenario - Technique - Pre-conditions - Test Steps - Test Data - Expected Result), written once, plus the latest **execution record** (Status). Parametrised cases (Vitest it.each) are shown as one logical test case whose Test Data column lists the concrete values exercised, so boundary/partition coverage is visible without repeating the row.

Technique key	HP = Happy path - NEG = Negative - BVA = Boundary-value analysis - EP = Equivalence partition - CC = Cross-cutting - INT = Integration (real DB) - E2E = End-to-end (browser)
----------------------	---

2 - Acceptance criteria & traceability

AC	Acceptance criterion (SPM-37)	Covering test cases
AC1	The organiser can save an event request as a draft at any point , with any subset of fields completed - no field is required to save.	Q1-006, Q1-025, Q1-046, Q2-001; INT: 'saves an incomplete Draft without submitting'
AC2	Saving a draft does not submit it or create a submitted event; it does not enter the approval workflow.	Q1-025, Q2-001; INT: 'saves an incomplete Draft...', 'rolls back an invalid submission...'
AC3	All entered values and attachments are persisted and returned intact when the draft is reopened, including after a fresh DB connection.	Q1-006/007/012/014/016/018/020/023, Q1-040/042; Q2-023; INT: 'lists and reopens all saved values', 'data survives a backend restart'
AC4	On save the UI shows a confirmation on success and an actionable error on failure ; entered input is retained and an uncertain (network-failed) save can be retried.	Q1-035/036/037, Q1-032; Q2-005/006/007/008/010/020
AC5	The organiser can view, reopen and continue editing the same request, resuming the wizard step it was saved on.	Q1-010/011/023/024, Q1-038; Q2-002/003/004/013/015/016/017
AC6	Saving again updates the same request (optimistic version + operation id); duplicate/uncertain retries create no extra rows and stale/concurrent updates are rejected without data loss.	Q1-003/004/005/026/027/028/029, Q1-039; Q2-005/006/022; INT: 'retries idempotently and rejects stale concurrent updates'
AC7	<i>[Deferred by customer]</i> Drafts isolated to the organiser's real organisation via authenticated identity. Shared demo organiser used; server-side ownership filtering retained.	INT: 'does not expose a row belonging to a different server-side owner' (isolation-by-owner retained; real multi-org auth deferred)
AC8	Submitting a draft is atomic and permanent : it creates the submitted event in one transaction, preserves the request ID, is idempotent under concurrency, and permanently locks the draft from further edits.	Q1-030/031/032/033/043, Q1-041, Q1-044...051; Q2-009/013/014; INT: 'submits once and blocks later draft saves', 'simultaneous submissions...'; E2E Q2-021

Field validation limits used across the Test Data column

Field	Rule / limit	Field	Rule / limit
name	text, up to 200 chars	attachments (count)	up to 5 files
purpose	text, up to 500 chars	attachment size	0 ... 1,048,576 bytes (1 MiB)
description	text, up to 5,000 chars	attachment id / type	up to 100 chars each
startDate / endDate	text, up to 10 chars	attachment name	up to 255 chars
startTime / endTime	text, up to 8 chars	attachment dataUrl	up to 1,400,000 chars; must start 'data:'
expectedAttendance (draft)	text, up to 20 chars	version	integer 0 ... 9,007,199,254,740,991
equipmentNeeds	text, up to 2,000 chars	operationId	UUID v4
layout	up to 40 chars & in {Theatre, Classroom, Banquet, Boardroom, U-shape, Standing}	formStep (wizard)	integer in {0,1,2}
facilities	subset of {Catering, AV System, Parking, Stage, Projector, Whiteboard}	accessibility	subset of {Wheelchair ramps, Accessible restrooms, Hearing loop, Elevator access}
attendance (on submit)	integer 1 ... 2,147,483,647	start / end date-time (submit)	start at/after now; end after start

3 - Q1: Unit & integration test cases (technology-facing)

Validators, services, controller and API client (Vitest, mocked pg pool); Q1-038...041 run against a real PostgreSQL test database.

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q1-001	Malformed request envelope is rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	Call validateDraft(body).	body in {null, undefined, [], 'draft', 0, true}	BadRequestException (HTTP 400); no DB access.	Pass
Q1-002	Malformed 'fields' object is rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft({...fields}).	fields in {null, undefined, [], 'fields', 1}	Rejected 400 before any persistence.	Pass
Q1-003	Invalid optimistic version rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with bad version.	version in {-1, 0.5, '0', null, MAX_SAFE+1, NaN, Infinity}	Rejected 400 (version must be a safe non-negative integer).	Pass
Q1-004	Valid version boundaries accepted	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with edge versions.	version in {0, 1, 9,007,199,254,740,991}	Accepted; version preserved exactly.	Pass
Q1-005	Invalid operationId rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with bad operationId.	{', non-uuid, 2, undefined, non-v4 uuid}	Rejected 400 (operationId must be a UUID v4).	Pass
Q1-006	Empty / whitespace / zero / partial draft preserved	EP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft on sparse fields.	attendance '0', whitespace text, incomplete schedule	Accepted; values preserved verbatim (no coercion).	Pass
Q1-007	Text fields accept length boundaries	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft per field.	len in {0, 1, max-1, max} for name/purpose/description/dates/times/attendance/equipment	Accepted at and below each field limit.	Pass
Q1-008	Text fields reject over-limit length	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft per field.	len = max+1 for each text field	Rejected 400 with per-field error.	Pass
Q1-009	Text fields reject non-string types	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft per field.	value in {1, [], {}, true} for each field	Rejected 400 with per-field error.	Pass
Q1-010	Wizard step accepted in range	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with formStep.	formStep in {undefined, 0, 1, 2}	Accepted; omitted when undefined, else preserved.	Pass
Q1-011	Wizard step rejected out of range	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with formStep.	formStep in {-1, 3, 1.5, '1', null}	Rejected 400 (formStep error).	Pass

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q1-012	Supported room layouts accepted	EP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with layout.	" and each of the 6 LAYOUTS	Accepted; layout preserved.	Pass
Q1-013	Unsupported / over-length layout rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with layout.	'Unknown', 39/40/41-char strings, number 1	Rejected 400 (layout error).	Pass
Q1-014	Facilities/accessibility accept none, all, dedupe	EP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with choices.	[], all allowed, and duplicates	Accepted; duplicates de-duplicated.	Pass
Q1-015	Facilities/accessibility reject bad choices	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with choices.	'not-array', ['Unknown'], duplicate-with-unknown	Rejected 400 with per-field error.	Pass
Q1-016	Attachment count accepted to limit	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with N files.	count in {0, 1, 4, 5}	Accepted; attachments preserved.	Pass
Q1-017	Attachment container invalid rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft.	'invalid' (not array) and 6 files (over limit)	Rejected 400 (attachments error).	Pass
Q1-018	Attachment byte size accepted to limit	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with sized file.	size in {0, 1, 1,048,575, 1,048,576}	Accepted; size preserved.	Pass
Q1-019	Attachment byte size rejected	BVA/NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with bad size.	size in {-1, 1,048,577, 0.5, '2'}	Rejected 400 (attachments error).	Pass
Q1-020	Attachment id/name/type/dataUrl length limits	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft per attachment field.	len in {max-1, max} for id100/name255/type100/dataUrl1.4M	Accepted at and below each limit.	Pass
Q1-021	Attachment field over-limit / wrong type rejected	BVA/NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft per attachment field.	non-string value, and length above each limit	Rejected 400 (attachments error).	Pass
Q1-022	Malformed attachment shape rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateDraft with bad item.	null, 'file', non-data: dataUrl (https://...)	Rejected 400 (attachments error).	Pass
Q1-023	List / retrieve / serialise saved records	HP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.list() & get().	seeded draft rows	Rows returned & serialised with all fields/attachments.	Pass

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q1-024	Malformed draft ID guarded before DB	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.get/submit('bad').	id = 'bad'	404 NotFound; no query issued.	Pass
Q1-025	Save new & existing draft; release connection	HP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.save() insert & update.	new id vs existing id	Upsert performed; pooled connection released.	Pass
Q1-026	Identical retry save issues no update	HP/idem	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.save() twice, same op.	same operationId + body	Second call is a no-op (no UPDATE); same row returned.	Pass
Q1-027	Save rolls back on altered/missing/stale/submitted	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.save() conflict paths.	altered retry, missing row, stale version, already submitted	Rejected with proper status; transaction rolled back.	Pass
Q1-028	Submit rejects invalid version before connect	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.submit(id, body).	version in {missing, '1', -1, 0, 1.5, MAX_SAFE+1, {}}	Rejected 400 before any DB connection.	Pass
Q1-029	Submit rolls back missing / stale draft	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.submit() conflict paths.	missing row; stale version	Rejected; rolled back; no event created.	Pass
Q1-030	Submit saved snapshot in one transaction	HP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.submit() success.	attendance " and '25'	Event created via the SAME transaction; draft closed.	Pass
Q1-031	Repeated submission returns original event	HP/idem	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.submit() twice.	same id resubmitted	Original event returned; no duplicate created.	Pass
Q1-032	DB failure on save/submit rolls back & releases	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	Force query rejection.	injected DB error on save and on submit	Error propagates; ROLLBACK; connection released.	Pass
Q1-033	Submit rolls back when event creation fails	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	EventsService.create throws.	injected 'event creation failed'	Whole submit rolled back; draft remains a draft.	Pass
Q1-034	Controller forwards exact contracts	CC	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	controller.save/submit -> service.	id + body passed through	Service called with identical args; result forwarded.	Pass
Q1-035	API client sends JSON, headers, timeout	HP	Page rendered under MemoryRouter; api() mocked; store reset.	api('/requests', PUT, headers).	VITE_API_BASE_URL set; custom X-Test header	Correct URL; JSON Content-Type + custom header; AbortSignal set.	Pass

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q1-036	API connection failure is actionable	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	api() with fetch rejecting.	fetch throws 'network'	Throws 'Unable to reach the server' (actionable).	Pass
Q1-037	API maps error statuses to safe messages	NEG/CC	Page rendered under MemoryRouter; api() mocked; store reset.	api() with !ok responses.	400 (field errors), 409, 503 (secret body)	ApiError with safe message; server internals never leaked.	Pass
Q1-038	Malformed / missing IDs -> 404, no insertion	INT	Nest app on spm_test PostgreSQL; events schema + draft migration applied.	PUT/GET/submit bad ids via HTTP.	malformed and unknown UUIDs	404 returned; no rows inserted in PostgreSQL.	Pass
Q1-039	Stale submit preserves latest, creates no event	INT	Nest app on spm_test PostgreSQL; events schema + draft migration applied.	Save v2 then submit v1.	stale version on submit	409 conflict; latest saved data intact; no event.	Pass
Q1-040	Data survives backend restart / new connection	INT	Nest app on spm_test PostgreSQL; events schema + draft migration applied.	Save, recreate app, re-read.	draft persisted then app reinitialised	All fields returned from a fresh DB connection.	Pass
Q1-041	Simultaneous submissions -> one event, draft closed	INT	Nest app on spm_test PostgreSQL; events schema + draft migration applied.	Fire two concurrent submits.	two parallel submit calls, same id	Exactly one event created; draft locked; no duplicate.	Pass
Q1-042	Loads submitted event; legacy attachments default	EP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.get() on submitted row.	attachments column NULL	Record loaded; attachments defaults to [].	Pass
Q1-043	Draft submit shares transaction (success & failure)	HP/NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	create() with caller transaction.	provided client; success then injected failure	No own BEGIN/COMMIT/ROLLBACK /release; error propagates.	Pass
Q1-044	Malformed submitted envelope rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent(body).	null, undefined, 'invalid'	Rejected 400 before persistence.	Pass
Q1-045	Submission rejects invalid name	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent with bad name.	numeric 123; 201-char string	Rejected 400 (name).	Pass
Q1-046	Omitted choices default to empty arrays	EP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent without choices.	facilities/accessibility omitted	Default to [] (no error).	Pass
Q1-047	Invalid submitted attachment collection	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent with bad container.	'invalid', {} (not array)	Rejected 400 (attachments).	Pass

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q1-048	Invalid submitted attachment shape	NEG	DEMO_ORGANISER_ENABLED=true; validator/service under test with mocked pg pool.	validateEvent with bad item.	null, undefined, 'file', numeric-fields object	Rejected 400 (attachments).	Pass
Q1-049	Invalid submission UUID rejected	NEG	DEMO_ORGANISER_ENABLED=true; validator/service under test with mocked pg pool.	validateEvent submissionKey.	", non-v4 uuid, 'wrong-id'	Rejected 400 (submissionKey must be UUID v4).	Pass
Q1-050	Valid attendance boundaries (submit)	BVA	DEMO_ORGANISER_ENABLED=true; validator/service under test with mocked pg pool.	validateEvent attendance.	1, 2, 2,147,483,646, 2,147,483,647	Accepted at low and high edges.	Pass
Q1-051	Start time just below / at / above now	BVA	DEMO_ORGANISER_ENABLED=true; validator/service under test with mocked pg pool.	validateEvent start.	start just before now / now / future	Past rejected; now & future accepted.	Pass

4 - Q2: Functional test cases (business-facing)

React component behaviour for EventCreatePage & MyRequestsPage (Vitest + Testing Library); Q2-021 is the full user workflow in a real browser (Playwright/Chromium).

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q2-001	Save incomplete values from any wizard step	HP	Page rendered under MemoryRouter; api() mocked; store reset.	Open draft, click Save draft.	reopened at formStep 0/1/2 with purpose/startTime blank	PUT sends version+fields (incl. formStep); no POST; confirmation dialog.	Pass
Q2-002	Legacy / invalid saved step falls back to step 1	EP	Page rendered under MemoryRouter; api() mocked; store reset.	Open draft with bad formStep.	formStep in {undefined, -1, 3, 1.5}	Editor opens on the basic-fields step; values shown.	Pass
Q2-003	Failed draft retrieval hides editing	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Open draft; load rejects.	Error('Not found') and non-Error 'unknown failure'	Alert shown; no form fields; 'Back to My Requests' link to /requests.	Pass
Q2-004	Late load ignored after leaving editor	NEG/CC	Page rendered under MemoryRouter; api() mocked; store reset.	Unmount page, settle promise.	load resolves / rejects after unmount	No state update, alert or fields (no memory leak).	Pass
Q2-005	Uncertain op retried before later edits	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Save (offline) -> edit -> save.	1st save rejects; edit name Before->After	Exact original op retried first; new op for the edit; success dialog.	Pass
Q2-006	Field error then corrected new operation	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Save (400 field error) -> fix -> save.	ApiError{name:'Too long'} then 'Corrected'	Field error shown then cleared; corrected payload; new operationId.	Pass
Q2-007	Save failure retains input; controls block dup	NEG/CC	Page rendered under MemoryRouter; api() mocked; store reset.	Save (pending) then resubmit form.	pending save; second submit attempt	Button disabled while saving; only one request; fallback error keeps input.	Pass
Q2-008	Confirmation supports keyboard; returns to list	CC	Page rendered under MemoryRouter; api() mocked; store reset.	Save; operate dialog.	Tab trapped; Escape closes; OK	Focus trap works; OK returns to My Requests (empty state).	Pass
Q2-009	Submit via requests API; replace event in store	HP	Page rendered under MemoryRouter; api() mocked; store reset.	Reopen; Submit for Review.	existing store event with same id	PUT then POST /requests/:id/submit with version; event replaced (no dup).	Pass
Q2-010	Failed submission keeps draft data	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Reopen; submit rejects.	ApiError{equipmentNeeds} and non-Error	Correct message; draft data retained; Submit re-enabled.	Pass
Q2-011	Attendance boundary on submission	BVA	Page rendered under MemoryRouter; api() mocked; store reset.	Continue past schedule step.	0, 1, 2, 2,147,483,646/647, 2,147,483,648	1..2,147,483,647 proceed; 0 & over-max show 'positive whole number'.	Pass
Q2-012	End time relative to start (10:00)	BVA	Page rendered under MemoryRouter; api() mocked; store reset.	Continue past schedule step.	end 09:59 / 10:00 / 10:01	Only 10:01 proceeds; others show 'End must be after start.'	Pass
Q2-013	Resumed review with missing basics -> step one	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Open at step 2; Submit for Review.	name/purpose/description blank	Validation returns to step one ('Enter the purpose...'); no submit.	Pass
Q2-014	Corrupt persisted schedule cannot submit	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Open at step 1; Continue.	startDate 'bad-date'; endTime 'bad-time'	Blocked at schedule step; equipment step not reached.	Pass

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
Q2-015	List: loading, empty, unnamed, submitted links	HP/CC	Page rendered under MemoryRouter; api() mocked; store reset.	Open /requests.	one blank-name draft; one submitted w/ eventId	Spinner then list; 'Untitled event request' -> /requests/id; submitted -> /events/id.	Pass
Q2-016	Failed list retry recovers	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Open /requests; retry.	first load rejects (Error & non-Error), retry []	Alert then Retry -> empty state; two calls made.	Pass
Q2-017	Late list result ignored after navigation	NEG/CC	Page rendered under MemoryRouter; api() mocked; store reset.	Unmount list; settle promise.	resolve/reject after unmount	No alert or state update.	Pass
Q2-018	Attachment size boundary in UI	BVA	Page rendered under MemoryRouter; api() mocked; store reset.	Choose a file of size N.	1,048,575 / 1,048,576 / 1,048,577 bytes	up to 1 MiB attaches & saves; over 1 MiB shows an alert.	Pass
Q2-019	Attachment count boundary in UI	BVA	Page rendered under MemoryRouter; api() mocked; store reset.	Choose N files.	4 / 5 / 6 files	up to 5 attach (Remove works); 6 shows an alert.	Pass
Q2-020	Cancelled selection harmless; read failure retrievable	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Change file input.	null files, [] files, then FileReader error	No crash on cancel; 'Unable to read' alert; Save re-enabled.	Pass
Q2-021	Full workflow: save,refresh,reopen, retry, submit, lock	E2E	Backend (spm_test) + frontend running; Chromium headless.	Drive the real app in Chromium.	real API+DB; one mocked failed response	Draft persists across reload; retry works; submit locks; no page errors.	Pass
Q2-022	Rapid save clicks issue only one request	CC	Page rendered under MemoryRouter; api() mocked; store reset.	Double-click Save draft.	two clicks dispatched synchronously	Exactly one request; single confirmation dialog.	Pass
Q2-023	Back nav preserves data; server attachment errors visible	NEG/CC	Page rendered under MemoryRouter; api() mocked; store reset.	Reopen at step 2; Back; Save.	server ApiError{attachments}	Attendance retained on Back; attachment error surfaced; input kept.	Pass

5 - SPM-36 create/submit cases re-run for regression

These neighbouring cases share the validator and service modules exercised above; they are re-run so changes to the draft feature do not regress event creation/submission.

TC ID	Test scenario	Tech.	Pre-conditions	Test steps	Test data	Expected result	Status
EVE-CRE-01-A	Open Event Request form from Event Planning	HP	Page rendered under MemoryRouter; api() mocked; store reset.	Navigate from Event Planning.	-	Create form is shown.	Pass
EVE-CRE-02-A	Every field has an accessible label	CC	Page rendered under MemoryRouter; api() mocked; store reset.	Render form; query labels.	all event fields	Each field reachable by its accessible label.	Pass
EVE-CRE-03-A	Accept a valid complete event request	HP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent(valid).	complete valid payload	Accepted; normalised event returned.	Pass
EVE-CRE-04-A/B/C/D	Missing required fields block submission	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent missing field.	missing name/purpose/description/start/end/attendance/layout	Rejected 400 per missing field.	Pass
EVE-CRE-05-A	Whitespace-only name rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent name ' '.	whitespace name	Rejected 400 (name).	Pass
EVE-CRE-05-B	Invalid attendance rejected	BVA/NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent attendance.	-1, 0, 1.5, 2,147,483,648, null (80 valid)	Non-positive/over-max/non-integer rejected.	Pass
EVE-CRE-05-C	Past / malformed start rejected	BVA/NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent start.	before today, earlier today, '2026-02-30', date-only, 'invalid'	Rejected 400 (start).	Pass
EVE-CRE-05-D	End at/before start rejected	BVA	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent end.	end equal to or before start	Rejected 400 (end must be after start).	Pass
EVE-CRE-05-E	Unsupported option rejected	NEG	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	validateEvent options.	unknown layout / facility / accessibility	Rejected 400 per field.	Pass
EVE-CRE-05-B/C/D (UI)	Schedule-step validation keeps step open	NEG	Page rendered under MemoryRouter; api() mocked; store reset.	Continue with bad schedule.	bad attendance / past start / end before start	Errors shown; schedule step stays open.	Pass
EVE-CRE-06-A	Save under authenticated organiser as Submitted	HP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.create(valid).	client-supplied organiser/status ignored	Saved as current-user, status submitted; success message.	Pass
EVE-CRE-07-B	Submitted event appears under My Events	HP	DEMO_ORGANISER_ENA BLED=true; validator/service under test with mocked pg pool.	service.list() / UI.	seeded submitted event	Event listed for the authenticated organiser.	Pass

6 - Notes & sign-off

- **One specification, many executions.** The specification columns change only when the requirement changes; the Status column records the latest run (2026-09-18, this session). A passing case is 'passing as of that build'.
- **Coverage meaning.** The 100% figure is per-file code coverage (statements, branches, functions, lines) enforced by dedicated Vitest configs (npm run test:cov:spm37 in each app); it is reported separately from the AC/requirements traceability above so each number has a clear meaning.
- **AI-assisted, human-curated.** Cases were generated then curated against the 5-step method - boundary (Q1-007/008/018/019/050, Q2-011/012/018/019) and business-rule negatives (Q1-027/029/039, Q2-013/014) were reviewed by hand, since these are where AI generation is least reliable.
- **Deferred.** AC7 (real per-organisation authentication) is deferred by the customer; isolation is currently enforced by server-side ownership filtering only (integration owner-isolation check).