

NAVIS HANTAVIRUS CRF

DESIGN OF THIS CASE REPORT FORM

This CRF is set up in modules to be used for recording data on NAVIS hantavirus Database. A template for completion instructions is below. This should be tailored to the objectives of your data collection.

Figure 1. REDCap event-instrument matrix

Data Collection Instrument	Enrolment	Tier 1						Tier 2						Tier 3						Summary	Discharge / Outcome
		W1	W2	W3	W4	W5	W6	W1	W2	W3	W4	W5	W6	W1	W2	W3	W4	W5	W6		
Patient Tier Status	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①		
Inclusion Criteria	✓																				
Consent	✓																				
Epidemiological Assessment	✓																				
Presentation	✓																				
Daily		☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉		
Clinical Labs		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Clinical Labs 2								✓	✓	✓	✓			✓	✓	✓	✓				
Virology And Immunology		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Virology And Immunology 2			✓	✓	✓	✓		✓	✓	✓	✓			✓	✓	✓	✓				
Medication																				☉	
Outcome																					✓

① Information only; ✓ Complete once; ☉ Repeatable assessment/form.

General guidance

- Contact the study data team or REDCap administrator for project-specific questions.
- The CRF is designed to collect data from examinations, interviews, review of hospital notes, and/or extraction from electronic health records.
- Data may be entered prospectively or retrospectively, depending on when the participant is enrolled and when information becomes available.
- Participant Identification Numbers should follow the site coding convention used by the project (for example, a site code plus sequential participant number).
- If a participant is re-admitted to the same site, create a new record and follow the local rule for re-admission or prior PIN tracking.
- If a participant transfers between sites, follow the project rule for whether the first site closes the record, and the second site opens a new one.
- Data entry instructions: Circles indicate that only one option may be selected, while square boxes indicate that multiple options may be selected. Use “Unknown” only when the information cannot be determined from the available source data.
- The “onset date” in the Presentation form captures symptoms present at enrolment and should not be updated during follow-up. Subsequent symptom onset should be recorded in the Daily Monitoring form, which is considered the primary source for onset determination and analysis.

REDCap structure in the current export

The current XML export shows a single-arm longitudinal project with fixed weekly events and a repeated daily instrument.

Main events

Event group	Event name	Notes
Entry	Enrollment E0	Initial study entry point
Follow-up	Tier 1 Week 1 to Week 6	Daily is repeated here
Follow-up	Tier 2 Week 1 to Week 6	Daily is repeated here
Follow-up	Tier 3 Week 1 to Week 6	Daily is repeated here
Close-out	Summary	End-of-follow-up summary event
Close-out	Discharge / Outcome	Final disposition or study closure

Main instruments

Instrument	Purpose	Repeating?
tier_logic / Patient Tier Status	Guidance and tier review	No
inclusion_criteria	Eligibility verification	No
consent	Consent documentation	No
epidemiological_assessment	Exposure history and contact information	No
presentation	Baseline presentation, onset, demographics, comorbidities, vaccination, and prior medication context	No
daily	Daily monitoring, symptoms, vital signs, treatments, and supportive care	Yes, across weekly events
clinical_labs	Laboratory monitoring	No
virology_and_immunology	PCR, serology, and specimen capture	No
medication	Medication-level capture	Yes
outcome	Final clinical outcome and complications	No

Recommended use by form

- **Presentation:** Use this form for the baseline clinical picture at enrolment, including onset information, demographics, comorbidities, vaccination history, and other contextual data captured at first presentation.
- **Daily:** Use this form for the day-by-day clinical record during the weekly follow-up events. In the current XML export, it is the only instrument configured as repeated across the Tier 1, Tier 2, and Tier 3 weekly events.
- **Clinical labs:** Use these forms for laboratory values and related biomarker information.
- **Virology and immunology:** Use these forms for PCR, serology, and specimen information.
- **Medication:** Use this form for medication-level capture. If the workflow requires one record per medication, confirm whether that is being handled through site procedure or a repeating record setup.
- **Outcome:** Use this form at discharge, death, or the end of study follow-up to capture the final participant outcome and any complications.

Important operational notes

- Keep following the participant if they transfer between wards within the same site, according to the project workflow.
- Use the Patient Tier Status field as **guidance** for data entry quality control, **not as an automatic rule** that changes records by itself.
- If the project uses a REDCap screenshot for the event matrix, place it near the top of the guide so staff can see the full structure at a glance.

Participant flow summary

Enrollment E0→Tier 1 Week 1 to Week 6→Tier 2 Week 1 to Week 6→Tier 3 Week 1 to Week 6→Summary →Discharge / Outcome

INCLUSION CRITERIA

Participant Identification Number (PIN) (5-digit site code and a 4-digit patient code, e.g. XXXXX-0001)	Date of Enrolment [][][][][]/[][][][][]/[][][][][]
Site name	

INCLUSION CRITERIA

Proven or suspected hantavirus infection ☐ Yes ☐ No	High suspicion of exposure to hantavirus ☐ Yes ☐ No
--	--

CONSENT

CONSENT			
As a research professional I certify that consent has been documented	☐ Yes ☐ No	Did the participant (or their representative) consent for blood samples to be used for genetic (DNA) research?	☐ Yes ☐ No ☐ Unknown
Did the participant (or their representative) consent to participate in the Host Genetics substudy?	☐ Yes ☐ No ☐ Unknown		

EXPOSURE HISTORY IN PREVIOUS 6 WEEKS

HOUSEHOLD EXPOSURE		
Any unwell household members in the 6 weeks prior to the admission of case?	☐ Yes ☐ No ☐ Unknown	If Yes: Which system(s) are affected? (tick all that apply) ☐ Respiratory ☐ Gastrointestinal ☐ Cardiovascular ☐ Central Nervous system ☐ Peripheral Nervous system ☐ Mucocutaneous ☐ Ocular ☐ Unknown ☐ Other _____
Have household members had any contact with a confirmed case of the same infection?	☐ Yes ☐ No ☐ Unknown	

HANTAVIRUS-SPECIFIC EXPOSURES

Exposure to rodent-contaminated environments before boarding the vessel (e.g. exposure in Argentina, shared visit to rubbish dump for birdwatching, contact with areas potentially contaminated by rodents)

- ☐ Yes
☐ No
☐ Unknown

Rodent sighting or exposure on board the vessel

- ☐ Yes
☐ No
☐ Unknown

Direct contact with rodents

- ☐ Yes
☐ No
☐ Unknown

If Yes:

Rodents type

- ☐ Rats
☐ Mice

Specify type of contact

- ☐ Hunting
☐ Preparing
☐ Handling
☐ Consumption (unprocessed / undercooked / raw)
☐ Trading
☐ Animal faeces or nests
☐ Sick or dead animal
☐ Unknown
☐ Other

OTHER ANIMAL EXPOSURES

Other animal exposures

- ☐ Yes
☐ No
☐ Unknown

Contact with wildlife

- ☐ Yes
☐ No
☐ Unknown

If Yes: Wildlife type

- ☐ Bats
☐ Other

Any insect or arthropod bites (eg. mosquitoes, ticks)

- ☐ Yes
☐ No
☐ Unknown

Other animal contact not listed above

- ☐ Yes
☐ No
☐ Unknown

If Yes: Specify animal contacts not listed above

WATER / ENVIRONMENTAL EXPOSURES

Patient swam or bathed in pools, ponds, or rivers

- ☐ Yes
☐ No
☐ Unknown

Exposure to flood water/stagnant water bodies or contaminated water

- ☐ Yes
☐ No
☐ Unknown

ONSET & PRESENTATION

DEMOGRAPHICS

CO-MORBIDITIES AND RISK FACTORS: Existing prior to this current illness and is ongoing

Chronic cardiac disease (not hypertension)	☐ Yes ☐ No ☐ Unknown	If Yes:	
Myocardial infarction	☐ Yes ☐ No ☐ Unknown	Congestive heart failure	☐ Yes ☐ No ☐ Unknown
Hypertension	☐ Yes ☐ No ☐ Unknown	Chronic pulmonary disease (not asthma)	☐ Yes ☐ No ☐ Unknown
		Asthma	☐ Yes ☐ No ☐ Unknown
Liver disease	☐ Yes ☐ No ☐ Unknown	If Yes: Type of liver disease	☐ Mild ☐ Moderate or severe ☐ Unknown
Chronic kidney disease	☐ Yes ☐ No ☐ Unknown	If Yes: Stage of chronic kidney disease	☐ Stage 1 ☐ Stage 2 ☐ Stage 3a ☐ Stage 3b ☐ Stage 4 ☐ Stage 5 ☐ Unknown
HIV	☐ Yes ☐ No ☐ Unknown		
Is the patient on anti-retroviral therapy (ART)?	☐ Yes ☐ No ☐ Unknown	If Yes: Specify ART	_____
If HIV positive: CD4 count date	[_D_][_D_][_M_][_M_][_Y_][_Y_][_Y_][_Y_]	If HIV positive: Most recent CD4 count (cells/ μ L)	_____
If HIV positive: Is HIV viral load detectable	☐ Yes ☐ No ☐ Unknown	If Yes: Most recent HIV viral load (copies/mL)	_____
HIV viral load date	[_D_][_D_][_M_][_M_][_Y_][_Y_][_Y_][_Y_]		
Tuberculosis	☐ Yes ☐ No ☐ Unknown	Chronic hepatitis B/C infection	☐ Yes ☐ No ☐ Unknown
		Chronic haematologic disease	☐ Yes ☐ No ☐ Unknown
Rheumatologic disorder	☐ Yes ☐ No ☐ Unknown	Malignant neoplasm	☐ Yes ☐ No ☐ Unknown
		Obesity	☐ Yes ☐ No ☐ Unknown
Malnutrition	☐ Yes ☐ No ☐ Unknown		
Diabetes mellitus	☐ Yes ☐ No ☐ Unknown	If Yes:	
Diabetes mellitus type	☐ Type 1 ☐ Type 2 ☐ Gestational diabetes ☐ Unknown	End organ damage from diabetes	☐ Yes ☐ No ☐ Unknown
Ever smoked	☐ Yes ☐ No ☐ Unknown	If Yes: Smoking status	☐ Current smoker ☐ Former Smoker

Passive smoking (lives in same household as a smoker) ☐ Yes ☐ No ☐ Unknown		
Transplant recipient ☐ Yes ☐ No ☐ Unknown	If Yes: Specify transplanted organ(s)	☐ Lung ☐ Heart ☐ Kidney ☐ Liver ☐ Bone ☐ Hematopoietic stem cell ☐ Other
Primary immunodeficiency ☐ Yes ☐ No ☐ Unknown	Chemotherapy ☐ Yes ☐ No ☐ Unknown	Radiation therapy ☐ Yes ☐ No ☐ Unknown
Long term or high-dose corticosteroid therapy ☐ Yes ☐ No ☐ Unknown		
Other relevant comorbidity(s) ☐ Yes ☐ No ☐ Unknown	If Yes: _____	
Active Hepatitis C ☐ Yes ☐ No ☐ Unknown	Active Hepatitis B ☐ Yes ☐ No ☐ Unknown	

MEDICATION PRIOR TO THIS ADMISSION / PRESENTATION

Antiviral ☐ Yes ☐ No ☐ Unknown	If Yes:		
Antiviral ☐ Favipiravir ☐ Ribavirin ☐ Other	Antiviral start date	[_] [_] / [_] [_] / [_] [_] [_] [_]	
Number of days antivirals taken _____			
Corticosteroid ☐ Yes ☐ No ☐ Unknown	If Yes:		
Corticosteroid ☐ Dexamethasone ☐ Prednisolone/ Prednisone ☐ Other	Corticosteroid start date	[_] [_] / [_] [_] / [_] [_] [_] [_]	
Number of days corticosteroid taken _____	Dose of corticosteroid _____		
Antibiotics ☐ Yes ☐ No ☐ Unknown	If Yes: Antibiotics	☐ Azithromycin ☐ Ceftriaxone ☐ Vancomycin ☐ Other	
NSAIDs ☐ Yes ☐ No ☐ Unknown	If Yes:		

NSAIDs	☐ Acetylsalicylic acid (Aspirin) ☐ Diclofenac ☐ Ibuprofen ☐ Other _____	total NSAID dose mg/day _____	Duration of NSAID use (days) _____
Analgesics/antipyretics (non-NSAID)	☐ Yes ☐ No ☐ Unknown	If Yes: Select Analgesics/antipyretics (non-NSAID)	☐ Paracetamol (Acetaminophen) ☐ Metamizole (Dipyrone) ☐ Other
Opioids	☐ Yes ☐ No ☐ Unknown		
Intravenous (parenteral) fluids	☐ Yes ☐ No ☐ Unknown	If Yes:	
Intravenous fluid type	☐ 0.9% Sodium Chloride (Normal Saline) ☐ Hartmann's Solution / Ringer's Lactate ☐ Other _____	Total intravenous fluid volume in the previous 24 hours (mL)	_____
Indication / reason	☐ Shock ☐ High/rising haematocrit ☐ Anorexia ☐ Persistent vomiting ☐ Other		
Antihypertensive medication	☐ Yes ☐ No ☐ Unknown	If Yes: Select Antihypertensive medication	☐ Diuretics ☐ ACE inhibitors ☐ ARBs ☐ Calcium channel blockers ☐ Beta-blockers
Blood / blood products transfusion	☐ Yes ☐ No ☐ Unknown		

VACCINATION

Vaccinated for COVID-19 (ever)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of most recent COVID-19 vaccine	[_] [_] [_] / [_] [_] [_] [_] [_] [_]
Vaccinated for seasonal influenza (ever)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of most recent seasonal influenza vaccine	[_] [_] [_] / [_] [_] [_] [_] [_] [_]
Vaccinated for pneumococcal disease	☐ Yes ☐ No ☐ Unknown	If Yes: Date of most recent pneumococcal disease vaccine	[_] [_] [_] / [_] [_] [_] [_] [_] [_]
Vaccinated for shingles (ever)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of most recent shingles vaccine	[_] [_] [_] / [_] [_] [_] [_] [_] [_]

PREGNANCY PRESENTATION

Pregnant	☐ Yes ☐ No ☐ Unknown
----------	--

If No, Unknown: Post-partum (within 6 weeks of delivery)		☐ Yes ☐ No ☐ Unknown	If Yes: Gestational weeks at presentation _____	
Delivery date	[][][][][]/[][][][][]/[][][][][]	Pregnancy outcome ☐ Livebirth (even if infant died after birth) ☐ Miscarriage (<22 weeks) ☐ Termination by choice ☐ Termination - ultrasound abnormality ☐ Termination - other/unknown reason ☐ Stillbirth (intra-uterine / intrapartum death from 22 gest weeks) ☐ Ectopic pregnancy ☐ Unknown		
Breastfeeding	☐ Yes-currently breastfeeding ☐ Yes-breastfeeding discontinued ☐ No ☐ Unknown	How long did breastfeeding last? (weeks) _____		
Baby tested for mother's infection of interest		☐ Yes ☐ No ☐ Unknown	If Yes: Specify test result from mother's infection of interest ☐ Positive ☐ Negative ☐ Unknown	

INFANT (<12 MONTHS) OR POST-PARTUM BIRTH (<6 WEEKS)

Birth weight	_____	Preterm birth (< 37wk GA)	☐ Yes ☐ No ☐ Unknown
Breastfed	☐ Yes-currently breastfeeding ☐ Yes-breastfeeding discontinued ☐ No ☐ Unknown	If Yes-breastfeeding discontinued: How long did breastfeeding last? (weeks) _____	

DAILY

DAILY ASSESSMENT	
DATE OF ASSESSMENT [D][D]/[M][M]/[Y][Y][Y][Y]	Current level of care ☐ Home confinement ☐ Admitted to hospital ward for isolation only ☐ Admitted to hospital ward for clinical care and/or treatment (and probably isolation) ☐ High dependency unit (HDU) ☐ Intensive care unit (ICU) ☐ Unknown
Limitation of usual daily activities due to illness ☐ Yes ☐ No ☐ Unknown	

SYMPTOMS: Indicate if experienced between 00:00 to 24:00 on day of assessment.			
Did the patient report symptoms on this date? ☐ Yes ☐ No		If Yes, complete the form:	
Fever ☐ Yes ☐ No ☐ Unknown	Chills or rigors ☐ Yes ☐ No ☐ Unknown	Fatigue / malaise / lethargy ☐ Yes ☐ No ☐ Unknown	
Weakness ☐ Yes ☐ No ☐ Unknown	Muscle aches (myalgia) ☐ Yes ☐ No ☐ Unknown	Skin rash ☐ Yes ☐ No ☐ Unknown	
Back Pain ☐ Yes ☐ No ☐ Unknown	Neck Pain ☐ Yes ☐ No ☐ Unknown		
Cough ☐ Yes ☐ No ☐ Unknown	If Yes: Cough type ☐ Non Productive ☐ Productive ☐ Haemoptysis ☐ Unknown		
Shortness of breath ☐ Yes ☐ No ☐ Unknown	Chest pain ☐ Yes ☐ No ☐ Unknown	Abdominal pain ☐ Yes ☐ No ☐ Unknown	
Diarrhoea ☐ Yes ☐ No ☐ Unknown	Vomiting ☐ Yes ☐ No ☐ Unknown	Nausea ☐ Yes ☐ No ☐ Unknown	
Anorexia ☐ Yes ☐ No ☐ Unknown	Urinary retention ☐ Yes ☐ No ☐ Unknown	Increased urination (polyuria) ☐ Yes ☐ No ☐ Unknown	
Bleeding (haemorrhage) ☐ Yes ☐ No ☐ Unknown	If Yes:		

Severe bleeding (requires intervention)	☐ Yes ☐ No ☐ Unknown	Specify bleeding site(s)	☐ GI tract ☐ Gums ☐ Intra-articular ☐ Intracranial ☐ Intramuscular (with compartment syndrome) ☐ Intraocular ☐ Intraspinal ☐ Nose ☐ Pericardial ☐ Other _____
Headache	☐ Yes ☐ No ☐ Unknown	Photophobia	☐ Yes ☐ No ☐ Unknown
Seizures / convulsions	☐ Yes ☐ No ☐ Unknown	Altered consciousness / confusion	☐ Yes ☐ No ☐ Unknown
Other symptom(s)	☐ Yes ☐ No ☐ Unknown	If Yes:	_____

SIGNS: Record the clinical findings observed between 00:00 and 24:00 on the day of assessment

Were any signs reported on this date?	☐ Yes ☐ No	If Yes:	
Hypothermia	☐ Yes ☐ No ☐ Unknown	Cold / clammy peripheries	☐ Yes ☐ No ☐ Unknown
Dehydration	☐ Yes ☐ No ☐ Unknown	If Yes: Dehydration Status	☐ Mild ☐ Moderate ☐ Severe
Oedema	☐ Yes ☐ No ☐ Unknown	Reduced urine output	☐ Yes ☐ No ☐ Unknown
Lower chest wall indrawing	☐ Yes ☐ No ☐ Unknown	Fast breathing (tachypnoea)	☐ Yes ☐ No ☐ Unknown
Peripheral cyanosis	☐ Yes ☐ No ☐ Unknown	Ascites	☐ Yes ☐ No ☐ Unknown
Palpable spleen/splenomegaly	☐ Yes ☐ No ☐ Unknown	Tender abdomen	☐ Yes ☐ No ☐ Unknown
Anaemia	☐ Yes ☐ No ☐ Unknown	Cognitive impairment	☐ Yes ☐ No ☐ Unknown
Subconjunctival haemorrhage	☐ Yes ☐ No ☐ Unknown		

Other sign(s)	☐ Yes ☐ No ☐ Unknown	If Yes: _____
---------------	--	---------------

VITAL SIGNS & ASSESSMENTS: Record the value furthest from normal range between 00:00 to 24:00 on day of assessment.

Enter Vital Signs data for this date?	☐ Yes ☐ No	If Yes, complete the form:	
Highest temperature _____ °C °F	Heart Rate (bpm) _____	Respiratory Rate (breaths/min) _____	
Systolic BP (mmHg) _____	Diastolic BP (mmHg) _____		
Oxygen saturation at room air (no oxygen support) (%) _____	Capillary refill time >2 seconds	☐ Yes ☐ No ☐ Unknown	
ACVPU ☐ Alert ☐ Confusion ☐ Verbal ☐ Pain ☐ Unresponsive	Glasgow Coma Score (GCS / 15) _____		
Richmond Agitation-Sedation Scale (RASS) _____	Urine output (mL/day) _____		

TREATMENTS & INTERVENTIONS: Record all interventions given between 00:00 to 24:00 on day of assessment.

Enter Treatments & Interventions data for this date?	☐ Yes ☐ No	If Yes, complete the form:	
Any fluids prescribed	☐ Yes ☐ No ☐ Unknown		
Oral rehydration	☐ Yes ☐ No ☐ Unknown	If Yes: Oral rehydration volume (mL/24 hours) _____	
Intravenous (parenteral) fluids	☐ Yes ☐ No ☐ Unknown	If Yes: Intravenous fluid type	☐ 0.9% Sodium Chloride (Normal Saline) ☐ Albumin ☐ Hartmann's Solution / Ringer's Lactate ☐ Other _____
Blood / blood products transfusion	☐ Yes ☐ No ☐ Unknown	If Yes: Select all blood products that were administered.	☐ Platelets ☐ Cryoprecipitate ☐ Whole blood ☐ Frozen fresh plasma ☐ Fibrinogen concentrate ☐ Packed RBC (red cell concentrate)
Intravenous immunoglobulin	☐ Yes ☐ No ☐ Unknown	Plasmapheresis / plasma exchange	☐ Yes ☐ No ☐ Unknown
Corticosteroid	☐ Yes ☐ No ☐ Unknown	Immunomodulators	☐ Yes ☐ No ☐ Unknown

RESPIRATORY SUPPORT: Record all respiratory interventions given between 00:00 to 24:00 on day of assessment.			
Supplemental oxygen	☐ Yes ☐ No ☐ Unknown	If Yes, complete the form:	
Oxygen saturation with supplemental oxygen (%)	_____	Nasal prongs	☐ Yes ☐ No ☐ Unknown
Face mask	☐ Yes ☐ No ☐ Unknown	High flow nasal oxygen	☐ Yes ☐ No ☐ Unknown
Non-invasive ventilation	☐ Yes ☐ No ☐ Unknown	If Yes: Type of non-invasive ventilation	☐ CPAP ☐ BIPAP ☐ Unknown ☐ Other
Invasive ventilation	☐ Yes ☐ No ☐ Unknown		
Extracorporeal life support therapy (ECLS) / Extracorporeal membrane oxygenation (ECMO)	☐ Yes ☐ No ☐ Unknown	If Yes: Type of ECLS / ECMO	☐ Veno-venous (VV) ☐ Veno-arterial (VA) ☐ Unknown
Prone positioning	☐ Yes ☐ No ☐ Unknown	If Yes: When was the prone positioning?	☐ During invasive ventilation ☐ Whilst self-ventilating ☐ Unknown
Was PaO ₂ measured today?	☐ Arterial ☐ Capillary ☐ Venous ☐ Unknown ☐ Not done	If Arterial, Capillary, Venous:	
PaO ₂	_____ ☐ kPa ☐ mmHg	FiO ₂ at time of PaO ₂	_____ ☐ Fraction, 0.21-1.0 ☐ %, 21-100

ADVANCED CARE INTERVENTIONS: Record all advanced care interventions given between 00:00 to 24:00 on day of assessment.			
Were advanced care (including acute organ support and critical care) therapeutic interventions administered on this date?	☐ Yes ☐ No ☐ Unknown	If Yes, complete the form:	
ICU / ITU / HDU / Intermediate Care Unit admission	☐ Yes ☐ No ☐ Unknown	Neuromuscular blocking agents	☐ Yes ☐ No ☐ Unknown
Tracheostomy inserted	☐ Yes ☐ No ☐ Unknown	Inhaled nitric oxide	☐ Yes ☐ No ☐ Unknown
Renal replacement therapy (RRT) or dialysis / hemofiltration	☐ Yes ☐ No ☐ Unknown	If Yes: Type of renal replacement therapy (RRT) or dialysis / hemofiltration	☐ Intermittent ☐ Continuous ☐ Unknown
Any vasopressor / inotropic support	☐ Yes ☐ No ☐ Unknown	If Yes:	

Reason for vasopressor / inotrope use	☐ Shock ☐ Persistent hypotension ☐ Other ☐ Unknown	Vasopressor / Inotropic support type	☐ Dopamine < 5ug/kg/min OR dobutamine OR milrinone OR levosimendan ☐ Dopamine 5-15ug/kg/min OR epinephrine(adrenaline) / norepinephrine(noradrenaline) <=0.1ug/kg/min OR vasopressin OR phenylephrine ☐ Dopamine >15ug/kg/min OR epinephrine(adrenaline) / norepinephrine(noradrenaline) >0.1ug/kg/min
Other advanced care intervention(s) or procedure(s)	☐ Yes ☐ No ☐ Unknown	If Yes: Specify other advanced care intervention(s) or procedure(s)	_____

LABORATORY: HEMATOLOGY & BIOCHEMISTRY - RECORD THE VALUE FURTHEST FROM THE NORMAL RANGE BETWEEN 00:00 AND 24:00 ON THE DAY OF ASSESSMENT.							
Collection date		[_D_] [_D_] / [_M_] [_M_] / [_Y_] [_Y_] [_Y_] [_Y_] If Yes, complete the form:					
Haemoglobin	g/dL g/L	White blood cell (WBC) count (10^9/L)		Neutrophils	10^9/L %		
Lymphocytes	10^9/L %	Eosinophils	10^9/L %	Haematocrit	% L/L		
Platelets	10^9/L 10^3/μL	Left shift present	No Yes	Circulating immunoblasts (%)			
Ery. mean corpuscular volume (MCV) (fL)				Ery. mean corpuscular haemoglobin concentration		g/L g/dL	
Ery. mean corpuscular haemoglobin (MCH) (pg)				Prothrombin Time (PT) (s)			
Activated Partial Thromboplastin Time (APTT) (s)				Activated Partial Thromboplastin Time Ratio (APTR)			
International Normalized Ratio (INR)				D-Dimer		mg/L μg/L	
Total bilirubin			μmol/L mg/dL	Alanine aminotransferase (ALT) / SGPT (U/L)			
Aspartate aminotransferase (AST) / SGOT (U/L)				Alkaline phosphatase (ALP) / (IU/L)			
Gamma Glutamyl Transferase (GGT) (U/L)				C-reactive protein (CRP)		mg/L mg/dL	
Ferritin (μg/L or ng/mL)				Lactate dehydrogenase (LDH) (U/L)			
Random blood glucose	mmol/L mg/dL g/L	HDL cholesterol		mmol/L mg/dL	LDL cholesterol	mmol/L mg/dL	
Triglycerides	mmol/L mg/dL	Blood Urea Nitrogen		mmol/L mg/dL	Creatinine	μmol/L mg/dL	
Cystatin C (mg/L)			Sodium (mmol/L or mEq/L)			Potassium (mmol/L or mEq/L)	
Blood Lactate	mmol/L mg/dL	Blood gas specimen type	Arterial Capillary Venous Unknown	pH			
Bicarbonate (HCO3-) (mmol/L or mEq/L)			Base Excess (mmol/L)			Interleukin-6 (IL-6) (pg/mL or ng/L)	
Interleukin-1 (IL-1)(pg/mL or ng/L)				Albumin		g/L g/dL	

VIROLOGY AND IMMUNOLOGY

Virological testing					
Was RT-qPCR performed on venous blood?	☐ Yes ☐ No ☐ Unknown	If Yes:			
Blood collection date and time	_____	Blood specimen type(s) used	☐ Buffy coat ☐ Plasma ☐ Whole blood (EDTA)		
RT-qPCR result in venous blood	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown	RT-qPCR Ct value	_____	Viral load result	_____ Copies/mL ○log10 copies/mL
Was RT-qPCR performed on nasopharyngeal swab?	☐ Yes ☐ No ☐ Unknown	If Yes:			
NP collection date and time	_____	RT-qPCR result in nasopharyngeal swab	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown		
RT-qPCR Ct value	_____	Viral load result	_____ Copies/mL ○log10 copies/mL		
Was RT-qPCR performed on saliva?	☐ Yes ☐ No ☐ Unknown	If Yes:			
Saliva collection date and time	_____	RT-qPCR result in saliva	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown		
RT-qPCR Ct value	_____	Viral load result	_____ Copies/mL ↓log10 copies/mL		
Was RT-qPCR performed on urine?	☐ Yes ☐ No ☐ Unknown	If Yes:			
Urine collection date and time	_____	RT-qPCR result in urine	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown		
RT-qPCR Ct value	_____	Viral load result	_____ Copies/mL ○log10 copies/mL		
Was RT-qPCR performed on semen?	☐ Yes ☐ No ☐ Unknown	If Yes:			
Semen collection date and time	_____	RT-qPCR result in semen	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown		
RT-qPCR Ct value	_____	Viral load result	_____ Copies/mL ○log10 copies/mL		

Was RT-qPCR performed on feces?	☐ Yes ☐ No ☐ Unknown	If Yes:	
Feces collection date and time	_____	RT-qPCR result in feces	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
RT-qPCR Ct value	_____	Viral load result	_____ ☐ Copies/mL ☐ log10 copies/mL

Immunological Assessments

Was serology performed?	☐ Yes ☐ No ☐ Unknown	If Yes:	
Collection date	[_D_][_D_][_M_][_M_][_Y_][_Y_][_Y_][_Y_]	IgM result	☐ Negative ☐ Positive ☐ Equivocal ☐ Unknown
IgM numeric value	_____ ☐ Index ☐ AU/mL ☐ U/mL ☐ DU ☐ OD ☐ ratio ☐ Titer ☐ Other	IgG result	☐ Negative ☐ Positive ☐ Equivocal ☐ Unknown
		IgG numeric value	_____ ☐ Index ☐ AU/mL ☐ U/mL ☐ DU ☐ OD ☐ ratio ☐ Titer ☐ Other
Was virus genome sequencing was ordered/performed?	☐ Yes ☐ No ☐ Unknown		

MEDICATION

MEDICATION: Complete one form for each medication prescribed from the day of presentation (the start of data capture) to the day of discharge.

Type of agent	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other
Is this medication treating the disease?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Medication Name					
Date medication started / first dose	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]
Date medication stopped / last dose	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]
Total number of days treatment given					
Medication route	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other
Frequency					
Dose	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other
Was this an off-label or compassionate use of the medication?	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown

OUTCOME

COMPLICATIONS: Experienced at any time from day of presentation to day of discharge / outcome.

Were any complications reported from the day of presentation to the day of discharge/outcome?

☐ Yes
☐ No

Stroke / cerebrovascular accident

☐ Yes
☐ No
☐ Unknown

If Yes: Date of stroke / cerebrovascular accident onset

Encephalopathy

☐ Yes
☐ No
☐ Unknown

If Yes: Date of encephalopathy onset

Seizure

☐ Yes
☐ No
☐ Unknown

If Yes: Date of seizure onset

Encephalitis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of encephalitis onset

Meningitis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of meningitis onset

Cardiac ischaemia

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiac ischaemia onset

Endocarditis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of endocarditis onset

Cardiomyopathy

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiomyopathy onset

Congestive heart failure

☐ Yes
☐ No
☐ Unknown

If Yes: Date of congestive heart failure onset

Cardiac arrhythmia

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiac arrhythmia onset

Cardiac arrest

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiac arrest onset

Myocarditis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of myocarditis onset

Pericarditis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of pericarditis onset

Pneumonia / pneumonitis

☐ Yes
☐ No
☐ Unknown

If Yes:

Date of pneumonia / pneumonitis onset		Etiology of pneumonia	☐ Viral ☐ Bacterial ☐ Fungal
Pneumothorax	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pneumothorax onset	
Pleural effusion	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pleural effusion onset	
Cryptogenic organising pneumonia (COP)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of cryptogenic organising pneumonia (COP) onset	
Bronchiolitis	☐ Yes ☐ No ☐ Unknown	If Yes: Date of bronchiolitis onset	
Acute Respiratory Distress Syndrome (ARDS)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of acute respiratory distress syndrome (ARDS) onset	
Ascites	☐ Yes ☐ No ☐ Unknown	If Yes: Date of ascites onset	
Pancreatitis	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pancreatitis onset	
Jaundice	☐ Yes ☐ No ☐ Unknown	If Yes: Date of jaundice onset	
Liver dysfunction	☐ Yes ☐ No ☐ Unknown	If Yes: Date of liver dysfunction onset	
Thromboembolism	☐ Yes ☐ No ☐ Unknown	If Yes: Date of thromboembolism onset	
Pulmonary embolism (PE)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pulmonary embolism (PE) onset	
Deep vein thrombosis (DVT)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of deep vein thrombosis (DVT) onset	
Other complication(s)	☐ Yes ☐ No ☐ Unknown	If Yes:	

DIAGNOSIS

Primary diagnosis ☐ Andes virus infection (hantavirus)
☐ No disease / asymptomatic
☐ Other _____

If Andes virus infection (hantavirus), Other:

Type of diagnosis ☐ Clinical diagnosis
☐ Lab-confirmed
☐ Radiologically confirmed (e.g., chest X-ray, CT)
☐ Unknown
☐ Other

Any additional diagnosis? ☐ Yes
☐ No

SEVERITY ASSESMENT

Hospitalized during observation period? ☐ Yes
☐ No
☐ Unknown

If Yes:

ICU admission ☐ Yes
☐ No
☐ Unknown

High-flow nasal cannula (HFNC) ☐ Yes
☐ No
☐ Unknown

Non-invasive ventilation ☐ Yes
☐ No
☐ Unknown

Mechanical ventilation ☐ Yes
☐ No
☐ Unknown

Vasopressor/inotropic support ☐ Yes
☐ No
☐ Unknown

Renal replacement therapy (RRT) ☐ Yes
☐ No
☐ Unknown

ECMO support ☐ Yes
☐ No
☐ Unknown

OUTCOME

Study follow-up completed per protocol? ☐ Yes
☐ No

Reason for incomplete follow-up ☐ Withdrawal of consent
☐ Lost to follow-up
☐ Death
☐ Investigator decision
☐ Other _____

If Lost to follow-up, Withdrawal of consent:

Date of last participant contact [_] [_] [_] [_] [_] [_] [_] [_] [_] [_]

Date of consent withdrawal [_] [_] [_] [_] [_] [_] [_] [_] [_] [_]

Reason for consent withdrawal ☐ Participant decision
☐ Safety concern
☐ Other _____

Outcome date [_] [_] [_] [_] [_] [_] [_] [_] [_] [_]

Outcome ☐ Alive, never hospitalised
☐ Discharged alive
☐ Death
☐ Discharged against medical advice
☐ Palliative care
☐ Still hospitalised
☐ Transfer to other facility
☐ Other _____

If Discharged alive, Still hospitalised, Transfer to other facility:

Ability to self-care at discharge versus before illness ☐ Same as before illness ☐ Worse ☐ Better ☐ Unknown	If discharged alive: Oxygen therapy post-discharge treatment ☐ Yes ☐ No ☐ Unknown
If discharged alive or still hospitalised: Ongoing health care needs relating to this admission for pathogen of interest ☐ Yes ☐ No ☐ Unknown	If discharged alive or still hospitalised: Ongoing health care needs NOT related to pathogen episode ☐ Yes ☐ No ☐ Unknown
If Still hospitalised or transfer to other facility: Medically fit for discharge (pathogen resolved) but remains in hospital for other reason (e.g. awaiting alternate care, resident in long term health care or mental health facility) ☐ Yes ☐ No ☐ Unknown	
If transfer to other facility: is the transfer facility a study site? ☐ Yes ☐ No ☐ Unknown	If Yes: What is the Participant Identification Number at the new facility? _____