

NAVIS HANTAVIRUS CRF

DESIGN OF THIS CASE REPORT FORM

This CRF is set up in modules to be used for recording data on NAVIS hantavirus Database. A template for completion instructions is below. This should be tailored to the objectives of your data collection.

Figure 1. REDCap event-instrument matrix

Data Collection Instrument	Enrolment	Tier 1						Tier 2						Tier 3						Summary	Discharge / Outcome
		W1	W2	W3	W4	W5	W6	W1	W2	W3	W4	W5	W6	W1	W2	W3	W4	W5	W6		
Patient Tier Status	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①	①		
Inclusion Criteria	✓																				
Consent	✓																				
Epidemiological Assessment	✓																				
Presentation	✓																				
Daily		☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉	☉		
Clinical Labs		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Clinical Labs 2								✓	✓	✓	✓			✓	✓	✓	✓				
Virology And Immunology		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Virology And Immunology 2			✓	✓	✓	✓		✓	✓	✓	✓			✓	✓	✓	✓				
Medication																				☉	
Outcome																					✓

① Information only; ✓ Complete once; ☉ Repeatable assessment/form.

General guidance

Contact the study data team or REDCap administrator for project-specific questions.

The CRF is designed to collect data from examinations, interviews, review of hospital notes, and/or extraction from electronic health records.

Data may be entered prospectively or retrospectively, depending on when the participant is enrolled and when information becomes available.

Participant Identification Numbers should follow the site coding convention used by the project (for example, a site code plus sequential participant number).

If a participant is re-admitted to the same site, create a new record and follow the local rule for re-admission or prior PIN tracking.

If a participant transfers between sites, follow the project rule for whether the first site closes the record, and the second site opens a new one.

Data entry instructions: Circles indicate that only one option may be selected, while square boxes indicate that multiple options may be selected. Use “Unknown” only when the information cannot be determined from the available source data.

REDCap structure in the current export

The current XML export shows a single-arm longitudinal project with fixed weekly events and a repeated daily instrument.

Main events

Event group	Event name	Notes
Entry	Enrollment E0	Initial study entry point
Follow-up	Tier 1 Week 1 to Week 6	Daily is repeated here
Follow-up	Tier 2 Week 1 to Week 6	Daily is repeated here
Follow-up	Tier 3 Week 1 to Week 6	Daily is repeated here
Close-out	Summary	End-of-follow-up summary event
Close-out	Discharge / Outcome	Final disposition or study closure

Main instruments

Instrument	Purpose	Repeating?
tier_logic / Patient Tier Status	Guidance and tier review	No
inclusion_criteria	Eligibility verification	No
consent	Consent documentation	No
epidemiological_assessment	Exposure history and contact information	No
presentation	Baseline presentation, onset, demographics, comorbidities, vaccination, and prior medication context	No
daily	Daily monitoring, symptoms, vital signs, treatments, and supportive care	Yes, across weekly events
clinical_labs	Laboratory monitoring	No
virology_and_immunology	PCR, serology, and specimen capture	No
medication	Medication-level capture	Yes
outcome	Final clinical outcome and complications	No

Recommended use by form

- **Presentation:** Use this form for the baseline clinical picture at enrolment, including onset information, demographics, comorbidities, vaccination history, and other contextual data captured at first presentation.
- **Daily:** Use this form for the day-by-day clinical record during the weekly follow-up events. In the current XML export, it is the only instrument configured as repeated across the Tier 1, Tier 2, and Tier 3 weekly events.
- **Clinical labs:** Use these forms for laboratory values and related biomarker information.
- **Virology and immunology:** Use these forms for PCR, serology, and specimen information.
- **Medication:** Use this form for medication-level capture. If the workflow requires one record per medication, confirm whether that is being handled through site procedure or a repeating record setup.
- **Outcome:** Use this form at discharge, death, or the end of study follow-up to capture the final participant outcome and any complications.

Important operational notes

- Keep following the participant if they transfer between wards within the same site, according to the project workflow.
- Use the Patient Tier Status field as **guidance** for data entry quality control, **not as an automatic rule** that changes records by itself.
- If the project uses a REDCap screenshot for the event matrix, place it near the top of the guide so staff can see the full structure at a glance.

Participant flow summary

Enrollment E0→**Tier 1** Week 1 to Week 6→**Tier 2** Week 1 to Week 6→**Tier 3** Week 1 to Week 6→Summary →Discharge / Outcome

INCLUSION CRITERIA

Participant Identification Number (PIN): _____	Date of Enrolment [][][][]/[][][][]/[][][][][][]
Site name _____	

INCLUSION CRITERIA

Proven or suspected hantavirus infection ☐ Yes ☐ No	High suspicion of exposure to hantavirus ☐ Yes ☐ No
---	---

CONSENT

CONSENT			
As a research professional I certifying that consent has been documented	☐ Yes ☐ No	Did the participant consent for blood samples to be used for genetic (DNA) research?	☐ Yes ☐ No ☐ Unknown
Did the participant consent to participate in the Host Genetics substudy?	☐ Yes ☐ No ☐ Unknown		

EXPOSURE HISTORY IN PREVIOUS 6 WEEKS

Exposure continuous or repeated

☐ Continuous

☐ Repeated

☐ Both

☐ Unknown

Date of leaving MV Hondius [_D_][_D_]/[_M_][_M_]/[_Y_][_Y_][_Y_][_Y_]

Have household members had any contact with a confirmed case of the same infection?

HANTAVIRUS-SPECIFIC EXPOSURES

Exposure to rodent-contaminated environments before boarding the vessel (e.g. exposure in Argentina, shared visit to rubbish dump for birdwatching, contact with areas potentially contaminated by rodents)

- ☐ Yes
☐ No
☐ Unknown

Rodent sighting or exposure on board the vessel

- ☐ Yes
☐ No
☐ Unknown

Direct contact with rodents

- ☐ Yes
☐ No
☐ Unknown

If Yes:

Rodents type

- ☐ Rats
☐ Mice

Specify type of contact

- ☐ Hunting
☐ Preparing
☐ Handling
☐ Consumption (unprocessed / undercooked / raw)
☐ Trading
☐ Animal faeces or nests
☐ Sick or dead animal
☐ Unknown
☐ Other

OTHER ANIMAL EXPOSURES

Other animal exposures

- ☐ Yes
☐ No
☐ Unknown

Contact with wildlife

- ☐ Yes
☐ No
☐ Unknown

If Yes: Wildlife type

- ☐ Bats
☐ Other

Any insect or arthropod bites (eg. mosquitoes, ticks)

- ☐ Yes
☐ No
☐ Unknown

Other animal contact not listed above

- ☐ Yes
☐ No
☐ Unknown

If Yes: Specify animal contacts not listed above

WATER / ENVIRONMENTAL EXPOSURES

Patient swam or bathed in pools, ponds, or rivers

- ☐ Yes
☐ No
☐ Unknown

Exposure to flood water/stagnant water bodies or contaminated water

- ☐ Yes
☐ No
☐ Unknown

ONSET & PRESENTATION

CO-MORBIDITIES AND RISK FACTORS: Existing prior to this current illness and is ongoing

Chronic cardiac disease (not hypertension)	☐ Yes ☐ No ☐ Unknown	If Yes:
--	--	---------

Myocardial infarction	☐ Yes ☐ No ☐ Unknown	Congestive heart failure		☐ Yes ☐ No ☐ Unknown
Hypertension	☐ Yes ☐ No ☐ Unknown	Chronic pulmonary disease (not asthma)	☐ Yes ☐ No ☐ Unknown	Asthma ☐ Yes ☐ No ☐ Unknown
Liver disease	☐ Yes ☐ No ☐ Unknown	If Yes: Type of liver disease		☐ Mild ☐ Moderate or severe ☐ Unknown
Chronic kidney disease	☐ Yes ☐ No ☐ Unknown	If Yes: Stage of chronic kidney disease		☐ Stage 1 ☐ Stage 2 ☐ Stage 3a ☐ Stage 3b ☐ Stage 4 ☐ Stage 5 ☐ Unknown
HIV	☐ Yes ☐ No ☐ Unknown			
Is the patient on anti-retroviral therapy (ART)?	☐ Yes ☐ No ☐ Unknown	If Yes: Specify ART _____		
If HIV positive: CD4 count date	[_] [_] [_] [_] [_] [_] [_] [_] [_] [_]	If HIV positive: Most recent CD4 count (cells/ÅµL) _____		
If HIV positive: Is HIV viral load detectable	☐ Yes ☐ No ☐ Unknown	If Yes: Most recent HIV viral load (copies/mL) _____		
HIV viral load date	[_] [_] [_] [_] [_] [_] [_] [_] [_] [_]			
Tuberculosis	☐ Yes ☐ No ☐ Unknown	Chronic hepatitis B/C infection	☐ Yes ☐ No ☐ Unknown	Chronic haematologic disease
Rheumatologic disorder	☐ Yes ☐ No ☐ Unknown	Malignant neoplasm	☐ Yes ☐ No ☐ Unknown	Obesity
Malnutrition	☐ Yes ☐ No ☐ Unknown			
Diabetes mellitus	☐ Yes ☐ No ☐ Unknown	If Yes:		
Diabetes mellitus type	☐ Type 1 ☐ Type 2 ☐ Gestational diabetes ☐ Unknown	End organ damage from diabetes	☐ Yes ☐ No ☐ Unknown	
Ever smoked	☐ Yes ☐ No ☐ Unknown	If Yes: Smoking status	☐ Current smoker ☐ Former Smoker	

Transplant recipient	☐ Yes ☐ No ☐ Unknown	If Yes: Specify transplanted organ(s)	☐ Lung ☐ Heart ☐ Kidney ☐ Liver ☐ Bone ☐ Hematopoietic stem cell
Primary immunodeficiency	☐ Yes ☐ No ☐ Unknown	Chemotherapy	☐ Yes ☐ No ☐ Unknown
Radiation therapy		☐ Yes ☐ No ☐ Unknown	
Long term or high-dose corticosteroid therapy		☐ Yes ☐ No ☐ Unknown	
Other relevant comorbidity(s)	☐ Yes ☐ No ☐ Unknown	If Yes:	_____
Active Hepatitis C	☐ Yes ☐ No ☐ Unknown	Active Hepatitis B	☐ Yes ☐ No ☐ Unknown

MEDICATION PRIOR TO THIS ADMISSION / PRESENTATION

Antiviral	☐ Yes ☐ No ☐ Unknown	If Yes:		
Antiviral	☐ Favipiravir ☐ Ribavirin ☐ Other _____	Antiviral start date	[_] [_] / [_] [_] / [_] [_] [_] [_]	
Number of days antivirals taken		_____		
Corticosteroid	☐ Yes ☐ No ☐ Unknown	If Yes:		
Corticosteroid	☐ Dexamethasone ☐ Prednisolone/ Prednisone ☐ Other _____	Corticosteroid start date	[_] [_] / [_] [_] / [_] [_] [_] [_]	
Number of days corticosteroid taken		_____		
Antibiotics	☐ Yes ☐ No ☐ Unknown	If Yes: Antibiotics	☐ Azithromycin ☐ Ceftriaxone ☐ Vancomycin ☐ Other _____	
NSAIDs	☐ Yes ☐ No ☐ Unknown	If Yes:		
NSAIDs	☐ Acetylsalicylic acid (Aspirin) ☐ Diclofenac ☐ Other _____	total NSAID dose mg/day	_____	Duration of NSAID use (days)

PREGNANCY PRESENTATION	
Pregnant	☐ Yes ☐ No ☐ Unknown
If No, Unknown: Post-partum (within 6 weeks of delivery)	☐ Yes ☐ No ☐ Unknown
If Yes: Gestational weeks at presentation _____	

Delivery date	[_D_][_D_]/[_M_][_M_]/[_Y_][_Y_][_Y_][_Y_]	Pregnancy outcome	☐ Livebirth (even if infant died after birth) ☐ Miscarriage (<22 weeks) ☐ Termination by choice ☐ Termination - ultrasound abnormality ☐ Termination - other/unknown reason ☐ Stillbirth (intra-uterine / intrapartum death from 22 gest weeks) ☐ Ectopic pregnancy ☐ Unknown
Breastfeeding	☐ Yes-currently breastfeeding ☐ Yes-breastfeeding discontinued ☐ No ☐ Unknown	How long did breastfeeding last? (weeks)	_____
Baby tested for mother's infection of interest	☐ Yes ☐ No ☐ Unknown	If Yes: If yes: specify test result from mother's infection of interest	☐ Positive ☐ Negative ☐ Unknown

INFANT: LESS THAN 12 MONTHS OLD

Birth weight	_____	Preterm birth (< 37wk GA)	☐ Yes ☐ No ☐ Unknown
Breastfed	☐ Yes-currently breastfeeding ☐ Yes-breastfeeding discontinued ☐ No ☐ Unknown	If Yes-breastfeeding discontinued: How long did breastfeeding last? (weeks)	_____

DAILY

DAILY ASSESSMENT	
DATE OF ASSESSMENT [D_][D_]/[M_][M_]/[Y_][Y_][Y_][Y_]	Current level of care ☐ Home confinement ☐ Admitted to hospital ward for isolation only ☐ Admitted to hospital ward for clinical care and/or treatment (and probably isolation) ☐ High dependency unit (HDU) ☐ Intensive care unit (ICU) ☐ Unknown

SYMPTOMS: Indicate if experienced between 00:00 to 24:00 on day of assessment.			
Did the patient report symptoms on this date? ☐ Yes ☐ No		If Yes, complete the form:	
Fever ☐ Yes ☐ No ☐ Unknown	Chills or rigors ☐ Yes ☐ No ☐ Unknown	Fatigue / malaise / lethargy ☐ Yes ☐ No ☐ Unknown	
Weakness ☐ Yes ☐ No ☐ Unknown	Muscle aches (myalgia) ☐ Yes ☐ No ☐ Unknown	Skin rash ☐ Yes ☐ No ☐ Unknown	
Back Pain ☐ Yes ☐ No ☐ Unknown		Neck Pain ☐ Yes ☐ No ☐ Unknown	
Cough ☐ Yes ☐ No ☐ Unknown		If Yes: Cough type ☐ Non Productive ☐ Productive ☐ Haemoptysis ☐ Unknown	
Shortness of breath ☐ Yes ☐ No ☐ Unknown	Chest pain ☐ Yes ☐ No ☐ Unknown	Abdominal pain ☐ Yes ☐ No ☐ Unknown	
Diarrhoea ☐ Yes ☐ No ☐ Unknown	Vomiting ☐ Yes ☐ No ☐ Unknown	Nausea ☐ Yes ☐ No ☐ Unknown	
Anorexia ☐ Yes ☐ No ☐ Unknown	Urinary retention ☐ Yes ☐ No ☐ Unknown	Increased urination (polyuria) ☐ Yes ☐ No ☐ Unknown	
Bleeding (haemorrhage) ☐ Yes ☐ No ☐ Unknown		If Yes:	
Severe bleeding (requires intervention) ☐ Yes ☐ No ☐ Unknown		Specify bleeding site(s)	☐ GI tract ☐ Gums ☐ Intra-articular ☐ Intracranial ☐ Intramuscular (with compartment syndrome) ☐ Intraocular ☐ Intraspinal ☐ Nose ☐ Pericardial ☐ Other

Headache	☐ Yes ☐ No ☐ Unknown	Photophobia	☐ Yes ☐ No ☐ Unknown	Hazy / Blurred vision	☐ Yes ☐ No ☐ Unknown
Seizures / convulsions	☐ Yes ☐ No ☐ Unknown	Altered consciousness / confusion		☐ Yes ☐ No ☐ Unknown	
Other symptom(s)	☐ Yes ☐ No ☐ Unknown	If Yes: _____			

SIGNS: Record the clinical findings observed between 00:00 and 24:00 on the day of assessment

Were any signs reported on this date?	☐ Yes ☐ No	If Yes:			
Hypothermia	☐ Yes ☐ No ☐ Unknown	Cold / clammy peripheries	☐ Yes ☐ No ☐ Unknown		
Dehydration	☐ Yes ☐ No ☐ Unknown	If Yes: Dehydration Status	☐ Mild ☐ Moderate ☐ Severe		
Oedema	☐ Yes ☐ No ☐ Unknown	Reduced urine output	☐ Yes ☐ No ☐ Unknown	Respiratory distress	☐ Yes ☐ No ☐ Unknown
Lower chest wall indrawing	☐ Yes ☐ No ☐ Unknown	Fast breathing (tachypnoea)	☐ Yes ☐ No ☐ Unknown	Rapid heart rate (tachycardia)	☐ Yes ☐ No ☐ Unknown
Peripheral cyanosis	☐ Yes ☐ No ☐ Unknown	Ascites	☐ Yes ☐ No ☐ Unknown	Palpable liver/Hepatomegaly	☐ Yes ☐ No ☐ Unknown
Palpable spleen/splenomegaly	☐ Yes ☐ No ☐ Unknown	Tender abdomen	☐ Yes ☐ No ☐ Unknown	Jaundice	☐ Yes ☐ No ☐ Unknown
Anaemia	☐ Yes ☐ No ☐ Unknown	Cognitive impairment	☐ Yes ☐ No ☐ Unknown	Agitation	☐ Yes ☐ No ☐ Unknown
Subconjunctival haemorrhage	☐ Yes ☐ No ☐ Unknown				
Other sign(s)	☐ Yes ☐ No ☐ Unknown	If Yes: _____			

VITAL SIGNS & ASSESSMENTS: Record the value furthest from normal range between 00:00 to 24:00 on day of assessment.

Enter Vital Signs data for this date?	☐ Yes ☐ No	If Yes, complete the form:			
Highest temperature	_____ °C °F	Heart Rate (bpm)	_____	Respiratory Rate (breaths/min)	_____
Systolic BP (mmHg)	_____	Diastolic BP (mmHg)	_____	Mean arterial blood pressure (mmHg)	_____

Oxygen saturation at room air (no oxygen support) (%) _____		How was oxygen saturation at room air measured? ☐ Pulse Oximetry ☐ Arterial blood gas measurement ☐ Other ☐ Unknown	
Supplemental oxygen?	☐ Yes ☐ No ☐ Unknown	If Yes:	
Type of supplemental oxygen?	☐ Nasal Prongs ☐ Face mask ☐ High flow nasal oxygen ☐ Non-invasive ventilation ☐ Invasive ventilation ☐ ECMO / ECLS ☐ Unknown	Oxygen saturation with supplemental oxygen (%) _____	
How was oxygen saturation with supplemental oxygen measured?	☐ Pulse Oximetry ☐ Arterial blood gas measurement ☐ Other ☐ Unknown	FiO2 at time of lowest SpO2	☐ Fraction, 0.21-1.0 ☐ %, 21-100 ☐ Highest L/min
Capillary refill time >2 seconds	☐ Yes ☐ No ☐ Unknown	ACVPU	☐ Alert ☐ Confusion ☐ Verbal ☐ Pain ☐ Unresponsive
Richmond Agitation-Sedation Scale (RASS) _____		Urine output (mL/day) _____	
Glasgow Coma Score (GCS / 15) _____			

TREATMENTS & INTERVENTIONS: Record all interventions given between 00:00 to 24:00 on day of assessment.

Enter Treatments & Interventions data for this date?		If Yes, complete the form:	
Any fluids prescribed	☐ Yes ☐ No ☐ Unknown		
Oral rehydration	☐ Yes ☐ No ☐ Unknown	If Yes: Oral rehydration volume (mL/24 hours)	_____
Intravenous (parenteral) fluids	☐ Yes ☐ No ☐ Unknown	If Yes: Intravenous fluid type	☐ 0.9% Sodium Chloride (Normal Saline) ☐ Albumin ☐ Hartmann's Solution / Ringer's Lactate ☐ Other _____
Blood / blood products transfusion	☐ Yes ☐ No ☐ Unknown	If Yes: Select all blood products that were administered.	☐ Platelets ☐ Cryoprecipitate ☐ Whole blood ☐ Frozen fresh plasma ☐ Fibrinogen concentrate ☐ Packed RBC (red cell concentrate)
Intravenous immunoglobulin	☐ Yes ☐ No ☐ Unknown	Plasmapheresis / plasma exchange	☐ Yes ☐ No ☐ Unknown
Corticosteroid		☐ Yes ☐ No ☐ Unknown	
		Antiviral	☐ Yes ☐ No ☐ Unknown

Immunomodulators	☐ Yes ☐ No ☐ Unknown
Please enter each medication on a Medication form which can be found on the Record Home Page.	

RESPIRATORY SUPPORT: Record all respiratory interventions given between 00:00 to 24:00 on day of assessment.

Supplemental oxygen	☐ Yes ☐ No ☐ Unknown	If Yes, complete the form:	
Nasal prongs	☐ Yes ☐ No ☐ Unknown	Face mask	☐ Yes ☐ No ☐ Unknown
		High flow nasal oxygen	☐ Yes ☐ No ☐ Unknown
Non-invasive ventilation	☐ Yes ☐ No ☐ Unknown	If Yes: Type of non-invasive ventilation	☐ CPAP ☐ BIPAP ☐ Unknown ☐ Other
Invasive ventilation	☐ Yes ☐ No ☐ Unknown		
Extracorporeal life support therapy (ECLS) / Extracorporeal membrane oxygenation (ECMO)	☐ Yes ☐ No ☐ Unknown	If Yes: Type of ECLS / ECMO	☐ Veno-venous (VV) ☐ Veno-arterial (VA) ☐ Unknown
Prone positioning	☐ Yes ☐ No ☐ Unknown	When was the prone positioning?	☐ During invasive ventilation ☐ Whilst self-ventilating ☐ Unknown
PaO ₂ sample type	☐ Arterial ☐ Capillary ☐ Venous ☐ Unknown ☐ Not done	If Arterial, Capillary, Venous:	
PaO ₂	 ☐ kPa ☐ mmHg	FiO ₂ at time of PaO ₂	 ☐ Fraction, 0.21-1.0 ☐ %, 21-100

ADVANCED CARE INTERVENTIONS: Record all advanced care interventions given between 00:00 to 24:00 on day of assessment.

Were advanced care (including acute organ support and critical care) therapeutic interventions administered on this date?	☐ Yes ☐ No ☐ Unknown	If Yes, complete the form:	
ICU / ITU / HDU / Intermediate Care Unit admission	☐ Yes ☐ No ☐ Unknown	Neuromuscular blocking agents	☐ Yes ☐ No ☐ Unknown
		Inhaled nitric oxide	☐ Yes ☐ No ☐ Unknown
Tracheostomy inserted	☐ Yes ☐ No ☐ Unknown		
Renal replacement therapy (RRT) or dialysis / hemofiltration	☐ Yes ☐ No ☐ Unknown	If Yes: Type of renal replacement therapy (RRT) or dialysis / hemofiltration	☐ Intermittent ☐ Continuous ☐ Unknown

Any vasopressor / inotropic support	☐ Yes ☐ No ☐ Unknown	If Yes:	
Reason for vasopressor / inotrope use	☐ Shock ☐ Persistent hypotension ☐ Other ☐ Unknown	Vasopressor / Inotropic support type	☐ Dopamine 15ug/kg/min OR epinephrine(adrenaline) / norepinephrine(noradrenaline) >0 .1ug/kg/min
Other advanced care intervention(s) or procedure(s)	☐ Yes ☐ No ☐ Unknown		

LABORATORY: HEMATOLOGY & BIOCHEMISTRY - RECORD THE VALUE FURTHEST FROM THE NORMAL RANGE BETWEEN 00:00 AND 24:00 ON THE DAY OF ASSESSMENT.

ISARIC NAVIS-HANTAVIRUS CASE REPORT FORM 20MAY26

VIROLOGY AND IMMUNOLOGY

Virological Assessments			
Collection date	[_] [_] [_] [_] [_] [_] [_] [_] [_] [_]		
Was RT-qPCR performed on venous blood?	☐ Yes ☐ No ☐ Unknown	If Yes:	
Blood specimen type(s) used	☐ Buffy coat ☐ Plasma ☐ Whole blood (EDTA)	RT-qPCR result in venous blood	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
Was RT-qPCR performed on nasopharyngeal swab?	☐ Yes ☐ No ☐ Unknown	If Yes: RT-qPCR result in nasopharyngeal swab	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
Was RT-qPCR performed on saliva?	☐ Yes ☐ No ☐ Unknown	If Yes: RT-qPCR result in saliva	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
Was RT-qPCR performed on urine?	☐ Yes ☐ No ☐ Unknown	If Yes: RT-qPCR result in urine	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
Was RT-qPCR performed on semen?	☐ Yes ☐ No ☐ Unknown	If Yes: RT-qPCR result in semen	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
Was RT-qPCR performed on feces?	☐ Yes ☐ No ☐ Unknown	If Yes: RT-qPCR result in feces	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown

Immunological Assessments			
Was serology performed?	☐ Yes ☐ No ☐ Unknown	If Yes:	
IgM result	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown	IgG result	☐ Positive ☐ Negative ☐ Indeterminate ☐ Pending/Unknown
Was virus genome sequencing was ordered/performed?	☐ Yes ☐ No ☐ Unknown		

MEDICATION

MEDICATION: Complete one form for each medication prescribed from the day of presentation (the start of data capture) to the day of discharge.

Type of agent	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other	☐ Antiviral ☐ Corticosteroid ☐ Immunomodulator ☐ Analgesic ☐ Antibiotic ☐ Anticoagulant ☐ Immunosuppressive drugs (non-steroid) ☐ Inotropes / vasopressor ☐ Intravenous immunoglobulin ☐ Other
Is this medication treating the disease?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
Medication Name					
Date medication started / first dose	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]
Date medication stopped / last dose	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]	[DD / MM / 20YY]
Total number of days treatment given					
Medication route	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other	☐ Oral ☐ Subcutaneous ☐ Inhaled ☐ IV ☐ Topical ☐ Unknown ☐ Other
Frequency					
Dose	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other	↓mg ↓g ↓μg ↓IU ↓mg/kg ↓mg/day ↓mL ↓mL/h ↓% ↓tablets ↓Other
Was this an off-label or compassionate use of the medication?	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown	☐ Yes ☐ No ☐ Unknown

OUTCOME

COMPLICATIONS: Experienced at any time from day of presentation to day of discharge / outcome.

Were any complications reported from the day of presentation to the day of discharge/outcome?

☐ Yes
☐ No

Stroke / cerebrovascular accident

☐ Yes
☐ No
☐ Unknown

If Yes: Date of stroke / cerebrovascular accident onset

Encephalopathy

☐ Yes
☐ No
☐ Unknown

If Yes: Date of encephalopathy onset

Seizure

☐ Yes
☐ No
☐ Unknown

If Yes: Date of seizure onset

Encephalitis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of encephalitis onset

Meningitis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of meningitis onset

Cardiac ischaemia

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiac ischaemia onset

Endocarditis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of endocarditis onset

Cardiomyopathy

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiomyopathy onset

Congestive heart failure

☐ Yes
☐ No
☐ Unknown

If Yes: Date of congestive heart failure onset

Cardiac arrhythmia

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiac arrhythmia onset

Cardiac arrest

☐ Yes
☐ No
☐ Unknown

If Yes: Date of cardiac arrest onset

Myocarditis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of myocarditis onset

Pericarditis

☐ Yes
☐ No
☐ Unknown

If Yes: Date of pericarditis onset

Pneumonia / pneumonitis

☐ Yes
☐ No
☐ Unknown

If Yes:

Date of pneumonia / pneumonitis onset		Etiology of pneumonia	☐ Viral ☐ Bacterial ☐ Fungal
Pneumothorax	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pneumothorax onset	
Pleural effusion	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pleural effusion onset	
Cryptogenic organising pneumonia (COP)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of cryptogenic organising pneumonia (COP) onset	
Bronchiolitis	☐ Yes ☐ No ☐ Unknown	If Yes: Date of bronchiolitis onset	
Acute Respiratory Distress Syndrome (ARDS)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of acute respiratory distress syndrome (ARDS) onset	
Ascites	☐ Yes ☐ No ☐ Unknown	If Yes: Date of ascites onset	
Pancreatitis	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pancreatitis onset	
Jaundice	☐ Yes ☐ No ☐ Unknown	If Yes: Date of jaundice onset	
Liver dysfunction	☐ Yes ☐ No ☐ Unknown	If Yes: Date of liver dysfunction onset	
Thromboembolism	☐ Yes ☐ No ☐ Unknown	If Yes: Date of thromboembolism onset	
Pulmonary embolism (PE)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of pulmonary embolism (PE) onset	
Deep vein thrombosis (DVT)	☐ Yes ☐ No ☐ Unknown	If Yes: Date of deep vein thrombosis (DVT) onset	
Other complication(s)	☐ Yes ☐ No ☐ Unknown	If Yes:	

DIAGNOSIS			
Primary diagnosis	☐ Andes virus infection (hantavirus) ☐ Other _____	Type of diagnosis	☐ Clinical diagnosis ☐ Lab-confirmed ☐ Radiologically confirmed (e.g., chest X-ray, CT) ☐ Unknown ☐ Other
		Any additional diagnosis?	☐ Yes ☐ No

OUTCOME			
Outcome date	[_D_][_D_][_M_][_M_][_Y_][_Y_][_Y_][_Y_]		
Outcome	☐ Alive, never hospitalised ☐ Discharged alive ☐ Death ☐ Discharged against medical advice ☐ Palliative care ☐ Still hospitalised ☐ Transfer to other facility ☐ Other _____		
Ability to self-care at discharge versus before illness	☐ Same as before illness ☐ Worse ☐ Better ☐ Unknown	If discharged alive: Oxygen therapy post-discharge treatment	☐ Yes ☐ No ☐ Unknown
If discharged alive or still hospitalised: Ongoing health care needs relating to this admission for pathogen of interest	☐ Yes ☐ No ☐ Unknown	If discharged alive or still hospitalised: Ongoing health care needs NOT related to pathogen episode	☐ Yes ☐ No ☐ Unknown
If Still hospitalised or transfer to other facility: Medically fit for discharge (pathogen resolved) but remains in hospital for other reason (e.g. awaiting alternate care, resident in long term health care or mental health facility)	☐ Yes ☐ No ☐ Unknown		
If transfer to other facility: is the transfer facility a study site?	☐ Yes ☐ No ☐ Unknown	If Yes: What is the Participant Identification Number at the new facility?	_____