

```

## Load libraries
library(splines)
library(MASS)
library(FDRreg)

## Loading required package: fda
## Warning: package 'fda' was built under R version 3.3.3
## Loading required package: Matrix
##
## Attaching package: 'fda'
## The following object is masked from 'package:graphics':
##
##      matplot
## Loading required package: BayesLogit
## Warning: package 'BayesLogit' was built under R version 3.3.2
## Loading required package: mvtnorm
## Warning: package 'mvtnorm' was built under R version 3.3.2

library(curl)

library(doParallel) ##to make cluster (on Windows)

## Loading required package: foreach
## Loading required package: iterators
## Loading required package: parallel

library(foreach) ##to use foreach function that does the parallel processing
library(doRNG) ##for reproducible seeds when doing parallel processing

## Loading required package: rngtools
## Warning: package 'rngtools' was built under R version 3.3.2
## Loading required package: pkgmaker
## Warning: package 'pkgmaker' was built under R version 3.3.2
## Loading required package: registry
## Warning: package 'registry' was built under R version 3.3.2
##
## Attaching package: 'pkgmaker'
## The following object is masked from 'package:base':
##
##      isNamespaceLoaded

##Source functions
source("../functions.R")

```

Define nulltype for Scott method:

```
nulltype <- "theoretical"
```

Simulations are performed for a variety of alternative distributions:

```
alts <- c("alt_beta", "alt_chisq_large_3_3", "alt_chisq_large",  
         "alt_chisq_small_3_3", "alt_chisq_small",  
         "alt_t_large", "alt_t_small",  
         "alt_z_large",  
         "alt_z_small")
```

1 Probability of being a false positive is linear

Perform estimation and save estimates:

```
for(alt in alts[6:9])  
{  
  print(alt)  
  load(paste(alt, "simResults_5.RData", sep="/"))  
  ntest <- ncol(zValuesSims)  
  
  pi0hatScottMat <- estimate_Scott_sims(zValuesSims, tme, nulltype)  
  
  pi0hatScottMean <- colMeans(pi0hatScottMat[,1:ntest])  
  pi0hatScottVar <- apply(pi0hatScottMat[,1:ntest], 2, var)  
  
  pi0hat.ScottMat <- pi0hatScottMat[,1:ntest]  
  FDR.ScottMat <- pi0hatScottMat[, (ntest+1):(2*ntest)]  
  
  ##save full results  
  save(file=paste(alt, "simResults_pi0x_Scott_5_full.RData", sep="/"),  
       list=c("pi0hat.ScottMat", "FDR.ScottMat"))  
  
  ##save summary results  
  save(file=paste(alt, "simResults_pi0x_Scott_5.RData", sep="/"),  
       list=c("tme", "pi0",  
             "pi0hatScottMean", "pi0hatScottVar"))  
}  
  
## [1] "alt_t_large"  
## [1] "alt_t_small"  
## [1] "alt_z_large"  
## [1] "alt_z_small"
```

Session info:

```

devtools::session_info()

## Session info -----
## setting value
## version R version 3.3.1 (2016-06-21)
## system x86_64, mingw32
## ui RTerm
## language (EN)
## collate English_United States.1252
## tz America/New_York
## date 2018-08-31

## Packages -----
## package * version date
## assertthat 0.1 2013-12-06
## BayesLogit * 0.6 2016-10-20
## bindr 0.1 2016-11-13
## bindrcpp 0.2 2017-06-17
## codetools 0.2-14 2015-07-15
## colorspace 1.2-6 2015-03-11
## curl * 0.9.7 2016-04-10
## devtools 1.12.0 2016-06-24
## digest 0.6.12 2017-01-27
## doParallel * 1.0.10 2015-10-14
## doRNG * 1.6 2014-03-07
## dplyr 0.7.4 2017-09-28
## evaluate 0.10 2016-10-11
## fda * 2.4.4 2014-12-16
## FDRreg * 0.2-1 2017-05-03
## foreach * 1.4.3 2015-10-13
## ggdendro 0.1-20 2016-04-27
## ggplot2 2.2.1 2016-12-30
## glue 1.1.1 2017-06-21
## gridExtra 2.2.1 2016-02-29
## gtable 0.2.0 2016-02-26
## highr 0.6 2016-05-09
## iterators * 1.0.8 2015-10-13
## knitr * 1.17 2017-08-10
## lattice 0.20-33 2015-07-14
## lazyeval 0.2.0 2016-06-12
## magrittr 1.5 2014-11-22
## MASS * 7.3-45 2016-04-21
## Matrix * 1.2-6 2016-05-02
## memoise 1.0.0 2016-01-29
## mosaic 0.14.4 2016-07-29

```

```

## mosaicData 0.14.0 2016-06-17
## munsell 0.4.3 2016-02-13
## mvtnorm * 1.0-6 2017-03-02
## pkgconfig 2.0.1 2017-03-21
## pkgmaker * 0.22 2014-05-14
## plyr 1.8.4 2016-06-08
## purrr 0.2.4 2017-10-18
## R6 2.1.2 2016-01-26
## Rcpp 0.12.13 2017-09-28
## registry * 0.3 2015-07-08
## rlang 0.1.4 2017-11-05
## rngtools * 1.2.4 2014-03-06
## scales 0.4.1 2016-11-09
## stringi 1.1.1 2016-05-27
## stringr 1.2.0 2017-02-18
## tibble 1.3.3 2017-05-28
## tidyr 0.7.2 2017-10-16
## withr 1.0.2 2016-06-20
## xtable 1.8-2 2016-02-05
## source
## CRAN (R 3.3.1)
## CRAN (R 3.3.2)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## Github (jgscott/FDRreg@8025d1a)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.0)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)

```

```
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.2)
## CRAN (R 3.3.3)
## CRAN (R 3.3.2)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.3)
## CRAN (R 3.3.2)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.2)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.0)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.3)
## CRAN (R 3.3.1)
## CRAN (R 3.3.1)
```