

Lecture 10: Nonlinear Regression Functions

Zheng Tian

1 Introduction

1.1 Overview

In the previous lectures, the population regression function is assumed to be linear. In other words, the slope of the population regression function was constant, so the effect on Y of a unit change in X does not itself depend on the value of X , neither on other independent variables. In some cases, the linearity cannot capture the feature of the data and may also contradict with economic theories or common sense.

This lecture introduces nonlinear population regression functions that are nonlinear with respect to the regressors but linear with respect to the parameters. Such regression models can still be considered as being "linear" due to the linearity in the parameters so that they can be estimated using the OLS method we have known. Specifically, we will introduce three types of nonlinear regression functions, the polynomial function, the logarithmic function, and the function with the interaction terms consisting of two independent variables.

Since these types of models can be estimated using the OLS, the estimation and inference are not the foci of this lecture. Instead, we put emphasis on the correct interpretation of the coefficients in each type of models.

1.2 Reading materials

- Chapter 8 in *Introduction to Econometrics* by Stock and Watson.

2 A General Strategy For Modeling Nonlinear Regression Functions

2.1 Test Scores and district income

In the application of California elementary schools, we know that test scores can be determined by average district income, along with student-teacher ratios that we have included in regression. For simplicity, let's just consider the relationship between test scores and district income using a scatterplot. As shown in Figure 1, test scores and district income are indeed positively correlated, with a correlation coefficient of 0.71.




Figure 1: Scatterplot of test score vs district income and a linear regression line

How does a simple linear regression model fit the data?

We estimate a simple linear regression model

$$TestScore = \beta_0 + \beta_1 Income + u$$

The sample regression line is superimposed on the scatterplot. However, we can observe some problems of using the linear regression line to fit the data

- Data points are below the regression line when income is very low (under \$10,000) or very high (over \$40,000), and are above the line when income is between \$15,000

and \$30,000.

- The scatterplot may imply a curvature in the relationship between test scores and income. That is, a unit increase in income may have larger effect on test scores when income is very low than when income is very high.
- The linear regression line cannot capture the curvature because the effect of district income on test scores is constant over all the range of income since $\Delta TestScore / \Delta Income = \beta_1$ is constant.

Estimate a quadratic regression model

Instead of estimating a linear regression model, we can set up a quadratic regression model as

$$TestScore = \beta_0 + \beta_1 Income + \beta_2 Income^2 + u \quad (1)$$

- This model is nonlinear, specifically quadratic, with respect to *Income* because we include the squared income.
- The population regression function is

$$E(TestScore|Income) = \beta_0 + \beta_1 Income + \beta_2 Income^2$$

- But it is linear with respect to β . So we can still use the OLS estimation method to estimate the model, and use R^2 , t and F statistics for inference as we do in multiple regression. We simply treat $Income^2$ as another regressor in a multiple regression model.
- The quadratic regression line is added onto the scatterplot, which fits the points better than the linear regression line, as shown in Figure 2.

2.2 A general formula for a nonlinear population regression function

A general nonlinear regression model is

$$Y_i = f(X_{i1}, X_{i2}, \dots, X_{ik}; \beta_1, \beta_2, \dots, \beta_m) + u_i \quad (2)$$

where $f(X_{i1}, X_{i2}, \dots, X_{ik}; \beta_1, \beta_2, \dots, \beta_m)$ is the **population nonlinear regression function**. Note that the number of regressors and the number of parameters are not necessarily equal in the nonlinear regression model.

We can use $\mathbf{X}_i = (X_{i1}, \dots, X_{ik})$ to represent all regressors for the i^{th} observation, and use $\boldsymbol{\beta} = (\beta_1, \beta_2, \dots, \beta_m)$ to represent the parameters to be estimated. Then, the nonlinear




Figure 2: Scatterplot of test score vs district income and a quadratic regression line

regression model in Equation (2) can be re-written as

$$Y_i = f(\mathbf{X}_i; \boldsymbol{\beta}) + u_i \quad (3)$$

In this lecture, we focus on the nonlinear regression models such that $f(\cdot)$ is nonlinear with \mathbf{X}_i but linear with $\boldsymbol{\beta}$. So this type of models are also consider as being "linear" and estimated by the OLS method.

2.3 The effect on Y of a change in a regressor

For the general nonlinear model in Equation (2), the effect on Y of a change in one regressor, say X_1 , holding other things constant, can be computed as

$$\Delta Y = f(X_1 + \Delta X_1, X_2, \dots, X_k; \boldsymbol{\beta}) - f(X_1, X_2, \dots, X_k; \boldsymbol{\beta}) \quad (4)$$

When X_1 and Y are continuous variables and $f(\cdot)$ is differentiable, the marginal effect of X_1 is the partial derivative of f with respect to X_1 , that is, holding other things constant

$$\Delta Y = \frac{\partial f(X_1, \dots, X_k; \boldsymbol{\beta})}{\partial X_1} \Delta X_1$$

2.4 Application to test scores and income

We estimate the quadratic regression model for test scores and district income (Equation 1) by OLS, resulting in the following

$$\widehat{TestScore} = 607.3 + \frac{3.85}{(2.9)} Income - \frac{0.0423}{(0.0048)} Income^2, \bar{R}^2 = 0.554 \quad (5)$$

We can test whether the squared income has a significant coefficient. That is, we test $H_0 : \beta_2 = 0$ vs. $H_1 : \beta_2 \neq 0$. In other words, we test the quadratic regression model against the linear regression model. For this two-sided test, we can as usual compute the t-statistic

$$t = \frac{-0.0423}{0.0048} = -8.81 > -1.96$$

Thus, we can reject the null at the 1%, 5% and 10% significance levels.

From Equation (5), we can compute the effect of change in district average income on test scores.

A change in income from \$10 thousand to \$20 thousand

$$\begin{aligned} \Delta \hat{Y} &= \hat{\beta}_0 + \hat{\beta}_1 \times 11 + \hat{\beta}_2 \times 11^2 - (\hat{\beta}_0 + \hat{\beta}_1 \times 10 + \hat{\beta}_2 \times 10^2) \\ &= \hat{\beta}_1(11 - 10) + \hat{\beta}_2(11^2 - 10^2) \\ &= 3.85 - 0.0423 \times 21 = 2.96 \end{aligned}$$

Thus, the predicted difference in test scores between a district with average income of \$11,000 and one with average income of \$10,000 is 2.96 points.

A change in income from \$40 thousand to \$41 thousand

$$\begin{aligned} \Delta \hat{Y} &= \hat{\beta}_0 + \hat{\beta}_1 \times 41 + \hat{\beta}_2 \times 41^2 - (\hat{\beta}_0 + \hat{\beta}_1 \times 40 + \hat{\beta}_2 \times 40^2) \\ &= \hat{\beta}_1(41 - 40) + \hat{\beta}_2(41^2 - 40^2) \\ &= 3.85 - 0.0423 \times 81 = 0.42 \end{aligned}$$

Thus, the predicted difference in test scores between a district with average income of \$41,000 and one with average income of \$40,000 is 0.42 points. Thus, a change of income of \$1,000 is associated with a larger change in predicted test scores if the initial income is \$10,000 than if it is \$40,000.

2.5 A general approach to modeling nonlinearities using multiple regression

1. Identify a possible nonlinear relationship.
 - Economic theory
 - Scatterplots
 - Your judgment and experts' opinions
2. Specify a nonlinear function and estimate its parameters by OLS.
 - The OLS estimation and inference techniques can be used as usual when the regression function is linear with respect to β .
3. Determine whether the nonlinear model improves upon a linear model
 - Use t- and/or F-statistics to test the null hypothesis that the population regression function is linear against the alternative that it is nonlinear.
4. Plot the estimated nonlinear regression function.
5. Compute the effect on Y of a change in X .