

MDMC: ARGON RUNS


1. Multiple guesses
2. Long runs

1. Runs with multiple guesses: set ups


- The same argon script
- Initial guesses were varying
- Control parameters for refinement were the following:

```
control = Control(simulation=simulation,  
                  exp_datasets=exp_datasets,  
                  fit_parameters=fit_parameters,  
                  MC_norm=20,  
                  minimizer_type="MMC",  
                  reset_config=True,  
                  MD_steps=4000,  
                  max_parameter_change=0.05)
```


1. Runs with multiple guesses: FOM



1. Runs with multiple guesses: Epsilon



1. Runs with multiple guesses: Sigma




2. Long runs: set ups


- The same argon script
- Initial guesses were varying
- Control parameters for refinement were the following, except that max_parameter change was either 0.05 or 0.1. Number of refinement steps was 150000:

```
control = Control(simulation=simulation,  
                  exp_datasets=exp_datasets,  
                  fit_parameters=fit_parameters,  
                  MC_norm=20,  
                  minimizer_type="MMC",  
                  reset_config=True,  
                  MD_steps=4000,  
                  max_parameter_change=0.05)
```


2. Long runs: set ups FOM



2. Long runs: Epsilon



2. Long runs: Sigma



param-0.1



param-0.05



Goal

