i. The probat	onity of a leap ye	ar selected at	random contain 53
Sunday is:			
(a) 53/36	66 (b) 1/7	(c) 2/7	(d) 53/365
A bag conta	ains 3 red and 2 l	blue marbles. A	A marble is drawn at
random. The p	robability of dra	wing a black ba	all is :
(a) 3/5	(b) 2/5	(c) $0/5$	(d) 1/5
3. The probab	ility that it will ra	in tomorrow is	0.85. What is the
probability tha	t it will not rain t	omorrow	
(a) 0.25	(b) 0.145	(c) 3/20	(d) none of these
4. What is the	probability that	a number selec	cted from the numbers
(1, 2, 3,	15) is a multiple	of 4?	
(a) 1/5	(b) 4/5	(c) 2/15	(d) 1/3
	ne total outcome		
(a) 4	(b) 5	(c) 8	(d) 7
			ted at random from the
	3,35) is :		
		(c) 13/3	5 (d) none of these
	the probability of		
	(b) 1 (c		
			ose the correct answer
for that which	is not possible.	0	
(a) 0.15	(b) 2/7	(c) 7/5	(d) none of these.
			han the probability of
getting at leas	t two heads, is:		
(a) 1/4	(b) 3/8	(c) ½	(d) 1/8
			tters of the word
			e letter chosen has:
	(b) 7/13	1 (TEL) 1 (1) (1) (1) (1) (1)	(d) none of these.
	. , , ,		
11. A dice is th	rown. Find the p	robability of go	etting an even number.
(A) 2/3	(B) 1	(C) 5/6	
()	(-/	(-)	(-)
12. Two coins	are thrown at the	e same time. F	ind the probability of
getting both he			
	1/4 (C) 1/2	(D) 0	
		, ,	
13. Two dice a	re thrown simul	aneously. The	probability of getting a
sum of 9 is:			

1

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4/	9
	ds are numbered me number.	from 1 to 1	00. Find the	probability of
(A) 3/4	(B) 27/50	(C) 1/4	(D)	29/100
	ontains 5 red ball a blue ball is dou a bag is:			
(A) 5	(B) 10 (C)) 15	(D) 20	
		is box. Then	the probabi	
(A) 143/150	(B) 147/1	50 (C)	1/25	(D) 1/50
mixed thoro	arked with numb ughly. One card ity that the numb (B) 1/10	is drawn fro	m this box r	andomly, then square.
18. What is (A) 1/7	the probability of (B) 53/366	of getting 53 (C) 2/7	Mondays in (D) 7/	
probability of	s drawn from a v of getting a king (B) 3/26 (C)	of red suit.	1/13	cards. Find the
equally likel 1,2,312 ,	of chance consi y to come to res then the probabi B) 1/12	t pointing to lity that it w	one of the r	number n odd number is:
its outcome result i.e. th probability t	consists of tossi each time. Arya ree heads or thro hat Aryan will los 3) 1/2 (C) 1	n wins if all ee tails and	the tosses g loses otherv	ive the same
2				

	is the same bir		both will have the
(A) 364/365	(B) 31/365	(C) 1/365	(D) 1/133225
2. Then the pr	x is chosen at robability that x ² 2/5 (C) 3/5	< 2 is?	numbers -2, -1, 0 , 1,
a marble is dr red is 2/3, the	awn at random f	rom the jar, the p white marbles in	nd others are white. If probability that it is the jar is:
Then the prob		a multiple of 3 an	50 natural numbers. d 4 is:
with n dots sh showing 4 dot	owing up is prop ts is?	portional to n. Th	probability of a face e probability of face
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) $\frac{4}{21}$
	red by batsman ne standard devi		ches are 50, 70, 82,
		c) 25.29	d) 25.69
		the messages re 18, 4, 18, 13, 17.	
	b) 13, 18		d) 13, 16
3 cases is	·		y that tails turn up in
a) $\frac{1}{2}$	b) $^{1}/_{3}$	c) $^{1}/_{4}$	f E(X2) is
a) 8	0) /	c) 27	a) 9
		d Y have varianc	

3

-10	
21 4	Į
a l	ļ

32.Out of the following values, which one is not possible in probability?

a)
$$P(x) = 1$$

b)
$$\sum x P(x) = 3$$

c)
$$P(x) = 0.5$$

d)
$$P(x) = -0.5$$

33.If E(x) = 2 and E(z) = 4, then E(z - x) = ?

d) Insufficient data

34. The covariance of two independent random variable is

b) 0

$$c) - 1$$

d) Undefined

35.If $\Sigma P(x) = k^2 - 8$ then, the value of k is?

b) 1

d) Insufficient data

36.If P(x) = 0.5 and x = 4, then E(x) = ?

b) 0.5

d) 2

37.In a discrete probability distribution, the sum of all probabilities is always?

b) Infinite

d) Undefined

38.If the probability of hitting the target is 0.4, find mean and variance.

d) 0.6, 0.16

39.If the probability that a bomb dropped from a place will strike the target is 60% and if 10 bombs are dropped, find mean and variance?

a) 0.6, 0.24

b) 6, 2.4

c) 0.4, 0.16

d) 4, 1.6

40. Find the mean of tossing 8 coins.

a) 2

b) 4

c) 8

d) 1

41. What is the mean and variance for standard normal distribution?

- a) Mean is 0 and variance is 1 b) Mean is 1 and variance is 0
- c) Mean is 0 and variance is ∞ d) Mean is ∞ and variance is 0

42. Variance of a random variable X is given by _

- a) E(X)
- b) E(X2)
- c) E(X2) (E(X))2
- d) (E(X))2

43.Mean of a random variable X is given by ___

- a) E(X)
- b) E(X2)
- c) E(X2) (E(X))2
- d) (E(X))2

44.Mean of a constant 'a' is __

- a) 0
- b) a
- c) a/2
- d) 1

45. Variance of a constant 'a' is _____ .

- d) 1

46. Find the mean and variance of X?

×	0	1	2	3	4
f(x)	1/9	2/9	3/9	2/9	1/9

- a) 2, 4/3
- b) 3, 4/3
- c) 2, 2/3

d) 3, 2/3

47. Find the expectation of a random variable X?

х	0	1	2	3
f(x)	1/6	2/6	2/6	1/6

- a) 0.5
- b) 1.5
- c) 2.5
- d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use Binomial Distribution.
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard Deviation?
- a) \sqrt{np}

- b) \sqrt{pq} c) (np)2 d) \sqrt{npq}