# The Infinite Jumping Game

The game is about bouncing on platforms to get higher and higher...forever. Your score is based on how high you can jump.

## Starting out

• Set the width and height of your world.

```
world.width = 300
world.height = 460
```

• **Challenge:** create a sprite for your player character. Call it player.

Have a look back at chapter one, if you've forgotten how to create sprites!

Make sure the player is just the right size on the screen of your phone: not too big, not too small.

Set the background color of your world, to taste.

# Gravity

The first thing to do is to make our player fall down.

We can simulate gravity using a **constant acceleration**. As you should know from Maths or Physics class, that means we need to keep track of **velocity** (speed and direction). Let's add a variable for just that.

Add a variable called vely, which stores a number.

```
var velY = -2
```

Add a forever loop for the player.

```
player.forever(() => {
    player.posY += velY
})
```

Save. You'll notice the player falls at a constant speed, which isn't right at all! Let's change velocity over time, to simulate gravity:

Decrease velocity, so the player falls.

#### **Platforms**

Now our player falls down! Let's add some platforms for him to bounce on. (We won't do the bouncing part just yet; that'll have to wait for later.)

Create a platform. This is going to be a Polygon instead of a Sprite.

```
var platform = new Polygon
platform.points = [[-30, 0], [30, 0], [30, 10], [-30, 10]]
platform.posY = 100
```

- Set the fill and outline colors for your Polygon, to taste.
- Tweak the size of your platform as necessary. You can do this by changing its points.

Save. Check the platform appears below the player!

 But wait, the outline doesn't go all the way around! That's because we've only given it four points to connect so it doesn't know to connect the last one to the first one. We could add the first point again to the end of the set of points or we could use the handy platform.closed.

# **Bouncing**

Currently our player falls through the platform entirely. Let's sort that out.

We can use isTouching to check for collisions between different objects. isTouching returns a Boolean value (true or false), which we can use inside an if condition.

• Check if the platform is touching the player.

```
platform.forever(() => {
    if (player.isTouching(platform)) {
        // ...jump...
    }
})
```

To jump, we want to set the player's Y velocity to be a large, positive number. Let's try 10.

```
velY = 10
```

Add this inside the if condition you just wrote.

# **Functions**

A game with just one platform isn't very impressive, so we need to add some more. But we don't want to copy/paste the code every time we make a platform—that would be no good at all!

What we want to do is to move the code for making a platform into a **function**. A function (aka. procedure, aka. "custom block" from Scratch) lets you give a **name** to a piece of code, so you can refer to it by name.

Move the platform code into a function, by adding function
 makePlatform() { at the beginning of that section, and } at the end.

```
function makePlatform() {
  //...[all your platform code]...
}
```

Put the function bits **around** your existing code.

You'll want to re-indent your code at this point—try selecting the code inside the function, and pressing the Tab key.

Save. You'll notice the platform disappears. This is because we haven't **called** our function; we've defined it, but not used it yet! Let's do that now.

Make a platform by calling your new function.

```
makePlatform()

Add this at the end of your program, before the final }).
```

Now we can easily make more platforms!

Add some more platforms.

```
makePlatform()
makePlatform()
makePlatform()
// ...
```

The platforms are all being made at the same height - we really want to make each platform higher than the last. Let's make a variable at the beginning of our program, to keep track of the height of the last one...

Create a lasty variable.

```
var lastY = 100
```

Add this before the makePlatform function.

Make sure not to put this *inside* makePlatform, or you'll get a **different** version of the lastY variable each time. We need to remember it between calls to our function, so it has to go outside.

Now let's use it.

• Use lasty inside makePlatform.

```
platform.posY = lastY
```

• **Challenge:** increase lastY every time you make a platform.

Make sure you do this **inside** makePlatform!

# Scrolling

Now we've got some platforms to climb, we need to add scrolling so we can move up the platforms.

In *Doodle Jump*, the screen only ever scrolls up; never down. This is because the way for the game to end, is for the player to fall off the bottom of the screen!

We can scroll by changing world.scrolly. The .scrollx and .scrolly values are an **offset** added to the position of everything in the world, so you can use them to scroll around.

We only want to scroll up, never down. We can do this by comparing the player's height, player.posY, with the current scroll position, world.scrolly.

Scroll up when the player is near the top of the screen.

```
if (world.scrollY < player.posY - 300) {
   world.scrollY = player.posY - 300
}</pre>
```

Make sure this goes in the player. forever block.

You can tweak the number 300 to taste, to control how far up the screen the player has to go for the game to start scrolling.

#### More Platforms!

When we scroll up far enough, we run out of platforms.

We could keep adding more by copy/pasting the makePlatform() line, but that doesn't seem sensible; however many we'll have, we'll run out eventually! Let's delete all but one of our makePlatform() calls, and have our game make 'em automatically.

To do this, we need to compare the current scroll position, world.scrolly, with the Y position of the last platform we made: which we stored in the lasty variable.

• **Challenge:** if the last platform is below the *top* of the screen, make a new platform.

Write this inside the forever loop for the player.

Hint: you'll want to add the height of the screen to world.scrolly.

## Bouncing, take 2

At this point, you might notice that when we touch a platform, it gives us a push upwards... even if we're already moving upwards! That's just plain wrong.

We could check whether we're touching the bottom or the top of the platform, but that sounds tricky.

Instead, let's check that we're moving downwards. We can do this by checking the vely variable, since that gives us our current speed and direction: it's positive when we're moving upward, and negative when we're moving downwards.

• **Challenge**: change the if so that we only bounce if both we're touching a platform **and** we're moving downwards.

You learnt about conditions in chapter 2.

Make sure you get the brackets in the right place! The **condition** for an if always has to be written in brackets.

```
if ( ... && ... ) {
```

Make sure the bouncing looks right now.

#### Movement

### Wrapping

In *Doodle Jump*, the player can "wrap" from one side of the screen to the other: when you go off the right, you appear back on the left side, and vice-versa.

• Wrap when we go past the right-hand side of the screen.

```
if (player.posX > world.width) {
  player.posX = 0
}
```

*Inside the forever for the player.* 

Challenge: wrap when you go past the left-hand side of the screen.

### What next?

Different kinds of platforms!

Use UW. randomChoice to pick the kind of platform:

Trampolines which bounce you higher.

Bonus: an animation which rotates the player after he jumps off a trampoline!

- Springs which bounce you even higher.
- Platforms which move from side to side.
- Randomly vary the distance between different kinds of platforms.

The springs can have a larger distance after them.

You can increase the minimum distance as you get higher, so it gets more difficult the higher up you get.

- Add enemies which you have to avoid.
- Let the player shoot bullets at the enemies to kill them!