# **Surefire Report**

#### **Summary**

[Summary] [Package List] [Test Cases]

Tests	Errors	Failures	Skipped	Success Rate	Time
45	0	0	0	100%	0.02

Note: failures are anticipated and checked for with assertions while errors are unanticipated.

## **Package List**

[Summary] [Package List] [Test Cases]

Package	Tests	Errors	Failures	Skipped	Success Rate	Time
Iso2.Testing_P2	45	0	0	0	100%	0.02

Note: package statistics are not computed recursively, they only sum up all of its testsuites numbers.

#### Iso2.Testing\_P2

	Class	Tests	Errors	Failures	Skipped	Success Rate	Time
<u> </u>	DecisionesTest	16	0	0	0	100%	0.019
<u> </u>	EachUseTest	15	0	0	0	100%	0
<u> </u>	MC_DCTest	14	0	0	0	100%	0.001

#### **Test Cases**

[Summary] [Package List] [Test Cases]

#### **DecisionesTest**

<u> </u>	testing[0]	0.011
<u> </u>	testing[1]	0
<u> </u>	testing[2]	0

<u> </u>	testing[3]	0
<u> </u>	testing[4]	0
<u> </u>	testing[5]	0
<u> </u>	testing[6]	0
<u> </u>	testing[7]	0.001
<u> </u>	testing[8]	0
<u> </u>	testing[9]	0.001
<u> </u>	testing[10]	0
<u> </u>	testing[11]	0.001
<u> </u>	testing[12]	0
<u> </u>	testing[13]	0.001
<u> </u>	testing[14]	0.003
<u> </u>	testing[15]	0.001

#### EachUseTest

<u> </u>	testing[0]	0
<u> </u>	testing[1]	0
<u> </u>	testing[2]	0
<u> </u>	testing[3]	0
<u> </u>	testing[4]	0
<u> </u>	testing[5]	0
<u> </u>	testing[6]	0
<u> </u>	testing[7]	0
<u> </u>	testing[8]	0
<u> </u>	testing[9]	0
<u> </u>	testing[10]	0
<u> </u>	testing[11]	0
<u> </u>	testing[12]	0
<u> </u>	testing[13]	0
<u> </u>	testing[14]	0

### MC\_DCTest

<u> </u>	testing[0]	0
<u> </u>	testing[1]	0
<u> </u>	testing[2]	0
<u> </u>	testing[3]	0
<u> </u>	testing[4]	0
<u> </u>	testing[5]	0
<u> </u>	testing[6]	0
<u> </u>	testing[7]	0
<u> </u>	testing[8]	0

<u> </u>	testing[9]	0
<u> </u>	testing[10]	0
<u> </u>	testing[11]	0
<u> </u>	testing[12]	0
<u> </u>	testing[13]	0.001