Temporal dynamics of motor cortex activity modeled with spiking neural networks

Rory Byrne

MRes Neurotechnology Imperial College London

Background

Methods

Research Question

Background

Methods

Research Question

Background

Methods

Research Question

Dr. Juan Gallego



Dr. Dan Goodman








Dr. Dan Goodman













Motor control modelled using SNNs

Methods

Spiking neurons output binary events, instead of scalars



Spiking neurons output binary events, instead of scalars



Training spiking neural networks is hard

Backpropagation solves the credit assignment problem

Backpropagation solves the credit assignment problem

$$\frac{dy}{du}\frac{du}{dx}$$

Backpropagation solves the credit assignment problem

$$\frac{dy}{du}\frac{du}{dx}$$

But it requires a continuous spiking function

Backpropagation solves the credit assignment problem

$$\frac{dy}{du}\frac{du}{dx}$$

But it requires a continuous spiking function

$$\frac{d}{dx}()) = \infty$$


Backpropagation solves the credit assignment problem

$$\frac{dy}{du}\frac{du}{dx}$$

But it requires a continuous spiking function

$$\frac{d}{dx}()) = \infty$$

Using a continuous surrogate function on the backwards pass enables backpropagation in SNNs



Motor control can be decoded from single neurons


Motor control can be decoded from single neurons populations

Motor control can be decoded from single neurons populations

During movement, population activity explores a limited region of the **population activity space**: the manifold.

Motor control can be decoded from single neurons populations

During movement, population activity explores a limited region of the **population activity space**: the manifold.



Motor control can be decoded from single neurons populations

During movement, population activity explores a limited region of the **population activity space**: the manifold.

N2 Neural manifold

We can study properties of the manifold to understand how the brain controls the movement

Research Question



Perez-Nieves, N., Leung, V.C.H., Dragotti, P.L. et al. Nat Commun 12, 5791 (2021)







"Neural constraints on learning"

Sadtler, P., Quick, K., Golub, M. et al. Nature 512, 423-426 (2014)

Constrain Learning



Perez-Nieves, N., Leung, V.C.H., Dragotti, P.L. et al. Nat Commun 12, 5791 (2021)






"Neural constraints on learning"



Perez-Nieves, N., Leung, V.C.H., Dragotti, P.L. et al. Nat Commun 12, 5791 (2021)







"Neural constraints on learning"



Perez-Nieves, N., Leung, V.C.H., Dragotti, P.L. et al. Nat Commun 12, 5791 (2021








"Neural constraints on learning"




Perez-Nieves, N., Leung, V.C.H., Dragotti, P.L. et al. Nat Commun 12, 5791 (2021







"Neural constraints on learning"






Perez-Nieves, N., Leung, V.C.H., Dragotti, P.L. et al. Nat Commun 12, 5791 (2021)



"Neural constraints on learning"

Sadtler, P., Quick, K., Golub, M. et al. Nature 512, 423-426 (2014)



How does neural heterogeneity affect robustness to perturbations in motor control tasks?

Thank You!