

# Daubenmire Datasheet

Date: 8-15-17

Observer: Teresa

Recorder: Teresa

Team lead: Teresa

Site: app1  
Transect: tapp1  
Round: 3  
50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	16	38	0	—	—	—	0	0	86	1.0
10 m	0	16	86	0	—	—	—	0	38	16	0.25
20 m	3	16	86	0	—	—	—	0	16	16	0.5
30 m	3	3	86	0	—	—	—	0	38	16	0.25
40 m	3	16	86	0	—	—	—	0	16	16	0.25
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	5	3	1	2	3					
E	2	13	1	3	3					
S	5	3	1	3	4					
W	5	5	3	5	3					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8-15-17

Observer: Teresa

Recorder: Teresa

Team lead: Teresa

Site: cra1  
Transect: tcr1a  
Round: 3  
70m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	63	0	16	0	—	—	—	0	1	86	0.75
10 m	63	16	63	0	—	—	—	0	3	38	0.5
20 m	16	16	63	0	—	—	—	0	3	38	0.25
30 m	3	38	16	0	—	—	—	0	16	38	0.5
40 m	3	16	16	0	—	—	—	0	63	38	0.25
50 m	3	16	86	0	—	—	—	0	16	63	0.5
60 m	0	16	38	0	—	—	—	0	16	63	0.25
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	3	6	4	5	7	8	7			
E	7	5	5	5	6	3	5			
S	2	3	1	5	7	6	3			
W	2	4	1	5	6	5	5			

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8-15-17  
Observer: Nancy / Koal  
Recorder: Nancy  
Team lead: Nancy

Site: cre1 -  
Transect: cre1a -  
Round: 3 -  
100m -

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	63	1	0				0	1	63	1
10 m	3	63	3	0				0	1	63	2
20 m	1	63	16	0				0	1	86	9
30 m	0	63	16	0				0	3	86	1
40 m	1	38	16	0				0	1	86	7
50 m	0	16	63	0				0	1	86	2
60 m	0	16	63	0				0	3	86	9
70 m	1	38	16	0				0	1	98	7
80 m	16	63	16	0				0	3	86	1
90 m	16	38	38	0				0	1	63	9

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	2	2	4	2	2	2	2	5	2
E	2	2	2	2	2	2	2	3	2	2
S	2	2	1	2	1	2	2	2	2	3
W	2	2	2	2	2	2	2	1	2	2

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm



# Daubenmire Datasheet

Date: 8/15/17

Observer: Kelley & Beth

Recorder: Kelley

Team lead: Kelley

Site: fis1  
Transect: tfis1a  
Round: 3  
50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	98	0	98	0	0	0	0	0	3	98	1.00
10 m	98	0	98	0	0	0	0	0	3	98	1.00
20 m	98	0	98	6	0	6	6	0	3	98	1.50
30 m	38	0	98	0	0	0	0	0	3	98	2.00
40 m	98	0	98	0	0	0	0	0	1	98	1.00
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	10	20	10	20	14					
E	11	20	20	20	14					
S	8	20	20	20	14					
W	13	20	20	16	14					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8/15/17  
 Observer: Sydney Hall  
 Recorder: Sydney Hall  
 Team lead: tori & Sydney

Site: har1  
 Transect: thar1a  
 Round: 3  
30m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	1	38	63	0				0	38	38	0.25
10 m	0	38	16	0				0	16	38	0.25
20 m	0	16	63	0				0	3	63	0.25
30 m											
40 m											
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	4	3	2							
E	3	4	2							
S	4	4	2							
W	5	4	2							

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm



# Daubenmire Datasheet

Date: 8/15/17

Observer: Sydney Hall

Recorder: Sydney Hall

Team lead: ton & Sydney

Site:

jon1

Transect:

tjon1a

Round:

3

50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	63	16	0				0	3	63	0.25
10 m	3	16	63	0				0	3	63	1.0
20 m	1	1	3	0				0	0	98	1.0
30 m	1	3	16	0				0	16	38	0.25
40 m	1	3	16	0				3	63	38	0.25
50 m											
60 m											
70 m											
80 m											
90 m											

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	6	3	3	2	2					
E	2	5	2	2	3					
S	2	3	2	2	3					
W	5	3	2	2	1					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8/15/17

Observer: Sydney Hall

Recorder: Sydney Hall

Team lead: Tori & Sydney H.

Site: nie1  
Transect: tnie1a  
Round: 3  
50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	1	38	38	0				0	3	63	0.25
10 m	1	16	16	0				0	16	63	0.5
20 m	1	16	63	0				0	16	38	1.0
30 m	1	16	38	0				0	1	63	0.25
40 m	1	38	16	0				0	38	63	0.25
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	2	2	2	5					
E	2	1	2	2	5					
S	2	2	2	2	5					
W	2	3	2	2	4					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8-15-17  
 Observer: Seth A  
 Recorder: Seth A  
 Team lead: Kelsey B.

Site: nor1  
 Transect: tnor1b  
 Round: 3  
50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	0	63	16	3		3		0	16	86	0.5
10 m	0	38	63	3	1			0	16	63	0.5
20 m	3	0	98	0				0	16	63	0.5
30 m	63	0	36	0				0	16	38	0.25
40 m	0	16	38	1	1			0	16	38	0.75
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	3	3	3	3					
E	3	3	2	2	4					
S	3	2	3	2	4					
W	2	3	3	2	2					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm



# Daubenmire Datasheet

Date: 8/15/17  
 Observer: Sydney Hall  
 Recorder: Sydney Hall  
 Team lead: torii & Sydney H

Site: van1  
 Transect: tvan1a  
 Round: 3  
50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	16	38	0				0	3	63	1.0
10 m	16	16	16	0				0	3	63	0.25
20 m	0	38	16	0				0	1	38	0.25
30 m	1	38	16	0				0	3	38	0.50
40 m	0	38	16	0				0	0	38	1.0
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	3	5	3	2	3					
E	2	5	3	2	4					
S	3	5	3	2	4					
W	3	5	3	2	4					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8-15-17  
 Observer: Seth A  
 Recorder: Seth A  
 Team lead: Kelsey F

Site: \_\_\_\_\_  
 Tra van2 \_\_\_\_\_  
 Rou tvan2a \_\_\_\_\_  
 3 \_\_\_\_\_  
 50m \_\_\_\_\_

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	36	16	0				0	0	98	2.0
10 m	0	16	3	0				0	3	98	1.0
20 m	0	3	86	0				0	16	86	0.5
30 m	3	0	86	0				0	1	98	0.25
40 m	63	0	16	0				0	3	86	0.5
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	1	1	1	1					
E	1	1	1	2	1					
S	1	1	1	1	1					
W	1	1	1	2	1					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

# Daubenmire Datasheet

Date: 8-15-17  
Observer: Seth A  
Recorder: Seth A  
Team lead: Kelsey F

Site: vos1  
Transect: tvos1a  
Round: 3  
50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	1	0	16	0				0	3	86	1.0
10 m	1	0	3	0				0	63	38	1.0
20 m	0	0	38	0				0	16	63	1.0
30 m	1	0	38	0				0	16	63	1.5
40 m	1	0	16	1	2			0	3	86	1.5
50 m											
60 m											
70 m											
80 m											
90 m											

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	0	0	2	1	0					
E	0	1	2	2	1					
S	0	0	2	1	1					
W	1	1	2	1	1					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm