Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

Site: van1 tvan1a Trans 1 Round 50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter
0 m	16	0	16	0		(7)	0		l	CII	Depth (cm)
10 m	3	1(0	1(0	0	$\bigcirc$		0		3	80	4.5
20 m		10	3	(*)	0	0	A	0	3	86	1.0
30 m	İ	10	16	0	0		0	0	3	80	1.0
40 m	3	3	3	0	0	0	0	9	28	80	2.0
50 m		~~							38	63	1.0
60 m											
70 m						1					
80 m											
90 m										4.5	

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	0		2	\	0					70
Ε	1	2	)	7-			>			
s	1	2	2	1	1					
W	İ	2	ð	1						

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm